

Got Cloud?

Who = Afomiya Storm

email address of Afomiya Storm in the cloud haus: `afomiya_storm@clouthaus.com`

Role: Influencer Partner

Check that info:

1-urgent or threatening language, pressuring her to act quickly: "Immediate action required" or "Deadline in 24 hours."

2-Sensitive information like her `password`, `credit card details`, or `social security number`

3-Suspicious domain name

4-Generic greetings: "Dear Customer"

Tool:

1-Open Source Intelligence (`OSINT`), using publicly available info to gather intel on a target

2- KQL (Kusto Query Language)

Which of the following signs should Afomiya look for to determine if an email offering a brand deal is a phishing attempt?

All

According to CloutHaus internal employee logs, what is Afomiya's designated professional email?

Employees

| `where name contains "afomiya"`

| `distinct role`

Based on the CloutHaus employee table, what is the status of Multi-Factor Authentication (MFA) for Afomiya's account?

Employees

| `where name contains "afomiya"`

| `distinct mfa_enabled`

What is the sender's email address in the email Afomiya received from "Dior"?

What is the subject line of the email Afomiya received from "Dior"?

What is the link provided in the email?

Email

| `where recipient == "afomiya_storm@clouthaus.com"`

| `where subject contains "Dior" or links contains "Dior"`

Response: [EXTERNAL] Exclusive Partnership Opportunity with Dior
collabs@dior-partners.com

<https://super-brand-offer.com/login>

When did Afomiya click on the link? Paste the entire timestamp.

What username did she enter?

```
OutboundNetworkEvents
| where url contains "super-brand-offer.com"
```

Response: 2025-04-03T11:20:00.000Z

Response: Username entered: afstorm

What is the IP address associated with the domain?

```
PassiveDns
| where domain contains "super-brand-offer.com"
```

Response: Domain super-brand-offer.com = 198.51.100.12

How many distinct domains are linked to the suspicious IP address?

```
PassiveDns
| where ip contains "198.51.100.12"
| distinct domain
```

Response: super-brand-offer.com
dior-partners.com
influencer-deals.net

INSIDE THE CLOUT BREACH

Your mission: use the Authentication, Network, and Email logs to uncover what the intruder did, what they wanted, and what may be gone. Be methodical. Document everything

Start here:

1. Find the suspicious login event.
2. Identify the IP address used to gain access.
3. Trace actions from that session (reads/sends, forwarding rules, downloads).

What IP address was used to gain access?

Find the exact username first: afstorm

```
Employees
| where username contains "storm"
```

Then pull their login events:

```
AuthenticationEvents
| where username == "afstorm"
```

Response: IP from afstorm username= 10.10.0.3

Attacker side

We can see 4 attempts with this source IP

Response: "hostname": OQPA-DESKTOP

Response: "src_ip": 109.52.231.254

Response: "hostname": MAIL-SERVER01

Response: "src_ip": 182.45.67.89

What domains are associated with this IP? (enter one)

Look for domains historically or currently linked to that IP.

PassiveDns

```
| where ip == "182.45.67.89"
```

Response: influencer-deals.net

Attackers love outdated User-Agents because they can mimic real users or slip past detections.

What part of the User-Agent string indicates the suspicious browser and operating system? (Submit either the browser name/version or the operating system name/version.)

InboundNetworkEvents

```
| where src_ip contains "182.45.67.89"
```

Response: MSIE 5.0; Windows NT 5.2

□ What country did the login originate from?

Do it yourself using Maxmind or another IP lookup tool

<https://www.maxmind.com/en/geop-demo>

Why it matters: IP geolocation can expose impossible travel, unusual logins, or attacker infrastructure.

- **MaxMind** is a common service that maps IPs to countries/cities:

□ [MaxMind GeoIP Demo](#)

- Many SIEMs or log sources already enrich logs with this data.

IP Address	Location	Network
182.45.67.89	Jinan, Shandong, China (CN), Asia	182.45.0.0/17

The `InboundNetworkEvents` table is a goldmine for early warning signs. It logs incoming activity to the company's site □ that can reveal reconnaissance behavior □ before an attacker makes their move □

Understanding this table helps analysts connect the dots between suspicious access patterns, search behavior, and potential targets, a key skill for stopping threats in their tracks.

According to the attacker's web search history on the site, what were they trying to hack?

InboundNetworkEvents

```
| where src_ip contains "182.45.67.89"
```

```
| where url contains "hack"
```

<https://clouhaus.com/search=How+to+hack+an+influencer's+location+from+their+Instagram+story>

Response: location

InboundNetworkEvents

```
| where src_ip contains "182.45.67.89"  
| where url contains "friend"
```

[https://cloutheaus.com/search=Afomiya+Storm+home+address??+\(asking+for+a+friend\)](https://cloutheaus.com/search=Afomiya+Storm+home+address??+(asking+for+a+friend))

Response: home address

❑ What kind of account or app does that log suggest they were targeting?

Look for indicators in the logs such as: merchant names, transaction

IDs, payment, checkout, transaction, venmo, paypal, cashapp, zelle, stripe, square, or bank in URLs, email subjects, or API endpoints. Also check for access to account pages, statements, or downloadable CSV receipts.

InboundNetworkEvents

```
| where src_ip contains "182.45.67.89"  
| where url contains "venmo"
```

Response: <https://cloutheaus.com/search=Afomiya's+Venmo+history+--is+that+public??>

InboundNetworkEvents

```
| where src_ip contains "182.45.67.89"  
| where url contains "fake"
```

<https://cloutheaus.com/search=How+much+would+it+cost+to+hire+Afomiya+for+a+fake+birthda+y+party?>

Response: birthday party

❑ What external email address received messages forwarded from Afomiya's account?

Email

```
| where sender == "afomiya_storm@cloutheaus.com"  
| where subject contains "FORWARD" or subject contains "EXTERNAL"  
| where recipient !contains "@cloutheaus.com"
```

Response: noreply@influencer-deals.net

❑ Which forwarded email contained Afomiya's payment details or direct deposit form?

Email

```
| where sender == "afomiya_storm@cloutheaus.com"  
| where subject contains "FORWARD" and subject contains "EXTERNAL"  
and subject contains "DIRECT DEPOSIT"  
| where recipient !contains "@cloutheaus.com"
```

Response: [EXTERNAL] [FORWARD] Afomiya's payment details - direct deposit form

What forwarded email subject included a passport scan?

Email

```
| where sender == "afomiya_storm@clouthaus.com"  
| where subject contains "FORWARD" and subject contains "EXTERNAL" and subject  
contains "passport"  
| where recipient !contains "@clouthaus.com"
```

Response: [EXTERNAL] [FORWARD] Afomiya's passport scan – confidential

Email

```
| where sender == "afomiya_storm@clouthaus.com"  
| where subject contains "FORWARD" and subject contains "EXTERNAL" and subject  
contains "tax"  
| where recipient !contains "@clouthaus.com"
```

Response: [EXTERNAL] [FORWARD] Re: Tax documents – year-end summary

Clout Defender

This analyst unraveled a targeted phishing and social engineering attack against a rising influencer. Through OSINT, phishing analysis, and log forensics, they uncovered how personal details shared on social media were exploited to compromise her accounts. Using Kusto Query Language (KQL), they analyzed employee logs, inbound and outbound traffic, and passive DNS data to trace the attacker's steps and infrastructure. This exercise strengthened skills in threat analysis, digital forensics, and understanding the real-world risks of oversharing online.