

Romantic Dynamics Under Public Selection: A Dynamical Systems Model of Love Island

Joseph Blumberg

August 25, 2026

Abstract

This paper develops a dynamical-systems framework for modeling romantic pair formation, stability, and elimination in a closed social environment, using the reality television show *Love Island* as a structured empirical setting. We adapt the Rinaldi/Strogatz family of coupled ordinary differential equations to capture three core feedback mechanisms in interpersonal affect: forgetting (oblivion), reactivity to a partner's affection, and nonlinear synergy between mutual love levels. We derive closed-form equilibria for the baseline linear system, characterize local asymptotic stability via the Jacobian trace-determinant conditions, and show formally that sufficiently strong synergy can destabilize otherwise convergent relationships (Propositions 1 and 2). To capture the high emotional volatility observed in early episodes, we augment the first-order love dynamics with a damped harmonic oscillator whose damping coefficient increases over time, allowing the model to reproduce the empirical pattern of large initial fluctuations that attenuate as couples either stabilize or dissolve.

A distinguishing feature of the model is its integration of audience behavior into the dynamical system. We construct a public support function, $\Phi_p(t)$, that aggregates five observable covariates: female contestant time-in-villa, audience relatability (modeled as a bounded, monotone-decreasing function of perceived attractiveness), male-female attractiveness discrepancy, couple duration, and male time-in-villa, together with a relatability-discrepancy interaction term and stage-dependent intercepts. The functional form is grounded in three established psychological theories: Social Comparison Theory (Festinger, 1954), Self-Discrepancy Theory (Higgins, 1987), and Parasocial Relationships Theory (Horton and Wohl, 1956). We derive monotone comparative statics showing that public support is strictly increasing in time-in-villa and couple duration, and strictly increasing in the attractiveness gap when that gap is positive, consistent with the hypothesis that the predominantly young, single female voting audience favors aspirational pairings.

The season is partitioned into three phases: a Pre-Voting stage (Days 1–15) in which physical attractiveness dominates initial coupling and no audience elimination occurs, a Post-Voting stage (Days 16–35) in which public votes begin and the Casa Amor twist injects exogenous partner shocks, and an Endgame stage (Days 36–53) in which relationships approach equilibrium and final eliminations determine the winner. These phases are unified through a terminal Winner Index, Ω_p , that additively combines end-of-season public support with a time-averaged measure of mutual affection near the finale, plus a stochastic residual. The couple maximizing Ω_p is predicted as the season winner. While the model remains theoretical and parameters are chosen for qualitative interpretability rather than empirical calibration, the framework yields testable comparative statics and a formal language for analyzing how emotional dynamics and audience selection jointly determine outcomes in structured social competitions.

1 Introduction

This work presents a *behavioral econometric and mathematical analysis* of how couples form, stabilize, and ultimately succeed or fail on the popular reality television show *Love Island*. Our approach is grounded in a well-documented family of dynamical systems first introduced by Strogatz and Rinaldi for modeling *love dynamics* and *happiness*. These foundational functions have also appeared in *Dynamics of Love and Happiness: A Mathematical Analysis*, which inform the equations utilized here.

In particular, we use the Rinaldi/Strogatz-type systems to capture the key feedback loops (e.g., forgetting rates, reactivity, and synergy terms) that help describe why certain couples remain stable while others quickly dissolve. However, *Love Island* itself operates under a structured environment that we divide into three distinct phases: (1) **Pre-Voting**, (2) **Post-Voting**, and (3) **Endgame**. Each phase imposes unique conditions on how contestants couple, how the public participates in eliminating Islanders, and how couples converge to a “love equilibrium” or separate entirely.

Crucially, *Love Island* is akin to a *closed system*. Contestants have no economic pressures or external distractions—bedding, meals, and leisure are fully provided, minimizing extraneous variables like income, job demands, or schedule constraints. This effectively lowers the dimensionality of our system because it focuses attention squarely on the contestants’ emotional and social dynamics, rather than resource-based stressors. Additionally, potential “red flags” such as poor organization or day-to-day responsibilities are significantly mitigated by the show’s controlled environment. Consequently, *Love Island* presents a near-ideal experimental setting in which to apply differential-equation-based models of love and happiness.

Assumption 1 (Closed-System Environment). Let Z denote external stressors (income constraints, job demands, commuting, household logistics, and time scarcity). We assume Z is either constant across contestants or effectively removed by the show’s design. Hence, the relevant state of a couple can be modeled with a reduced set of endogenous variables (affect and appeal), rather than a higher-dimensional “real-world” bundle that mixes emotions with resource constraints.

In what follows, we outline the mathematical structures—drawing from classic *love-affair equations* and incorporating public votes as exogenous factors for couple elimination—and analyze them across the three stages of a season. The paper proceeds as follows: Section 2 defines the state variables and love dynamics and derives equilibrium/stability conditions. Section 3 formalizes audience bias through $\Phi_p(t)$ and establishes basic comparative statics. Sections 4–6 integrate early-stage volatility (oscillation), stage-specific rules, and a final winner index Ω_p .

2 Setting Up the System

2.1 Contestants, Couples, and Time

On average, there are about 33 contestants each season, with men and women aggregated from that total. A *typical* season spans 53 days.

Thus, let:

- $\mathcal{C}$ be the set of **all contestants** in the villa during a season. Typically, $|\mathcal{C}| \approx 33$ across the entire season, although only 10 start on Day 1.
- $\mathcal{M} \subset \mathcal{C}$ be the set of **men** and $\mathcal{W} \subset \mathcal{C}$ be the set of **women**, such that $\mathcal{M} \cup \mathcal{W} = \mathcal{C}$ and $\mathcal{M} \cap \mathcal{W} = \emptyset$.
- The season unfolds in **discrete days** $t \in \{1, 2, \dots, 53\}$ (typical average length). We subdivide these days into **three stages**:

$$\text{Stage 1 (Pre-Voting)} = \{1, \dots, 15\},$$

$$\text{Stage 2 (Post-Voting)} = \{16, \dots, 35\},$$

$$\text{Stage 3 (Endgame)} = \{36, \dots, 53\}.$$

During the show, contestants form **couples**. Let:

$$\mathcal{P}(t) = \text{set of } \mathbf{current couples} \text{ on day } t.$$

Each “couple” $p \in \mathcal{P}(t)$ contains *one man* and *one woman*, e.g., $p = (m, f)$ with $m \in \mathcal{M}$, $f \in \mathcal{W}$.

All contestants remain in a “**closed system**”—no job demands, income differences, or external constraints to worry about, which reduces the dimensionality (fewer extraneous variables). Love Island provides food, bedding, time, so none of those resource constraints matter. Moreover, viewership discussions often note that the audience skews female, with a substantial share of viewers self-identifying as single, thus strongly influencing the direction of public votes.

Notation note. We abuse notation and use t for both the continuous time variable in the ODEs and the discrete day index; context makes clear which is intended.

2.2 Love Dynamics: Core Equations

For each *couple* $p = (m, f)$, define **time-dependent love** (or emotional) variables:

$x_m(t)$ = the “love level” (or net affection) that man m feels for woman f at time t ,
 $x_f(t)$ = the “love level” that woman f feels for man m at time t .

We adapt the *nonlinear system* from prior research (Rinaldi-like, with synergy terms):

$$\begin{cases} \frac{dx_m}{dt} = -\alpha_m x_m + \beta_m x_f + \gamma_m (A_f) + d_m x_m x_f, \\ \frac{dx_f}{dt} = -\alpha_f x_f + \beta_f x_m + \gamma_f A_m + d_f x_m x_f. \end{cases}$$

Here:

- α_m, α_f are **forgetting/oblivion** rates.
- β_m, β_f are **reactive-ness** (response to being loved).
- γ_m, γ_f measure how strongly each person responds to the other’s **intrinsic appeal** A_m or A_f .
- d_m, d_f are **nonlinear synergy** coefficients.

The variable A_i is the inherent “**attractiveness**” or “appeal” of contestant i . This can initially be *physical attractiveness* but can also be adjusted to reflect other desirability traits over time.

Stage-1 note: Early on (Days 1–15), *physical attractiveness bias* is weighted more heavily, so A_i for Stage 1 can be dominated by the “instant physical trait.” For example, in Love Island US Season 3, **Christian Longnecker** (Day 1 contestant) was viewed as the least physically attractive among the initial men. Hence we assign $A_{\text{Christian Longnecker}}$ a comparatively small numerical value. Because initial coupling at this stage is almost entirely based on physique, Christian struggled to find a partner and was eliminated early (Day 5). This dynamic highlights how, in the pre-voting rounds, *physique alone* can determine whether a contestant remains or not.

2.3 Equilibria and Local Stability (No Votes Yet)

To understand when a couple stabilizes versus spirals, we study steady states of the core love dynamics. An equilibrium (x_m^*, x_f^*) satisfies

$$\frac{dx_m}{dt} = 0, \quad \frac{dx_f}{dt} = 0,$$

so

$$0 = -\alpha_m x_m^* + \beta_m x_f^* + \gamma_m A_f + d_m x_m^* x_f^*, \quad (1)$$

$$0 = -\alpha_f x_f^* + \beta_f x_m^* + \gamma_f A_m + d_f x_m^* x_f^*. \quad (2)$$

Because the synergy terms introduce nonlinearity, multiple equilibria may exist in general. To make the theory transparent, we first analyze a baseline case and then interpret the nonlinear terms as amplifiers.

Baseline equilibrium (no synergy). Set $d_m = d_f = 0$. Then (1)–(2) become a linear system:

$$\begin{pmatrix} -\alpha_m & \beta_m \\ \beta_f & -\alpha_f \end{pmatrix} \begin{pmatrix} x_m^* \\ x_f^* \end{pmatrix} = - \begin{pmatrix} \gamma_m A_f \\ \gamma_f A_m \end{pmatrix}.$$

If $\alpha_m \alpha_f - \beta_m \beta_f \neq 0$, there is a unique equilibrium given by

$$x_m^* = \frac{\alpha_f \gamma_m A_f + \beta_m \gamma_f A_m}{\alpha_m \alpha_f - \beta_m \beta_f}, \quad (3)$$

$$x_f^* = \frac{\alpha_m \gamma_f A_m + \beta_f \gamma_m A_f}{\alpha_m \alpha_f - \beta_m \beta_f}. \quad (4)$$

Interpretation: higher appeal terms (A_m, A_f) raise equilibrium affection, while stronger forgetting (α_m, α_f) lowers it. Reactivity (β_m, β_f) transfers affection across partners.

Jacobian and local stability. Let $F(x_m, x_f)$ denote the right-hand side of the ODE system. The Jacobian is

$$J(x_m, x_f) = \begin{pmatrix} -\alpha_m + d_m x_f & \beta_m + d_m x_m \\ \beta_f + d_f x_f & -\alpha_f + d_f x_m \end{pmatrix}.$$

Evaluate at (x_m^*, x_f^*) to get $J^* = J(x_m^*, x_f^*)$. In two dimensions, a sufficient (and standard) condition for local asymptotic stability is:

$$\text{tr}(J^*) < 0 \quad \text{and} \quad \det(J^*) > 0,$$

where tr is the trace and $\det$ the determinant.

Proposition 1 (Stability in the baseline model). If $d_m = d_f = 0$ and $\alpha_m \alpha_f > \beta_m \beta_f$, then the equilibrium (3)–(4) is locally asymptotically stable.

Sketch. With $d_m = d_f = 0$, the Jacobian is constant:

$$J^* = \begin{pmatrix} -\alpha_m & \beta_m \\ \beta_f & -\alpha_f \end{pmatrix}.$$

Then $\text{tr}(J^*) = -(\alpha_m + \alpha_f) < 0$ and $\det(J^*) = \alpha_m \alpha_f - \beta_m \beta_f > 0$ by assumption. Thus the equilibrium is locally stable.

Proposition 2 (Synergy can destabilize). Suppose $d_m, d_f > 0$ and assume equilibrium affection levels are nonnegative, i.e., $x_m^*, x_f^* \geq 0$. If the equilibrium affection levels are large enough that

$$d_m x_f^* + d_f x_m^* > \alpha_m + \alpha_f.$$

Then $\text{tr}(J^*) > 0$, so the equilibrium cannot be locally asymptotically stable.

Interpretation. Positive synergy acts like feedback: high affection increases the marginal growth rate of affection. If this reinforcement overwhelms forgetting, small deviations from equilibrium grow rather than decay. In Love Island language: the model allows both “settling down” and “runaway dynamics” depending on the feedback regime.

We keep these ODEs conceptually *continuous* in t , but Love Island events (recouplings, dumpings) occur discretely. One can treat each day as a “small time step” and integrate from day to day.

2.4 Public Vote and “Survival” Probabilities

Starting in **Stage 2**, public votes and audience biases come into play. Define a *public favorability* function:

$$\Phi_p(t) = \text{the net public support for couple } p \text{ at day } t.$$

When the audience votes, the couple(s) with the lowest $\Phi_p(t)$ are *dumped*, or placed “at risk.”

Below, we incorporate the psychological biases and stylized patterns that drive $\Phi_p(t)$.

3 Psychological and Voting Biases

In this section, we define the behavioral functions that parameterize the public support function $\Phi_p(t)$ by capturing key psychological factors that influence viewer engagement. For each couple $p = (m, f) \in \mathcal{P}(t)$, we consider the following functions:

3.1 Bias Factors

- **Discrepancy of Attractiveness:**

Social Comparison Theory (Festinger, 1954) argues that people evaluate themselves by comparing to others in domains crucial to self-worth (e.g., attractiveness, romantic success). In Love Island, single female viewers often identify with a female contestant if she is perceived as less conventionally attractive, while an attractive man paired with her creates an aspirational dynamic.

Self-Discrepancy Theory (Higgins, 1987) explains that individuals strive to reduce the gap between their actual self and their “ideal self.” Seeing a below-average-attractiveness woman with an attractive man offers hope for single female viewers, motivating increased public favor. Thus, we define:

$$D_p = A_m - A_f.$$

Definition: D_p captures how the man’s attractiveness compares to the woman’s. In this show’s environment, a bigger $D_p > 0$ is often favored among single-female viewers, perceived as more “aspirational” or validating.

- **Female “Relatability”:**

Many single female viewers see themselves as not meeting conventional beauty standards. **Social Comparison Theory** suggests that they resonate with a contestant

who appears more attainable. This identification can boost support for the couple. Accordingly, we define:

$$R_f = g(A_f), \quad \text{where } g'(A_f) < 0, \quad g(A_f) \geq 0, \text{ and } g \text{ is bounded.}$$

Definition: R_f measures audience relatability as a decreasing function of perceived attractiveness A_f . We assume relatability is nonnegative, monotone decreasing in A_f , and bounded (so it cannot explode).

- **Duration In Show:**

Parasocial Relationships Theory (Horton & Wohl, 1956) posits that audiences form one-sided emotional bonds over time. In Love Island, female contestants who appear from Day 1 accumulate more screen time and, hence, more viewer attachment. This extended exposure enhances public support. Here, we set:

$$T_f \in [0, 53], \quad T_m \in [0, 53], \quad T_{\text{couple}} \in [0, 53].$$

Definition: T_f and T_m track how long each contestant has been in the villa, while T_{couple} is how long they've been together. We treat $T_f, T_m, T_{\text{couple}}$ as time-varying counters evaluated at day t . A larger T_f drastically boosts a female contestant's survival odds due to viewer loyalty.

Stage-Specific Multipliers. Let $\mu_{\text{Stage}}(t)$ be piecewise constant to reflect how these biases shift:

$$\mu_{\text{Stage}}(t) = \begin{cases} \mu_1, & t \in \{1, \dots, 15\} \text{ (Pre-Voting)}, \\ \mu_2, & t \in \{16, \dots, 35\} \text{ (Post-Voting)}, \\ \mu_3, & t \in \{36, \dots, 53\} \text{ (Endgame)}. \end{cases}$$

For instance, μ_1 might heavily reward raw attractiveness for forming early couples, while μ_2 and μ_3 bring in the public vote focus.

3.2 Public Support Function $\Phi_p(t)$:

We propose a **weighted** combination for $\Phi_p(t)$:

$$\begin{aligned} \Phi_p(t) = & w_1 T_f + w_2 R_f + w_3 \max\{0, D_p\} + w_4 T_{\text{couple}} \\ & + w_5 T_m + w_6 \left(R_f \max\{0, D_p\} \right) + \mu_{\text{Stage}}(t). \end{aligned}$$

Comparative Statics (Monotonicity). Holding stage fixed (so $\mu_{\text{Stage}}(t)$ is constant), the function $\Phi_p(t)$ is monotone increasing in time-in-villa and relationship duration:

$$\frac{\partial \Phi_p}{\partial T_f} = w_1 > 0, \quad \frac{\partial \Phi_p}{\partial T_{\text{couple}}} = w_4 > 0, \quad \frac{\partial \Phi_p}{\partial T_m} = w_5 > 0.$$

Moreover, for $D_p > 0$,

$$\frac{\partial \Phi_p}{\partial D_p} = w_3 + w_6 R_f > 0,$$

so a larger positive attractiveness gap strictly increases public support in the regime where that gap is hypothesized to matter. Finally, since $R_f = g(A_f)$ with $g'(A_f) < 0$, relatability decreases as A_f increases, capturing the identification channel described above.

Here $w_1 > w_2 > w_3 > w_4 > w_5$, and w_6 captures the synergy of *relatability* plus a positive attractiveness gap (D_p). Because the majority of voters are single women, each weight reflects biases toward:

- Early female arrival (T_f) $\rightarrow$ Parasocial attachments.
- Female relatability (R_f) $\rightarrow$ Identification and empathy.
- Attractiveness gap (D_p) $\rightarrow$ Aspirational coupling.

When an elimination happens, any couple p with $\Phi_p(t)$ below a threshold or in the bottom rank faces dumping. Across seasons, these psychological factors and commonly discussed audience skew plausibly shape who the audience keeps.

Day-by-Day Integration of the ODEs. Although each *episode* revolves around discrete days, we treat $(x_m(t), x_f(t))$ as evolving via continuous-time ODEs. A simple way to simulate day-by-day is:

$$x_m(t+1) = x_m(t) + \int_t^{t+1} \left[-\alpha_m x_m(\tau) + \beta_m x_f(\tau) + \gamma_m A_f + d_m x_m(\tau) x_f(\tau) \right] d\tau,$$

and similarly for $x_f(t+1)$. This integral reflects the net change over one day in each individual's love level, aggregating the effects of forgetfulness, reactivity, intrinsic appeal, and synergy. Practically, one might use small-step numerical methods or treat each day as a single step, then update $\Phi_p(t)$ at the end of each day to reflect public support based on that day's events and relationship changes.

4 Oscillation and Stochastic Components (Early Phases)

While the main system (love ODEs) seeks an equilibrium, early phases (especially Stage 1 and Stage 2) often exhibit *fluctuations* or oscillations. We introduce a small **harmonic or stochastic** term to reflect:

- **Initial disagreements or lack of chemistry**, causing daily variations in feelings.
- **High-amplitude oscillations** in the first days that *decrease over time* as couples either stabilize or break.

We represent this mathematically by augmenting each love variable with a damped oscillatory equation, e.g.:

$$\frac{d^2x_m}{dt^2} + \kappa \frac{dx_m}{dt} + \omega^2 x_m = \eta_m(t).$$

Here, $\kappa > 0$ grows with t (so that the relationship “settles” eventually), ω is a natural frequency of emotional swing, and $\eta_m(t)$ can be random noise or triggered by external twists (like bombshell arrivals).

If these oscillations remain too large (e.g., if κ is too small), the couple may never reach a stable love equilibrium and will eventually recouple with new partners or be voted off. Meanwhile, as personality importance increases in Stage 2, κ rises, dampening the oscillations and letting a stable equilibrium form.

5 Three-Stage Model

We now **combine** the love dynamics with the elimination/voting logic in a simplified day-by-day flow. Let:

$(x_m(t), x_f(t))$ evolve continuously from t to $t + 1$ for each couple $p = (m, f)$.

After the day’s “events,” we compute $\Phi_p(t)$. If $\Phi_p(t)$ is too low, that couple is dissolved; the members either **exit** or remain single until the next recoupling.

5.1 Stage 1: Pre-Voting ($t = 1$ to 15)

- **No public vote yet.**
- **Attraction** (A_i) is the **dominant** driver for initial coupling (physical bias).

- A harmonic/stochastic component has **higher amplitude** here (fresh disagreements, unclear chemistry).
- As in the Christian example, a contestant deemed least attractive ($A_{\text{Christian}}$ small) is often left single. Christian was eliminated early (Day 5) in the same season.

5.2 Stage 2: Post-Voting ($t = 16$ to 35)

- Public votes start; $\Phi_p(t)$ is relevant for who remains.
- **Casa Amor** around Day 29 typically introduces new contestants with higher or more varied A_i , driving possible recouplings. (oscillation amplitude increases for span of 3–4 days.)
- Afterwards, oscillation amplitude decreases (personality and deeper connections matter more), so κ increases in the damping term.

5.3 Stage 3: Endgame ($t = 36$ to 53)

- Relationships mostly *stabilize* ($\frac{dx}{dt} \approx 0$, damped oscillations).
- **Final Recouplings** and **Meet the Parents** add some external interest, but major shifts are less likely.
- The final *public vote* yields top 3–4 couples. Viewers again rely on $\Phi_p(t)$, strongly influenced by T_f (the woman’s longevity) and the perceived authenticity of the couple.

6 Putting It All Together: The “Winner Function”

We define a final “**Winner Index**” Ω_p for each couple p in the final. Because day 53 typically marks the season’s end, we consider a near-final day $\bar{t} = 53$ and use a short-window average to summarize near-final affection levels:

$$\bar{x}_m(\bar{t}) = \frac{1}{\Delta} \int_{\bar{t}-\Delta}^{\bar{t}} x_m(\tau) d\tau, \quad \bar{x}_f(\bar{t}) = \frac{1}{\Delta} \int_{\bar{t}-\Delta}^{\bar{t}} x_f(\tau) d\tau,$$

for some small $\Delta > 0$. Then

$$\Omega_p = \underbrace{\Phi_p(\bar{t})}_{\text{public support}} + \underbrace{\chi \left[\bar{x}_m(\bar{t}) + \bar{x}_f(\bar{t}) \right]}_{\text{average love synergy at final}} + \epsilon_p,$$

where $\chi > 0$ is a small weight capturing the *average* (denoted by the overbars) of each partner's love level near the final day, and ϵ_p is a small random term. The **winner** is

$$p_{\text{winner}} = \operatorname{argmax}_{p \in \mathcal{P}(\text{final})} \Omega_p.$$

Concisely:

Let $\mathcal{F} \subseteq \mathcal{P}(\bar{t})$ be the set of final couples on day $\bar{t} = 53$.

$$p_{\text{winner}} \in \left\{ p \in \mathcal{F} \mid \Omega_p \geq \Omega_q \forall q \in \mathcal{F} \right\}.$$

(We assume a unique maximizer or else the show tiebreak picks one.)

7 Summary of the Model

1. **Love ODE** (foundation from earlier research):

$$\begin{cases} \frac{dx_m}{dt} = -\alpha_m x_m + \beta_m x_f + \gamma_m A_f + d_m x_m x_f, \\ \frac{dx_f}{dt} = -\alpha_f x_f + \beta_f x_m + \gamma_f A_m + d_f x_m x_f. \end{cases}$$

- **Closed system:** No external resource competition; infinite time for bonding.

2. **Public Support:**

$$\begin{aligned} \Phi_p(t) = & w_1 T_f + w_2 R_f + w_3 \max(0, D_p) + w_4 T_{\text{couple}} \\ & + w_5 T_m + w_6 \left(R_f \max\{0, D_p\} \right) + \mu_{\text{Stage}}(t). \end{aligned}$$

This matches viewer biases as motivated by viewership discussions and yields monotone comparative statics in key variables.

3. **Elimination Mechanics:**

- On each elimination, the bottom-ranked couples by $\Phi_p(t)$ are at risk.

4. **Oscillation or Stochastic Terms (early):**

$$\frac{d^2 x_m}{dt^2} + \kappa \frac{dx_m}{dt} + \omega^2 x_m = \eta_m(t),$$

capturing initial high fluctuation that damps as t increases.

5. **Winning Function** Ω_p (at $\bar{t} = 53$):

$$\Omega_p = \Phi_p(\bar{t}) + \chi \left[\bar{x}_m(\bar{t}) + \bar{x}_f(\bar{t}) \right] + \epsilon_p.$$

The highest Ω_p wins.

8 Potential Improvement and Conclusionary Statements

Limitations. This paper is theoretical: parameters are not estimated from data, weights w_i are chosen for interpretability rather than calibration, and the model is meant for qualitative predictions (equilibria, stability regimes, and comparative statics) rather than point forecasts for specific seasons.

One future direction could involve expanding the *love dynamic* beyond two variables (x_m, x_f) . In *The Dynamics of Love and Happiness: A Mathematical Analysis*, higher-dimensional systems are considered. For instance, one might study a 4D linear system such as:

$$\frac{dR}{dt} = aR_J + b(J - G), \quad \frac{dJ}{dt} = cR + dJ, \quad \frac{dR_G}{dt} = e aR_G + f b(G - J),$$

where there are 4 variables (R, J, R_G, G) and 6 parameters (a, b, c, d, e, f) . Such a system is linear and does not exhibit chaotic behavior, but it can capture nuances of *group dynamics*, *relative happiness*, or additional emotional states that arise when multiple relationship factors (jealousy, friendship bonds, external influences) come into play.

It would also be an intriguing investigation to compare how Love Island *US* differs from its *UK* counterpart. Demographically, the voting audience may have distinct preferences, varying cultural attitudes toward public displays of affection, or different tolerances for certain behaviors. These factors could shift the weight parameters w_i in the support function $\Phi_p(t)$ or alter forgetting and reactive rates in the ODE system. A rigorous cross-franchise analysis, however, requires additional demographic and outcome data to be fully conclusive.

Finally, *Love Island* provides an almost perfect “simulation” for examining impulsive relationships in a controlled environment free from typical real-life stressors (income, scheduling, chores, etc.). Producers deliberately structure the show to emphasize rapid romantic decisions, which in turn clarifies the psychological and mathematical drivers behind these choices. From a media perspective, it also exemplifies how reality TV is engineered to *target a specific audience*: in this case, predominantly single women who identify with the female contestants, enjoy aspirational couplings, and form parasocial bonds over weeks of continuous viewing.

Ongoing quantitative modeling of such shows offers an exceptional window into real-world romantic decision-making, social biases, and the power of television as a social experiment.

References

- [1] D. Satsangi, A. K. Sinha, Dynamics of love and happiness: A mathematical analysis, I.J. Modern Education and Computer Science. 2012; 4(5): 31-37.
- [2] E. T. Higgins, Self-discrepancy: A theory relating self and affect, Psychol. Rev. 1987; 94(3): 319-340.
- [3] D. Horton, R. R. Wohl, Mass communication and para-social interaction: Observations on intimacy at a distance, Psychiatry. 1956; 19(3): 215-229.
- [4] L. Festinger, A theory of social comparison processes, Hum. Relat. 1954; 7(2): 117-140.