

06 | OVERVIEW



Understanding Climate Health: The Fuel Behind Hurricane Sandy

Abstract

In October 2012, Hurricane Sandy threatened the densely populated U.S. East Coast. Writing as the storm approached, climate scientist Kevin Trenberth explained how natural weather set up a huge, intense storm, and how global warming added fuel through warmer oceans, a moister atmosphere, and higher seas. This lesson explores how climate change can make a single storm more dangerous.


Introduction

Hurricane Sandy was a very large and powerful hurricane. It brought winds gusting to 103 kilometers per hour to coastal North Carolina, and forecasters expected it to turn left and move ashore between Washington, D.C., and New York. Storm-force winds extended more than 800 kilometers from its center. A long stretch of easterly wind had already piled up water along the coast. Combined with high tide and storm surge, ocean surges over 3 meters were possible in the New York City area. Trenberth, whose own family was evacuating from Hoboken, New Jersey, described the ingredients that made Sandy so threatening and the role climate change played in each one.

How Do Scientists Study This?

Trenberth's analysis combined real-time weather observations with basic physics. He compared sea surface temperatures along the Atlantic coast with normal values and estimated how much of the difference came from global warming. He then applied a well-established rule: for every 1°C of warming, the atmosphere can hold about 7% more water vapor. Because moisture fuels tropical storms, this relationship lets scientists estimate how extra warmth increases a storm's intensity and rainfall. Finally, he separated the causes: natural variability set up the storm's path and structure, while climate change added extra heat, moisture, and higher sea levels.

How warming fueled Hurricane Sandy



Observe the ocean

Sea surface temperatures were compared with normal values across an 800 km band off the Atlantic coast.

Apply the physics

Each 1°C of warming lets air hold about 7% more water vapor, which fuels storms and heavier rain.

Separate the causes

Scientists distinguish natural weather conditions from the extra boost added by global warming.

What Did They Discover?

Sea surface temperatures along the Atlantic coast were running more than 3°C above normal across a region stretching 800 kilometers offshore from Florida to Canada. Global warming contributed about 0.6°C of that. Extra moisture provided fuel for the storm, increasing its intensity and magnifying rainfall. Trenberth estimated that climate change contributed roughly 5 to 10% to the storm's effects through warmer oceans and a warmer, moister atmosphere. Natural variability provided near-optimal conditions for a hurricane to run into extra-tropical weather, creating a huge, intense storm, while higher sea levels made the storm surge more dangerous.

Sandy by the numbers

3°C

above-normal sea temperatures along the Atlantic coast

0.6°C

of that warmth contributed by global warming

3 m+

potential ocean surge in the New York City area

Sandy's biggest risk was coastal storm surge on top of sea levels already raised by climate change. Even a small rise in the baseline makes flooding reach farther.

Takeaways

Warm water fuels storms

Warmer oceans supply extra heat and moisture that make hurricanes more intense.

7% per degree

Each 1°C of warming lets the air hold about 7% more water vapor, boosting rainfall.

Nature plus warming

Weather set up Sandy, but climate change added a 5 to 10% boost to its impacts.

Key Terms

Storm surge

A rise in sea level caused by a storm's winds pushing water toward the shore, which can flood coastal areas.

Sea surface temperature

The temperature of the top layer of the ocean. Warmer surface water gives storms more energy.

Water vapor

Water in gas form in the atmosphere. Warmer air can hold more of it, providing fuel for storms and rain.


Extra-tropical conditions

Weather systems outside the tropics. When a hurricane merges with them, it can grow larger and more intense.

Natural variability

Changes in weather and climate that happen naturally, without human influence.

Vocabulary Path · Understanding Climate Health



Activity

Storm Fuel Calculator

Students use the 7% rule to estimate how much extra water vapor warmer air can hold and connect it to Sandy's rainfall.

Materials: Calculator; Graph paper; Data from the lesson

1. Start with 100 units of water vapor for air at a baseline temperature.
2. Calculate how much vapor the air can hold after 1°C, 2°C, and 3°C of warming, adding about 7% for each degree.
3. Graph your results, with temperature on the x-axis and water vapor on the y-axis.
4. Using the lesson, mark the 0.6°C of ocean warming attributed to global warming and estimate the extra moisture it provided.
5. Write a short explanation of why a warmer climate can make storms like Sandy rainier and more intense.

References

Trenberth, K. (2012). Hurricane Sandy mixes super-storm conditions with climate change. The Conversation. <https://doi.org/10.64628/AA.dumngn6v>