


(suggested maximum time: 5 minutes)

Niamh wants to extend her kitchen. She has two plans. The extension is the shaded area in each plan.



(a) Find the area of the extension for each plan.






(b) Which plan adds the biggest area to the kitchen? Tick the correct box.

Plan 1 Plan 2

(c) How many extra square metres would Niamh have if she uses this plan rather than the other plan?



page running

The data in the table below is taken from *CensusAtSchool*.

The data gives information about how students recycle soft drink cans.

Student	Gender	Age	Year	Location	Cans Bought	Cans Recycled
A	Female	12	1 st Year	Dublin	6	2
В	Male	13	1 st Year	Tipperary	0	0
С	Male	14	2 nd Year	Cork	1	1
D	Female	15	5 th Year	Cavan	0	0
Е	Male	15	4 th Year	Cork	2	1
F	Male	13	1 st Year	Offaly	5	2
G	Female	17	5 th Year	Westmeath	1	1
Н	Male	17	5 th Year	Westmeath	2	0
I	Male	13	1 st Year	Mayo	1	1
J	Male	13	2 nd Year	Galway	2	2
K	Male	17	5 th Year	Kilkenny	5	5
L	Female	12	1 st Year	Dublin	3	1
M	Female	17	6 th Year	Kerry	2	1
N	Female	17	5 th Year	Dublin	3	1

(a)	HC	W	ma	ny	stu	dei	ıts	are	ın	the	sa	mp	le'	•									

(b) Complete the table below to show the **junior** students (1st to 3rd year) in the sample and to show how many cans they each bought and recycled.


Student	A			L
Cans Bought	6			3
Cans Recycled	2			1

_			_	_			_	_	_		_	_		_	_		 -	_		 _

(c) How many soft drink cans were bought by the junior students?




(d) How many soft drink cans were recycled by the junior students?



(e) Based on the data, would you conclude that the junior students from this sample are better at recycling than the senior students (4th to 6th year)?

Use calculations to justify your answer.



(suggested maximum time: 10 minutes)

A hurling match is played between Team A and Team B. A player on Team A, Fiachra, has the ball and attempts to score. The probability of Fiachra scoring a point is 0·6 and the probability of him scoring a goal is 0·1.




																														Ť
W	hat	is	the	pro	oba	ıbil	ity	tha	ıt F	iac	hra	wi	ill 1	not	sco	re	ар	oir	nt i	n tl	his	atte	em	pt?						
																														t
tis	0.7	an	d th	ne p	oro	bat	oilit	ty o	f h	im	all sco an I	rin	ıg a	a go					e.	Th	e p	rob	ab	ilit <u>y</u>	y o	f P	ead	ar	scc	r
		ar r									an i	ıa	CIII	ıa.																
	T	Ī																												
																														İ
																										1				
	spe am:		tor	say	ys '	"Pe	eada	ar v	vill	al	way	'S S	SCO:	re r	nor	e t	har	ı Fi	ac	hra	in	a g	gam	ne b	etv	vee	en t	he	two	0
te	am			ee					ecta		·	rs s	sco	re r	nor	e t	har	ı Fi	ac	hra	in	a g	gan	ne b	oetv	wee	en t	he	two	0
te E	am:	s". ⁄ou	agı Ye	ee	wi	th t	the	spe	ecta N	itor No	·	rs s	sco	re r	mor	e ti	har	ı Fi	ac	hra	in	a g	gan	ne b	oetv	wee	en t	he	two	0
te E	am:	s".	agı Ye	ee	wi	th t	the	spe	ecta N	itor No	·	r's s	Sco	re r	mor	re ti	har	ı Fi	ac	hra	in	a g	gam	ne b	oetv	wee	en t	he	two	 o
te E	am:	s". ⁄ou	agı Ye	ee	wi	th t	the	spe	ecta N	itor No	·	'S S	Sco	re r	mor	e ti	har	n Fi	ac	hra	in	a g	gam	ne t	petv	wee	en t	he	two	0
te E	am:	s". ⁄ou	agı Ye	ee	wi	th t	the	spe	ecta N	itor No	·	ys s		re r	mor	re ti	har	ı Fi	ac	hra	in	a g	gam	ne b	oetv	wee	en t	he	two	0
te E	am:	s". ⁄ou	agı Ye	ee	wi	th t	the	spe	ecta N	itor No	·	rs s		re r	mor	re ti	har	n Fi	ac	hra	in	a g	gam	ne b	oetv	wee	en t	he	two	0
G G A TI	ive per per	a re	y is	on:	wir for	your decor T	the]] our a d to Γea	ans Te	we ecta we eam A h	ntor No r. n B	? Sav	ed	12	pe	nalt	ties	3 01	at o	of 2	20 t	his	sea	asc	on.						0
G G A TI	ive per per	a re	y is	on:	wir for	your decor T	the]] our a d to Γea	ans Te	we ecta we	ntor No r. n B	?	ed	12	pe	nalt	ties	3 01	at o	of 2	20 t	his	sea	asc	on.						0
G G A TI	ive per per she s	a re	y is	on:	wir for	your decor T	the]] our a d to Γea	ans Te	we ecta we	ntor No r. n B	? Sav	ed	12	pe	nalt	ties	3 01	at o	of 2	20 t	his	sea	asc	on.						0

(suggested maximum time: 5 minutes)

Amy is a scout. The scoutmaster has made an equilateral triangle with pegs and a rope as shown in the diagram. Amy measures one side of the triangle.

It is 6 m in length.




(a) Find the perimeter of the triangle.




(b) Construct an accurate scale diagram of the equilateral triangle in the space below. Use a scale of 1 cm to represent 1 m.

(a) Use your calculator to find the following trigonometric ratios. Write each answer correct to four decimal places.

(b) The angle P is shown in the triangle below.




- (i) On the diagram, clearly label the side opposite the angle P.
- (ii) On the diagram, clearly label the side adjacent to the angle P.
- (iii) If the length of the opposite side is 9 and the length of the adjacent side is 12, find the length of the hypotenuse.




Jasmine wants to find the height of her house. She measures the angle of elevation of the top of the roof using a clinometer. The angle is 30°. She is standing 18 m from the point on the ground directly below the apex of the roof. Jasmine draws the diagram above to show this information.


(a) Use Jasmine's measurements to find x. Write your answer in metres correct to one decimal place.




(b) What other information is needed to find the height of the house?



(a) The perimeter of a rectangle is 28 cm. The length of the rectangle is 9 cm. Find the width of the rectangle.



9 cm




(b) The symbol for the Olympic Games is five intersecting rings. The rings represent the five continents which compete in the games. The radius of each ring is 4 m.




Find the total circumference of the five rings. Use $\pi = 3.142$.

(suggested maximum time: 10 minutes)


Cement is stored in a silo in the shape of a cylinder on a cone as shown in the diagram.




(a) The height of the cylinder is 7 m and the radius is 2 m. Find the volume of the cylinder. Use $\pi = 3.142$. Give your answer correct to the nearest m³.




(b) The volume of the cone is 12 m³. Find the total volume of cement in the silo when it is full. Give your answer correct to the nearest m³.




(c) If 1 m^3 of cement weighs 2.5 tonnes, what is the total weight of the cement in the silo?




(a) Draw two axes of symmetry of the regular pentagon shown in the diagram below.



(b) What is the total number of lines of symmetry of a regular pentagon?



(c) Complete the image of the pentagon under a central symmetry in the origin.




(suggested maximum time: 10 minutes)


- (a) Convert the following times to the 24 hour clock.
 - (i) 1.30 pm = _____
 - (ii) 7.15 am = _____
 - (iii) 9.50 pm = _____




(b) An aeroplane leaves Shannon airport. It flies west for six and a half hours and lands at JFK airport in New York. The distance between the two airports is 4596 km. Find the average speed of the aeroplane in km/h.



(c) During the flight, the aeroplane uses 240 litres of fuel per minute. How many litres of fuel were used in the flight?




(d) For emergencies the aeroplane must carry 20% more fuel than it requires. Find the total amount of fuel carried by the aeroplane.



(suggested maximum time: 10 minutes)

An archaeologist has discovered various items at a site. The site is laid out in a grid and the position of each item is shown on the grid. The items found are a brooch (B), a plate (P), a ring (R), a statue (S) and a tile (T).



(a) Write down the co-ordinates of the position of each item.


$$B = (2, 7)$$

$$R = (,)$$

$$S = (,)$$


$$T = (,)$$

(b) Each square of the grid represents 1 m². Find the total area of the grid.



Which																									
Find the	e dista	nce	bet	wee	n t	he	br	000	ch ((B)	an	d th	e sta	itue	(S).									
					_																				
What is	the s	lope	of	the	line	e fi	ron	n th	ne j	plat	te (1	P) to	the	e bro	ooc	h (B)'	?							
						4																			
	the c	orrec	et te	erms	s fo	r A	۸, ۱	Ва	nd	C t	froi	n th	e fo	(sug llov				na	xim	ıuı	n t	imo	e: 1	l5 ı	mi
	the c	orrec	et te	erms	s fo	r A	4,]	Ва	nd	C 1	fron			llov				na	xim	1UI	n ti	imo	e: 1	15 1	mi
	the c	orrec	et te	>	s fo	r A	4 ,]	Ва	nd	C 1	froi	ra	ıdiu	llov	vin			na	xin	ıuı	n ti	imo	e: 1	15 1	mi
	the c	orrec	et te	erms	s fo	r A	A , l	B a	nd	C t	fror	ra		llov	vin			ma	xim	nui	n t	ime	e: 1	15 1	mi
	the c	orrec C (tt te	>	s fo	r A	A , l	Ва	nd	C 1	froi	ra d	ndiu iam	llov s eter	vin	g li	st:	mai	xin	1UI	n t	ime	e: 1	15 1	mi
	the c	C	et te	>	s fo	r A	A , l	B a	nd	Ci	froi	ra di ci	idiu iam rcu	llov is eter mfe	vin	g li	st:	ma	xin	nur	m ti	ime	e: 1	15 1	mi
	the c	C (A	et te	>	s fo	r A	A ,]	Ва	nd	Ci	froi	ra di ci	ndiu iam	llov is eter mfe	vin	g li	st:	ma	xin	nui	n ti	ime	e: 1	15 1	mi
tion 12 Choose	the c	C	et te	>	s fo	r A	A, l	Ва	nd	Ct	froi	r: d ci	adiu iam rcu entr	llov eter mfe	vin	g li	st:	ma	xim	nui	m ti	imo	e: 1	15 1	mi
	the c	C	et te	>	s fo	r A	A ,]	Ва	nd	C 1	froi	r: d ci	idiu iam rcu	llov eter mfe	vin	g li	st:	ma	xin	nui	m ti	ime	e: 1	15 1	mi
	the c	C	et te	>	s fo	r A	A, 1	Ва	nd	Ct	fron	r: d ci	adiu iam rcu entr	llov eter mfe	vin	g li	st:	ma	xin	nui	m ti	ime	e: 1	15 1	mi
		C		B				Ва	nd	Ci	fron	r: d ci	adiu iam rcu entr	llov eter mfe	vin	g li	st:	ma	xin	nur	m ti	ime	e: 1	15 1	mi
Choose		C		B				Ва	nd	C 1	fron	r: d ci	adiu iam rcu entr	llov eter mfe	vin	g li	st:	ma	xin	nur	m ti	imo	e: 1	15 1	mi
Choose	ne ans	C (A)		B				Ва	nd	C 1	fron	r: d ci	adiu iam rcu entr	llov eter mfe	vin	g li	st:	ma	xin	aur	m ti	ime	e: 1	15 1	mi
Choose	ne ans	C		B				Ва	nd	Ci	fron	r: d ci	adiu iam rcu entr	llov eter mfe	vin	g li	st:	ma	xin	1UI	m ti	ime	e: 1	15 1	mi
Choose	ne ans	C (A)		B				Ва	nd	Ci	fron	r: d ci	adiu iam rcu entr	llov eter mfe	vin	g li	st:	ma	xin	nur	m ti	ime	e: 1	15 1	mi
Choose	ne ans	C (A)		B				Ва	nd	C	fron	r: d ci	adiu iam rcu entr	llov eter mfe	vin	g li	st:	ma	xin	aur	m ti	ime	e: 1	15 1	mi

(b) Find the missing angles in the diagram. Write the answers into the grid.



x	
w	
у	
z	


(c) The measurements of the sides of four triangles are as follows:

Triangle	Sides
A	5, 3, 4
В	5, 6, 5
С	5, 6, 7
D	5, 6, 8

Which triangle is isosceles? Give a reason for your answer.


Answer													
Reason													
- Keason -													

(d) Cian used a protractor to measure the angle α in the diagram below. His answer was 100°.




Do you agree or disagree with Cian's measurement? Give a reason for your answer.






(e) Theorems on your course can be used to find the measure of the angles in the diagram below. Write down, in your own words, any theorem that you could use to find one of the missing angles.





(f) Find the measure of each of the missing angles in the diagram in part (e) above. Show your calculations.



page running


(suggested maximum time: 10 minutes)

A group of students was asked how many text messages each had sent the previous day. The results were:


14	32	6	17	19	15	3	35	42	25
9	28	34	18	40	11	16	28	31	7

(a) How many students were in the group?


(b) Represent the data on a stem-and-leaf diagram.



(c) Find the mode of the data.



(d) Find the mean of the data.



(e) What percentage of students sent more than 30 texts?