

Database Information

Name: 2013ss

Tables:

1. cb_acquisitions:

```
[mysql> show columns from cb_acquisitions;
```

Field	Type	Null	Key	Default	Extra
id	bigint(20)	NO	PRI	NULL	
acquisition_id	bigint(20)	NO	MUL	NULL	
acquiring_object_id	varchar(64)	NO	MUL	NULL	
acquired_object_id	varchar(64)	NO	MUL	NULL	
term_code	varchar(16)	YES		NULL	
price_amount	decimal(15,0)	YES		NULL	
price_currency_code	varchar(16)	YES		NULL	
acquired_at	date	YES		NULL	
source_url	varchar(255)	YES		NULL	
source_description	varchar(255)	YES		NULL	
created_at	datetime	YES		NULL	
updated_at	datetime	YES		NULL	

```
12 rows in set (0.00 sec)
```

2. cb_degrees:

```
[mysql> show columns from cb_degrees;
```

Field	Type	Null	Key	Default	Extra
id	bigint(20)	NO	PRI	NULL	
object_id	varchar(64)	NO	MUL	NULL	
degree_type	varchar(32)	NO		NULL	
subject	varchar(255)	YES		NULL	
institution	varchar(64)	YES		NULL	
graduated_at	date	YES		NULL	
created_at	datetime	YES		NULL	
updated_at	datetime	YES		NULL	

```
8 rows in set (0.00 sec)
```

3. cb_funding_rounds:

```
[mysql> show columns from cb_funding_rounds;
```

Field	Type	Null	Key	Default	Extra
id	bigint(20)	NO	PRI	NULL	
funding_round_id	bigint(20)	NO	MUL	NULL	
object_id	varchar(64)	NO	MUL	NULL	
funded_at	date	YES		NULL	
funding_round_type	varchar(32)	YES		NULL	
funding_round_code	varchar(32)	YES		NULL	
raised_amount_usd	decimal(15,0)	YES		NULL	
raised_amount	decimal(15,0)	YES		NULL	
raised_currency_code	varchar(3)	YES		NULL	
pre_money_valuation_usd	decimal(15,0)	YES		NULL	
pre_money_valuation	decimal(15,0)	YES		NULL	
pre_money_currency_code	varchar(3)	YES		NULL	
post_money_valuation_usd	decimal(15,0)	YES		NULL	
post_money_valuation	decimal(15,0)	YES		NULL	
post_money_currency_code	varchar(3)	YES		NULL	
participants	int(11)	YES		NULL	
is_first_round	int(11)	YES		0	
is_last_round	int(11)	YES		0	
source_url	varchar(255)	YES		NULL	
source_description	varchar(255)	YES		NULL	
created_by	varchar(64)	YES		NULL	
created_at	datetime	YES		NULL	
updated_at	datetime	YES		NULL	

23 rows in set (0.00 sec)

4. cb_funds:

```
[mysql> mysql> show columns from cb_funds;
```

Field	Type	Null	Key	Default	Extra
id	bigint(20)	NO	PRI	NULL	
fund_id	bigint(20)	NO	MUL	NULL	
object_id	varchar(64)	NO	MUL	NULL	
name	varchar(255)	NO		NULL	
funded_at	date	YES		NULL	
raised_amount	decimal(15,0)	YES		NULL	
raised_currency_code	varchar(3)	YES		NULL	
source_url	varchar(255)	YES		NULL	
source_description	varchar(255)	YES		NULL	
created_at	datetime	YES		NULL	
updated_at	datetime	YES		NULL	

11 rows in set (0.00 sec)

5. cb_investments:

```
[mysql> show columns from cb_investments;
```

Field	Type	Null	Key	Default	Extra
id	bigint(20)	NO	PRI	NULL	
funding_round_id	bigint(20)	NO	MUL	NULL	
funded_object_id	varchar(64)	NO	MUL	NULL	
investor_object_id	varchar(64)	NO	MUL	NULL	
created_at	datetime	YES		NULL	
updated_at	datetime	YES		NULL	

6 rows in set (0.00 sec)

6. cb_ipos:

```
[mysql> show columns from cb_ipos;
```

Field	Type	Null	Key	Default	Extra
id	bigint(20)	NO	PRI	NULL	
ipo_id	bigint(20)	NO		NULL	
object_id	varchar(64)	NO	MUL	NULL	
valuation_amount	decimal(15,0)	YES		NULL	
valuation_currency_code	varchar(16)	YES		NULL	
raised_amount	decimal(15,0)	YES		NULL	
raised_currency_code	varchar(16)	YES		NULL	
public_at	date	YES		NULL	
stock_symbol	varchar(32)	YES		NULL	
source_url	varchar(255)	YES		NULL	
source_description	varchar(255)	YES		NULL	
created_at	datetime	YES		NULL	
updated_at	datetime	YES		NULL	

13 rows in set (0.01 sec)

7. cb_milestones:

8. cb_objects:

```
[mysql> show columns from cb_milestones;
```

Field	Type	Null	Key	Default	Extra
id	bigint(20)	NO	PRI	NULL	
object_id	varchar(64)	NO	MUL	NULL	
milestone_at	date	YES		NULL	
milestone_code	varchar(32)	YES		NULL	
description	varchar(255)	YES		NULL	
source_url	varchar(255)	YES		NULL	
source_description	varchar(255)	YES		NULL	
created_at	datetime	YES		NULL	
updated_at	datetime	YES		NULL	

9 rows in set (0.01 sec)

```
[mysql> show columns from cb_objects;
```

Field	Type	Null	Key	Default	Extra
id	varchar(64)	NO	PRI	NULL	
entity_type	varchar(16)	NO	MUL	NULL	
entity_id	bigint(20)	NO		NULL	
parent_id	varchar(64)	YES		NULL	
name	varchar(255)	NO	MUL	NULL	
normalized_name	varchar(255)	NO	MUL	NULL	
permalink	varchar(255)	NO	MUL	NULL	
category_code	varchar(32)	YES		NULL	
status	varchar(32)	YES		operating	
founded_at	date	YES		NULL	
closed_at	date	YES		NULL	
domain	varchar(64)	YES	MUL	NULL	
homepage_url	varchar(64)	YES		NULL	
twitter_username	varchar(64)	YES		NULL	
logo_url	varchar(255)	YES		NULL	
logo_width	int(11)	YES		NULL	
logo_height	int(11)	YES		NULL	
short_description	varchar(255)	YES		NULL	
description	varchar(255)	YES		NULL	
overview	text	YES		NULL	
tag_list	varchar(255)	YES		NULL	
country_code	varchar(64)	YES		NULL	
state_code	varchar(64)	YES		NULL	
city	varchar(64)	YES		NULL	
region	varchar(255)	YES		NULL	
first_investment_at	date	YES		NULL	
last_investment_at	date	YES		NULL	
investment_rounds	int(11)	YES		NULL	
invested_companies	int(11)	YES		NULL	
first_funding_at	date	YES		NULL	
last_funding_at	date	YES		NULL	
funding_rounds	int(11)	YES		NULL	
funding_total_usd	decimal(15,0)	YES		NULL	
first_milestone_at	date	YES		NULL	
last_milestone_at	date	YES		NULL	
milestones	int(11)	YES		NULL	
relationships	int(11)	YES		NULL	
created_by	varchar(64)	YES		NULL	
created_at	datetime	YES		NULL	
updated_at	datetime	YES		NULL	

```
40 rows in set (0.01 sec)
```

9. cb_offices:

```
[mysql> mysql> show columns from cb_offices;
```

Field	Type	Null	Key	Default	Extra
id	bigint(20)	NO	PRI	NULL	
object_id	varchar(64)	NO	MUL	NULL	
office_id	bigint(20)	NO		NULL	
description	varchar(255)	YES		NULL	
region	varchar(255)	YES		NULL	
address1	varchar(255)	YES		NULL	
address2	varchar(255)	YES		NULL	
city	varchar(255)	YES		NULL	
zip_code	varchar(255)	YES		NULL	
state_code	varchar(3)	YES		NULL	
country_code	varchar(3)	YES		NULL	
latitude	decimal(15,10)	YES		NULL	
longitude	decimal(15,10)	YES		NULL	
created_at	datetime	YES		NULL	
updated_at	datetime	YES		NULL	

15 rows in set (0.00 sec)

10. cb_people:

```
[mysql> show columns from cb_people;
```

Field	Type	Null	Key	Default	Extra
id	bigint(20)	NO	PRI	NULL	
object_id	varchar(64)	NO	UNI	NULL	
first_name	varchar(128)	NO		NULL	
last_name	varchar(128)	NO		NULL	
birthplace	varchar(128)	YES		NULL	
affiliation_name	varchar(128)	YES		NULL	

6 rows in set (0.00 sec)

11. cb_relationships:

```
[mysql> show columns from cb_relationships;
```

Field	Type	Null	Key	Default	Extra
id	bigint(20)	NO	PRI	NULL	
relationship_id	bigint(20)	NO		NULL	
person_object_id	varchar(64)	NO	MUL	NULL	
relationship_object_id	varchar(64)	NO	MUL	NULL	
start_at	date	YES		NULL	
end_at	date	YES		NULL	
is_past	tinyint(4)	YES		NULL	
sequence	int(11)	YES		0	
title	varchar(255)	YES		NULL	
created_at	datetime	YES		NULL	
updated_at	datetime	YES		NULL	

11 rows in set (0.01 sec)