



LAMOST DR11 Field: [GAC_063022N281243_F1]

Stars (n= 425)

Hertzsprung-Russel Diagram




Gaia Stream: [GAC_063022N281243_F1]
Stars: 425 (WARNING: No GSP-Phot Age/Metallicity data)




LAMOST DR11 Field: [GAC_063022N281243_F1]

Stars: 425




LAMOST DR11 Field: [GAC_063022N281243_F1]


Stars: 425




LAMOST DR11 Field: [GAC_063022N281243_F1]
Count plot of Star Type




LAMOST DR11 Field: [GAC_063022N281243_F1
[M/H] (mh_gspphot) (n= 425)




LAMOST DR11 Field: [GAC 063022N281243 F1] Proper Motion Diagram (n= 425)




LAMOST DR11 Field: [GAC_063022N281243_F1] Parallax Quality (n= 425)




LAMOST DR11 Field: [GAC_063022N281243_F1] Stellar Population Parameters (n= 425)




LAMOST DR11 Field [GAC_063022N281243_F1] RUWE Distribution (n= 425)




LAMOST DR11 Field: [GAC_063022N281243_F1] Age Distribution (n= 0)




LAMOST DR11 Field: [GAC_063022N281243_F1] Age-Metallicity Relation (n= 0)




LAMOST DR11 Field [GAC_063022N281243_F1]
Proper Motion Vectors with HDBSCAN
(n=425)




LAMOST DR11 Cluster 0 Proper Motion Vectors
(n=5)




Cluster 0
Count plot of Star Type (n=5)




Cluster 0
[M/H] (mh_gspphot) (n=5)




Cluster 0 Proper Motion Diagram (n=5)




Cluster 0 Parallax Quality (n=5)




LAMOST DR11 Cluster 1 Proper Motion Vectors
(n=340)




Cluster 1
Count plot of Star Type (n=340)




Cluster 1
[M/H] (mh_gspphot) (n=340)




Cluster 1 Proper Motion Diagram (n=340)




Cluster 1 Parallax Quality (n=340)




LAMOST DR11 Noise Stream Proper Motion Vectors
(n=80)




Cluster -1
Count plot of Star Type (n=80)




Cluster -1
[M/H] (mh_gspphot) (n=80)




Cluster -1 Proper Motion Diagram (n=80)



Cluster -1 Parallax Quality (n=80)




Subclass distribution for planid GAC_063022N281243_F1
(n= 8)




LAMOST DR11 Median Spectra Indices By Subclass


Star Field (planid) [GAC_063022N281243_F1]




hdelta24 vs hgamma24 (H δ variant vs H γ variant; both Balmer diagnostics). (planid GAC_063022N281243_F1)




Expect a monotonic increase with cooling (A1 to A9),
but non-linear deviations highlight chromospheric activity or veiling (e.g., emission in H α for active stars)
A types: hbeta24 vs halpha24 (planid GAC_063022N281243_F1)



Metals vs Balmer would show anti-correlation in peculiar A stars (weaker Balmer in metal-rich).
For this field, it adds abundance insights, revealing if metal-poor halo interlopers (~ -3 [M/H] tail) affect A stars
A types: kp12 vs hdelta12 (planid GAC_063022N281243_F1)




Subclass distribution for planid GAC_063022N281243_F1
(n= 518)




LAMOST DR11 Median Spectra Indices By Subclass


Star Field (planid) [GAC_063022N281243_F1]



This diagnostic diagram separates M dwarfs (strong CaH, moderate TiO) from giants (weaker CaH).
For this field, it would confirm all dM are dwarfs (no giant contamination in the ~ 7 Gyr median age population),
show anti-correlation with subtype (CaH weakens, TiO strengthens from dM0 to dM6)
(cah2 + cah3) vs tio1 (M dwarfs in planid GAC_063022N281243_F1)



cah1 vs tio4 (CaH variant vs another TiO; alternative for gravity/metallicity)
planid GAC_063022N281243_F1



cah1 vs tio2 (CaH variant vs TiO; for abundance vs temperature)
planid GAC_063022N281243_F1)

