



APOGEE DR17 Field [280-31-O]
Stars (n= 50)
Hertzsprung-Russel Diagram


The figure is a Hertzsprung-Russel (H-R) diagram. The x-axis is labeled 'Color (bp - rp)' and ranges from 0 to 4. The y-axis is labeled 'Absolute Magnitude (Mv)' and ranges from 0 to 15. The plot contains 50 data points, which are colored blue, yellow, and red. The blue points are concentrated at low color and low magnitude, representing main sequence stars. The yellow points form a diagonal sequence from the main sequence towards higher magnitude and color, representing the main sequence and the red giant branch. The red points are located at high color and high magnitude, representing the red giant branch. The overall trend shows that as color increases, absolute magnitude also increases, which is characteristic of the stellar evolution from main sequence to red giant.




APOGEE DR17 Field: [280-31-O]
Stars: 50




APOGEE DR17 Field: [280-31-O]
Stars: 50




APOGEE DR17 Field: [280-31-O]
Count plot of Star Type




APOGEE DR17 Field: [280-31-O
[M/H] (mh_gspphot) (n= 46)




APOGEE DR17 Field: [280-31-O] Proper Motion Diagram (n= 50)




APOGEE DR17 Field: [280-31-O] Parallax Quality (n= 50)




APOGEE DR17 Field: [280-31-O] Stellar Population Parameters (n= 50)




GAPOGEE DR17 Field [280-31-O] RUWE Distribution (n= 48)




APOGEE DR17 Field: [280-31-O]
Proper Motion Vectors for Gaia Star Field (n= 50)




APOGEE DR17 Field [280-31-O]
Proper Motion Vectors with HDBSCAN
(n=50)



APOGEE DR17 Cluster 0 Proper Motion Vectors
(n=6)



APOGEE DR17 Cluster 1 Proper Motion Vectors
(n=39)



APOGEE DR17 Noise Stream Proper Motion Vectors
(n=5)

