

C-10

MEMBERSHIP	
Stars in catalog	158
with Gaia GSP-Phot	84 (53%)
with radial velocity	5
Stream id (sID)	30
GEOMETRY · great-circle fit	
Centroid RA, Dec	146.1, 2.7 deg
Centroid l, b	233.2, 38.9 deg
Pole RA, Dec	55.8, 5.8 deg
Length (φ1, 2–98%)	12.7 deg
Width σ(φ2), robust	0.56 deg
KINEMATICS	
pmRA* med ± σ	-0.62 ± 0.35 mas/yr
pmDE med ± σ	0.84 ± 0.37 mas/yr
μφ1* med ± σ	0.78 ± 0.35 mas/yr
μφ2 med ± σ	0.69 ± 0.38 mas/yr
Parallax (cat.) med	0.093 ± 0.304 mas
Parallax (wtd, ZP-corr.)	0.118 ± 0.015 mas
Distance	d = 8.5 ± 1.1 kpc
Physical length	1.88 kpc
RV median ± σ(MAD)	55.2 ± 24.5 km/s
RV gradient dV/dφ1	-1.05 km/s/deg
PHOTOMETRY · POPULATIONS	
G0 range (median)	15.2–20.0 (18.7)
(BP−RP)0 median	0.77
GSP-Phot [M/H] (n=84)	-1.11 ± 0.40
GSP-Phot Teff median	5456 K
RUWE > 1.4	0.0 %
PM clusters (largest)	8 (31 stars)
IBATA+2024 · TABLE 3	
n catalog | paper	158 | 158
n_RV catalog | paper	5 | 5
<[Fe/H]> paper	-0.91
Stellar mass (paper)	1800 Msun
Pole offset vs paper	0.3 deg
Remark	Thick RGB

Sky map · catalog members (n = 158) · size ∝ brightness · ring = has RV





Stream frame (great-circle fit) · length 12.7° · width σ 0.56°





C-10


Kinematics · proper motion · parallax · radial velocity
















C-10


CMD · dereddened (n = 158)




HR diagram · ϖ>0 (n = 66/84)




G0 & GSP-Phot coverage




Star types from logg (n = 84)



Kiel diagram (n = 84)



Sky · GSP-Phot [M/H] (n = 84)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≥ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


C-10

Metallicity · age · astrometric quality


[M/H] GSP-Phot (n = 84)




Teff vs [M/H] (n = 84)




FLAME age (n = 9)




Age–metallicity (n = 9)



RUWE (n = 84)




Parallax quality (n = 84)




C-10

PM clustering · HDBSCAN · 8 cluster(s) · noise 40%



Proper-motion directions (arrows) coloured by cluster




Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	63	-0.63	0.82	0.61	-1.15	3
C1	31	-0.53	0.85	0.15	-1.03	1
C2	15	-0.87	1.03	0.07	-1.22	0
C3	15	-0.79	0.29	0.15	-0.86	0
C4	10	-0.65	1.15	0.06	-1.21	1
C5	7	-0.47	0.49	0.09	-1.17	0
C6	6	-0.10	0.10	0.12	-1.01	0
C7	6	-0.15	1.28	0.02	-0.83	0
C8	5	-0.99	0.02	0.12	-0.72	0


C-10

Per-cluster proper-motion vector maps


Cluster C1 · n = 31
pm = (-0.53, 0.85) mas/yr




Cluster C2 · n = 15
pm = (-0.87, 1.03) mas/yr




Cluster C3 · n = 15
pm = (-0.79, 0.29) mas/yr



Cluster C4 · n = 10
pm = (-0.65, 1.15) mas/yr



Cluster C5 · n = 7
pm = (-0.47, 0.49) mas/yr



Noise · n = 63

