

C-13

MEMBERSHIP	
Stars in catalog	100
with Gaia GSP-Phot	74 (74%)
with radial velocity	5
Stream id (sID)	9
GEOMETRY · great-circle fit	
Centroid RA, Dec	35.5, 37.8 deg
Centroid l, b	141.8, -21.5 deg
Pole RA, Dec	132.5, 8.6 deg
Length (φ1, 2–98%)	20.4 deg
Width σ(φ2), robust	0.66 deg
KINEMATICS	
pmRA* med ± σ	3.41 ± 0.61 mas/yr
pmDE med ± σ	2.06 ± 0.60 mas/yr
μφ1* med ± σ	-1.34 ± 0.61 mas/yr
μφ2 med ± σ	3.76 ± 0.59 mas/yr
Parallax (cat.) med	0.302 ± 0.125 mas
Parallax (wtd, ZP-corr.)	0.294 ± 0.013 mas
Distance	d = 3.4 ± 0.2 kpc
Physical length	1.22 kpc
RV median ± σ(MAD)	-96.0 ± 180.6 km/s
RV gradient dV/dφ1	16.37 km/s/deg
PHOTOMETRY · POPULATIONS	
G0 range (median)	12.7–20.0 (17.2)
(BP−RP)0 median	0.81
GSP-Phot [M/H] (n=74)	-1.21 ± 0.52
GSP-Phot Teff median	5372 K
RUWE > 1.4	6.8 %
PM clusters (largest)	8 (14 stars)
IBATA+2024 · TABLE 3	
n catalog | paper	100 | 100
n_RV catalog | paper	5 | 5
<[Fe/H]> paper	-0.25
Stellar mass (paper)	750 Msun
Pole offset vs paper	2.1 deg
Remark	Velocities unclear, strange CM

Sky map · catalog members (n = 100) · size ∝ brightness · ring = has RV





Stream frame (great-circle fit) · length 20.4° · width σ 0.66°





C-13


Kinematics · proper motion · parallax · radial velocity
















C-13


CMD · dereddened (n = 100)




HR diagram · ϖ>0 (n = 68/74)




G0 & GSP-Phot coverage




Star types from logg (n = 74)



Kiel diagram (n = 74)



Sky · GSP-Phot [M/H] (n = 74)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≥ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


C-13

Metallicity · age · astrometric quality


[M/H] GSP-Phot (n = 74)




Teff vs [M/H] (n = 74)




FLAME age (n = 5)




Age–metallicity (n = 5)



RUWE (n = 73)




Parallax quality (n = 74)




C-13

PM clustering · HDBSCAN · 8 cluster(s) · noise 36%



Proper-motion directions (arrows) coloured by cluster




Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	36	3.31	1.93	0.96	-1.09	3
C1	14	3.74	2.24	0.09	-3.01	1
C2	11	2.80	1.70	0.15	-1.31	0
C3	11	3.44	1.71	0.31	-1.05	0
C4	7	4.03	2.66	0.03	-2.32	0
C5	6	3.23	3.07	0.14	-1.17	1
C6	5	2.47	2.30	0.10	-1.58	0
C7	5	3.39	1.24	0.11	-1.16	0
C8	5	3.43	2.54	0.01	-2.13	0


C-13

Per-cluster proper-motion vector maps


Cluster C1 · n = 14
pm = (3.74, 2.24) mas/yr




Cluster C2 · n = 11
pm = (2.80, 1.70) mas/yr




Cluster C3 · n = 11
pm = (3.44, 1.71) mas/yr



Cluster C4 · n = 7
pm = (4.03, 2.66) mas/yr



Cluster C5 · n = 6
pm = (3.23, 3.07) mas/yr



Noise · n = 36

