

C-19

MEMBERSHIP	
Stars in catalog	46
with Gaia GSP-Phot	16 (35%)
with radial velocity	12
Stream id (sID)	85
GEOMETRY · great-circle fit	
Centroid RA, Dec	354.5, 25.2 deg
Centroid l, b	102.2, -34.9 deg
Pole RA, Dec	264.7, 0.2 deg
Length (φ1, 2–98%)	46.9 deg
Width σ(φ2), robust	0.59 deg
KINEMATICS	
pmRA* med ± σ	1.23 ± 0.13 mas/yr
pmDE med ± σ	-2.81 ± 0.31 mas/yr
μφ1* med ± σ	-2.81 ± 0.31 mas/yr
μφ2 med ± σ	-1.24 ± 0.14 mas/yr
Parallax (cat.) med	0.075 ± 0.193 mas
Parallax (wtd, ZP-corr.)	0.042 ± 0.017 mas
Distance	d > 13.2 kpc
Physical length	—
RV median ± σ(MAD)	-190.8 ± 8.0 km/s
RV gradient dV/dφ1	-1.48 km/s/deg
PHOTOMETRY · POPULATIONS	
G0 range (median)	13.6–20.0 (19.1)
(BP−RP)0 median	0.82
GSP-Phot [M/H] (n=16)	-1.46 ± 1.46
GSP-Phot Teff median	5348 K
RUWE > 1.4	0.0 %
PM clusters (largest)	3 (14 stars)
IBATA+2024 · TABLE 3	
n catalog | paper	46 | 46
n_RV catalog | paper	12 | 12
<[Fe/H]> paper	-3.58
Stellar mass (paper)	3200 Msun
Pole offset vs paper	7.0 deg

Sky map · catalog members (n = 46) · size ∝ brightness · ring = has RV




Stream frame (great-circle fit) · length 46.9° · width σ 0.59°




C-19

Kinematics · proper motion · parallax · radial velocity


Proper motion (n = 46)




μφ1* vs φ1 · σ = 0.31




μφ2 vs φ1 · σ = 0.14




Parallax (catalog, n = 46)



Radial velocity vs φ1 (n = 12)




V_hel distribution




C-19


CMD · dereddened (n = 46)




HR diagram · ϖ>0 (n = 11/16)




G0 & GSP-Phot coverage




Star types from logg (n = 16)



Kiel diagram (n = 16)



Sky · GSP-Phot [M/H] (n = 16)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≥ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


C-19

Metallicity · age · astrometric quality


[M/H] GSP-Phot (n = 16)




Teff vs [M/H] (n = 16)




FLAME age (n = 4)




Age–metallicity (n = 4)



RUWE (n = 16)




Parallax quality (n = 16)




C-19

PM clustering · HDBSCAN · 3 cluster(s) · noise 33%



Proper-motion directions (arrows) coloured by cluster




Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	15	1.22	-2.73	0.21	-1.48	3
C1	14	1.16	-3.10	0.14	-3.57	4
C2	12	1.23	-2.77	0.03	-0.46	5
C3	5	1.43	-2.63	0.02	-1.20	0


C-19

Per-cluster proper-motion vector maps


Cluster C1 · n = 14
pm = (1.16, -3.10) mas/yr



Cluster C2 · n = 12
pm = (1.23, -2.77) mas/yr



Cluster C3 · n = 5
pm = (1.43, -2.63) mas/yr



Noise · n = 15

