

C-22

MEMBERSHIP	
Stars in catalog	39
with Gaia GSP-Phot	18 (46%)
with radial velocity	11
Stream id (sID)	52
GEOMETRY · great-circle fit	
Centroid RA, Dec	199.9, 17.0 deg
Centroid l, b	336.4, 78.3 deg
Pole RA, Dec	56.4, 69.0 deg
Length (φ1, 2–98%)	13.3 deg
Width σ(φ2), robust	0.27 deg
KINEMATICS	
pmRA* med ± σ	1.87 ± 0.37 mas/yr
pmDE med ± σ	-3.52 ± 0.26 mas/yr
μφ1* med ± σ	1.02 ± 0.28 mas/yr
μφ2 med ± σ	-3.84 ± 0.26 mas/yr
Parallax (cat.) med	0.055 ± 0.194 mas
Parallax (wtd, ZP-corr.)	0.075 ± 0.018 mas
Distance	d = 13.4 ± 3.1 kpc
Physical length	3.10 kpc
RV median ± σ(MAD)	141.3 ± 5.7 km/s
RV gradient dV/dφ1	-2.22 km/s/deg
PHOTOMETRY · POPULATIONS	
G0 range (median)	13.4–20.0 (18.9)
(BP−RP)0 median	0.68
GSP-Phot [M/H] (n=18)	-2.07 ± 0.62
GSP-Phot Teff median	6077 K
RUWE > 1.4	0.0 %
PM clusters (largest)	2 (9 stars)
IBATA+2024 · TABLE 3	
n catalog | paper	39 | 39
n_RV catalog | paper	11 | 11
<[Fe/H]> paper	-2.05
Stellar mass (paper)	470 Msun
Pole offset vs paper	0.1 deg

Sky map · catalog members (n = 39) · size ∝ brightness · ring = has RV





Stream frame (great-circle fit) · length 13.3° · width σ 0.27°





C-22


Kinematics · proper motion · parallax · radial velocity
















C-22


CMD · dereddened (n = 39)




HR diagram · ϖ>0 (n = 8/18)




G0 & GSP-Phot coverage




Star types from logg (n = 18)



Kiel diagram (n = 18)



Sky · GSP-Phot [M/H] (n = 18)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≥ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


C-22

Metallicity · age · astrometric quality

[M/H] GSP-Phot (n = 18)



Teff vs [M/H] (n = 18)




FLAME age (n = 0)

FLAME ages for only 0 star(s)
(FLAME needs good parallaxes)


Age–metallicity (n = 0)

n < 3

RUWE (n = 18)




Parallax quality (n = 18)




C-22

PM clustering · HDBSCAN · 2 cluster(s) · noise 56%



Proper-motion directions (arrows) coloured by cluster



Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	22	1.73	-3.50	0.40	-1.87	7
C1	9	1.68	-3.56	0.05	-2.05	1
C2	8	2.18	-3.48	0.07	-2.16	3

C-22

Per-cluster proper-motion vector maps

