

C-23

MEMBERSHIP	
Stars in catalog	29
with Gaia GSP-Phot	12 (41%)
with radial velocity	6
Stream id (sID)	50
GEOMETRY · great-circle fit	
Centroid RA, Dec	195.7, 41.7 deg
Centroid l, b	109.9, 75.0 deg
Pole RA, Dec	302.3, 16.8 deg
Length (φ1, 2–98%)	20.5 deg
Width σ(φ2), robust	0.45 deg
KINEMATICS	
pmRA* med ± σ	-5.40 ± 0.55 mas/yr
pmDE med ± σ	0.08 ± 0.30 mas/yr
μφ1* med ± σ	-2.17 ± 0.48 mas/yr
μφ2 med ± σ	-5.05 ± 0.39 mas/yr
Parallax (cat.) med	0.071 ± 0.172 mas
Parallax (wtd, ZP-corr.)	0.095 ± 0.027 mas
Distance	d = 10.5 ± 2.9 kpc
Physical length	3.76 kpc
RV median ± σ(MAD)	-206.7 ± 2.1 km/s
RV gradient dV/dφ1	0.69 km/s/deg
PHOTOMETRY · POPULATIONS	
G0 range (median)	15.7–19.9 (19.2)
(BP−RP)0 median	0.62
GSP-Phot [M/H] (n=12)	-2.22 ± 1.23
GSP-Phot Teff median	6314 K
RUWE > 1.4	0.0 %
PM clusters (largest)	none
IBATA+2024 · TABLE 3	
n catalog | paper	29 | 29
n_RV catalog | paper	6 | 6
<[Fe/H]> paper	-2.36
Stellar mass (paper)	310 Msun
Pole offset vs paper	0.0 deg

Sky map · catalog members (n = 29) · size ∝ brightness · ring = has RV




Stream frame (great-circle fit) · length 20.5° · width σ 0.45°




C-23

Kinematics · proper motion · parallax · radial velocity


Proper motion (n = 29)




μφ1* vs φ1 · σ = 0.48




μφ2 vs φ1 · σ = 0.39




Parallax (catalog, n = 29)



Radial velocity vs φ1 (n = 6)




V_hel distribution




C-23


CMD · dereddened (n = 29)




HR diagram · ϖ>0 (n = 10/12)




G0 & GSP-Phot coverage




Star types from logg (n = 12)



Kiel diagram (n = 12)



Sky · GSP-Phot [M/H] (n = 12)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≥ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


C-23

Metallicity · age · astrometric quality

[M/H] GSP-Phot (n = 12)



Teff vs [M/H] (n = 12)




FLAME age (n = 1)

FLAME ages for only 1 star(s)
(FLAME needs good parallaxes)


Age–metallicity (n = 1)

n < 3

RUWE (n = 12)




Parallax quality (n = 12)




C-23

PM clustering · HDBSCAN · 0 cluster(s) · noise 100%



Proper-motion directions (arrows) coloured by cluster



Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	29	-5.40	0.08	0.55	-2.22	6