

C-7

MEMBERSHIP	
Stars in catalog	239
with Gaia GSP-Phot	117 (49%)
with radial velocity	16
Stream id (sID)	72
GEOMETRY · great-circle fit	
Centroid RA, Dec	284.3, -51.2 deg
Centroid l, b	346.1, -20.9 deg
Pole RA, Dec	256.0, 35.5 deg
Length (φ1, 2–98%)	28.8 deg
Width σ(φ2), robust	0.67 deg
KINEMATICS	
pmRA* med ± σ	-13.98 ± 1.37 mas/yr
pmDE med ± σ	-11.43 ± 2.87 mas/yr
μφ1* med ± σ	-17.23 ± 0.86 mas/yr
μφ2 med ± σ	-5.23 ± 0.84 mas/yr
Parallax (cat.) med	0.211 ± 0.245 mas
Parallax (wtd, ZP-corr.)	0.196 ± 0.012 mas
Distance	d = 5.1 ± 0.3 kpc
Physical length	2.57 kpc
RV median ± σ(MAD)	100.8 ± 74.6 km/s
RV gradient dV/dφ1	-10.60 km/s/deg
PHOTOMETRY · POPULATIONS	
G0 range (median)	12.7–20.0 (18.8)
(BP−RP)0 median	0.73
GSP-Phot [M/H] (n=117)	-1.93 ± 0.66
GSP-Phot Teff median	5805 K
RUWE > 1.4	0.9 %
PM clusters (largest)	2 (216 stars)
IBATA+2024 · TABLE 3	
n catalog | paper	239 | 239
n_RV catalog | paper	16 | 16
<[Fe/H]> paper	-1.52
Stellar mass (paper)	1500 Msun
Pole offset vs paper	0.1 deg
Remark	Two superposed streams

Sky map · catalog members (n = 239) · size ∝ brightness · ring = has RV




Stream frame (great-circle fit) · length 28.8° · width σ 0.67°




C-7

Kinematics · proper motion · parallax · radial velocity


Proper motion (n = 239)




μφ1* vs φ1 · σ = 0.86




μφ2 vs φ1 · σ = 0.84




Parallax (catalog, n = 239)



Radial velocity vs φ1 (n = 16)




V_hel distribution




C-7


CMD · dereddened (n = 239)




HR diagram · ϖ>0 (n = 98/117)




G0 & GSP-Phot coverage




Star types from logg (n = 117)



Kiel diagram (n = 117)



Sky · GSP-Phot [M/H] (n = 117)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≳ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


C-7

Metallicity · age · astrometric quality


[M/H] GSP-Phot (n = 117)




Teff vs [M/H] (n = 117)




FLAME age (n = 9)




Age–metallicity (n = 9)



RUWE (n = 116)




Parallax quality (n = 117)




C-7

PM clustering · HDBSCAN · 2 cluster(s) · noise 8%



Proper-motion directions (arrows) coloured by cluster



Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	18	-12.43	-10.35	4.20	-1.34	2
C1	216	-14.04	-11.33	1.22	-1.95	14
C2	5	-11.40	-12.74	0.33	-2.09	0

C-7

Per-cluster proper-motion vector maps

