

Gaia-7

MEMBERSHIP	
Stars in catalog	282
with Gaia GSP-Phot	181 (64%)
with radial velocity	15
Stream id (sID)	44
GEOMETRY · great-circle fit	
Centroid RA, Dec	181.5, -16.7 deg
Centroid l, b	287.5, 44.8 deg
Pole RA, Dec	258.1, 37.6 deg
Length (φ1, 2–98%)	12.1 deg
Width σ(φ2), robust	0.51 deg
KINEMATICS	
pmRA* med ± σ	-10.00 ± 0.31 mas/yr
pmDE med ± σ	-0.03 ± 0.44 mas/yr
μφ1* med ± σ	-6.37 ± 0.49 mas/yr
μφ2 med ± σ	-7.70 ± 0.38 mas/yr
Parallax (cat.) med	0.188 ± 0.205 mas
Parallax (wtd, ZP-corr.)	0.210 ± 0.012 mas
Distance	d = 4.8 ± 0.3 kpc
Physical length	1.01 kpc
RV median ± σ(MAD)	62.1 ± 3.5 km/s
RV gradient dV/dφ1	-1.64 km/s/deg
PHOTOMETRY · POPULATIONS	
G0 range (median)	12.9–20.0 (18.3)
(BP−RP)0 median	0.84
GSP-Phot [M/H] (n=181)	-1.25 ± 0.40
GSP-Phot Teff median	5527 K
RUWE > 1.4	0.6 %
PM clusters (largest)	16 (37 stars)
IBATA+2024 · TABLE 3	
n catalog | paper	282 | 282
n_RV catalog | paper	15 | 15
<[Fe/H]> paper	-0.88
Stellar mass (paper)	1300 Msun
Pole offset vs paper	2.0 deg

Sky map · catalog members (n = 282) · size ∝ brightness · ring = has RV





Stream frame (great-circle fit) · length 12.1° · width σ 0.51°





Gaia-7


Kinematics · proper motion · parallax · radial velocity
















Gaia-7


CMD · dereddened (n = 282)




HR diagram · ϖ>0 (n = 160/181)




G0 & GSP-Phot coverage




Star types from logg (n = 181)



Kiel diagram (n = 181)



Sky · GSP-Phot [M/H] (n = 181)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≥ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


Gaia-7

Metallicity · age · astrometric quality


[M/H] GSP-Phot (n = 181)




Teff vs [M/H] (n = 181)




FLAME age (n = 14)




Age–metallicity (n = 14)



RUWE (n = 181)




Parallax quality (n = 181)




Gaia-7

PM clustering · HDBSCAN · 16 cluster(s) · noise 36%



Proper-motion directions (arrows) coloured by cluster




Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	102	-10.04	-0.09	0.56	-1.26	5
C1	37	-10.12	-0.18	0.14	-1.31	3
C2	19	-10.07	0.04	0.05	-1.13	2
C3	14	-9.72	-0.19	0.04	-1.25	0
C4	12	-9.93	0.31	0.05	-1.04	0
C5	11	-9.60	0.24	0.19	-1.59	0
C6	11	-9.89	0.77	0.04	-1.27	0
C7	10	-10.28	0.25	0.07	-1.10	0
C8	8	-9.50	-0.81	0.05	-1.55	0


Gaia-7

Per-cluster proper-motion vector maps


Cluster C1 · n = 37
pm = (-10.12, -0.18) mas/yr




Cluster C2 · n = 19
pm = (-10.07, 0.04) mas/yr




Cluster C3 · n = 14
pm = (-9.72, -0.19) mas/yr



Cluster C4 · n = 12
pm = (-9.93, 0.31) mas/yr



Cluster C5 · n = 11
pm = (-9.60, 0.24) mas/yr



Noise · n = 102

