

Gaia-8

MEMBERSHIP	
Stars in catalog	453
with Gaia GSP-Phot	227 (50%)
with radial velocity	18
Stream id (sID)	45
GEOMETRY · great-circle fit	
Centroid RA, Dec	188.5, -20.4 deg
Centroid l, b	298.8, 42.4 deg
Pole RA, Dec	124.8, 47.2 deg
Length (φ1, 2–98%)	41.5 deg
Width σ(φ2), robust	1.26 deg
KINEMATICS	
pmRA* med ± σ	-9.35 ± 0.67 mas/yr
pmDE med ± σ	-8.36 ± 0.75 mas/yr
μφ1* med ± σ	-12.52 ± 0.93 mas/yr
μφ2 med ± σ	-0.80 ± 0.62 mas/yr
Parallax (cat.) med	0.153 ± 0.240 mas
Parallax (wtd, ZP-corr.)	0.154 ± 0.012 mas
Distance	d = 6.5 ± 0.5 kpc
Physical length	4.71 kpc
RV median ± σ(MAD)	134.1 ± 34.2 km/s
RV gradient dV/dφ1	-6.28 km/s/deg
PHOTOMETRY · POPULATIONS	
G0 range (median)	13.2–20.0 (18.8)
(BP−RP)0 median	0.72
GSP-Phot [M/H] (n=227)	-1.69 ± 0.74
GSP-Phot Teff median	5803 K
RUWE > 1.4	0.0 %
PM clusters (largest)	3 (408 stars)
IBATA+2024 · TABLE 3	
n catalog | paper	453 | 453
n_RV catalog | paper	18 | 18
<[Fe/H]> paper	-1.77
Stellar mass (paper)	3600 Msun
Pole offset vs paper	1.1 deg

Sky map · catalog members (n = 453) · size ∝ brightness · ring = has RV





Stream frame (great-circle fit) · length 41.5° · width σ 1.26°





Gaia-8


Kinematics · proper motion · parallax · radial velocity
















Gaia-8


CMD · dereddened (n = 453)




HR diagram · ϖ>0 (n = 191/227)




G0 & GSP-Phot coverage




Star types from logg (n = 227)



Kiel diagram (n = 227)



Sky · GSP-Phot [M/H] (n = 227)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≥ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


Gaia-8

Metallicity · age · astrometric quality


[M/H] GSP-Phot (n = 227)




Teff vs [M/H] (n = 227)




FLAME age (n = 12)




Age–metallicity (n = 12)



RUWE (n = 227)




Parallax quality (n = 227)




Gaia-8

PM clustering · HDBSCAN · 3 cluster(s) · noise 7%



Proper-motion directions (arrows) coloured by cluster




Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	31	-8.14	-7.21	1.04	-1.23	0
C1	408	-9.35	-8.38	0.61	-1.70	18
C2	7	-10.04	-7.47	0.07	-1.57	0
C3	7	-11.42	-9.58	0.35	-1.57	0


Gaia-8

Per-cluster proper-motion vector maps


Cluster C1 · n = 408
pm = (-9.35, -8.38) mas/yr



Cluster C2 · n = 7
pm = (-10.04, -7.47) mas/yr



Cluster C3 · n = 7
pm = (-11.42, -9.58) mas/yr



Noise · n = 31

