

Leiptr

MEMBERSHIP	
Stars in catalog	412
with Gaia GSP-Phot	178 (43%)
with radial velocity	37
Stream id (sID)	19
GEOMETRY · great-circle fit	
Centroid RA, Dec	89.3, -27.5 deg
Centroid l, b	230.7, -23.9 deg
Pole RA, Dec	152.0, 39.9 deg
Length (φ1, 2–98%)	66.0 deg
Width σ(φ2), robust	0.72 deg
KINEMATICS	
pmRA* med ± σ	9.80 ± 0.90 mas/yr
pmDE med ± σ	-9.60 ± 2.00 mas/yr
μφ1* med ± σ	13.51 ± 1.84 mas/yr
μφ2 med ± σ	-0.02 ± 0.39 mas/yr
Parallax (cat.) med	0.170 ± 0.216 mas
Parallax (wtd, ZP-corr.)	0.194 ± 0.011 mas
Distance	d = 5.1 ± 0.3 kpc
Physical length	5.92 kpc
RV median ± σ(MAD)	128.6 ± 144.7 km/s
RV gradient dV/dφ1	7.64 km/s/deg
PHOTOMETRY · POPULATIONS	
G0 range (median)	12.0–20.0 (18.8)
(BP−RP)0 median	0.69
GSP-Phot [M/H] (n=178)	-2.04 ± 0.71
GSP-Phot Teff median	5723 K
RUWE > 1.4	1.1 %
PM clusters (largest)	29 (23 stars)
IBATA+2024 · TABLE 3	
n catalog | paper	412 | 412
n_RV catalog | paper	37 | 37
<[Fe/H]> paper	-2.17
Stellar mass (paper)	3000 Msun
Pole offset vs paper	0.8 deg

Sky map · catalog members (n = 412) · size ∝ brightness · ring = has RV





Stream frame (great-circle fit) · length 66.0° · width σ 0.72°





Leiptr


Kinematics · proper motion · parallax · radial velocity
















Leiptr


CMD · dereddened (n = 412)




HR diagram · ϖ>0 (n = 145/178)




G0 & GSP-Phot coverage




Star types from logg (n = 178)



Kiel diagram (n = 178)



Sky · GSP-Phot [M/H] (n = 178)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≳ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


Leiptr

Metallicity · age · astrometric quality


[M/H] GSP-Phot (n = 178)




Teff vs [M/H] (n = 178)




FLAME age (n = 5)




Age–metallicity (n = 5)



RUWE (n = 177)




Parallax quality (n = 178)




Leiptr

PM clustering · HDBSCAN · 29 cluster(s) · noise 29%



Proper-motion directions (arrows) coloured by cluster



Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	120	9.56	-9.66	0.90	-1.82	8
C1	23	9.80	-6.35	0.30	-2.48	2
C2	22	10.59	-10.47	0.13	-1.62	3
C3	20	10.29	-10.98	0.12	-2.09	3
C4	19	10.41	-9.20	0.13	-1.96	3
C5	17	9.26	-5.81	0.23	-2.57	1
C6	17	9.00	-5.14	0.27	-2.35	2
C7	15	9.31	-10.38	0.10	-2.25	1
C8	13	10.55	-10.19	0.08	-2.21	4

Leiptr

Per-cluster proper-motion vector maps

