

NGC2298

MEMBERSHIP	
Stars in catalog	125
with Gaia GSP-Phot	65 (52%)
with radial velocity	1
Stream id (sID)	23
GEOMETRY · great-circle fit	
Centroid RA, Dec	101.6, -35.7 deg
Centroid l, b	245.0, -16.0 deg
Pole RA, Dec	148.0, 43.9 deg
Length (φ1, 2–98%)	12.1 deg
Width σ(φ2), robust	0.37 deg
KINEMATICS	
pmRA* med ± σ	3.34 ± 0.27 mas/yr
pmDE med ± σ	-2.18 ± 0.21 mas/yr
μφ1* med ± σ	3.98 ± 0.31 mas/yr
μφ2 med ± σ	-0.15 ± 0.19 mas/yr
Parallax (cat.) med	0.107 ± 0.151 mas
Parallax (wtd, ZP-corr.)	0.132 ± 0.014 mas
Distance	d = 7.6 ± 0.8 kpc
Physical length	1.60 kpc
RV median ± σ(MAD)	148.8 ± 0.0 km/s
RV gradient dV/dφ1	—
PHOTOMETRY · POPULATIONS	
G0 range (median)	12.4–19.8 (18.6)
(BP−RP)0 median	0.72
GSP-Phot [M/H] (n=65)	-2.11 ± 0.78
GSP-Phot Teff median	5390 K
RUWE > 1.4	0.0 %
PM clusters (largest)	2 (85 stars)
IBATA+2024 · TABLE 3	
n catalog | paper	125 | 125
n_RV catalog | paper	1 | 1
<[Fe/H]> paper	-1.92
Stellar mass (paper)	2000 Msun
Pole offset vs paper	8.3 deg

Sky map · catalog members (n = 125) · size ∝ brightness · ring = has RV




Stream frame (great-circle fit) · length 12.1° · width σ 0.37°




NGC2298

Kinematics · proper motion · parallax · radial velocity


Proper motion (n = 125)




μφ1* vs φ1 · σ = 0.31




μφ2 vs φ1 · σ = 0.19



Parallax (catalog, n = 125)



Radial velocity vs φ1 (n = 1)




V_hel distribution


n_RV = 1 (< 3)

NGC2298


CMD · dereddened (n = 125)




HR diagram · ϖ>0 (n = 56/65)




G0 & GSP-Phot coverage




Star types from logg (n = 65)



Kiel diagram (n = 65)



Sky · GSP-Phot [M/H] (n = 65)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≥ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


NGC2298

Metallicity · age · astrometric quality

[M/H] GSP-Phot (n = 65)



Teff vs [M/H] (n = 65)




FLAME age (n = 2)

FLAME ages for only 2 star(s)
(FLAME needs good parallaxes)


Age–metallicity (n = 2)

n < 3

RUWE (n = 65)




Parallax quality (n = 65)




NGC2298

PM clustering · HDBSCAN · 2 cluster(s) · noise 21%



Proper-motion directions (arrows) coloured by cluster



Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	26	3.19	-2.37	0.85	-2.03	0
C1	85	3.39	-2.19	0.20	-2.17	1
C2	14	2.92	-1.94	0.07	-1.91	0

NGC2298

Per-cluster proper-motion vector maps

