

NGC2808

MEMBERSHIP	
Stars in catalog	292
with Gaia GSP-Phot	62 (21%)
with radial velocity	10
Stream id (sID)	26
GEOMETRY · great-circle fit	
Centroid RA, Dec	137.9, -64.7 deg
Centroid l, b	281.8, -11.2 deg
Pole RA, Dec	171.6, 21.5 deg
Length (φ1, 2–98%)	9.7 deg
Width σ(φ2), robust	0.41 deg
KINEMATICS	
pmRA* med ± σ	1.08 ± 0.46 mas/yr
pmDE med ± σ	0.23 ± 0.32 mas/yr
μφ1* med ± σ	0.83 ± 0.47 mas/yr
μφ2 med ± σ	0.74 ± 0.29 mas/yr
Parallax (cat.) med	0.092 ± 0.251 mas
Parallax (wtd, ZP-corr.)	0.096 ± 0.012 mas
Distance	d = 10.4 ± 1.3 kpc
Physical length	1.76 kpc
RV median ± σ(MAD)	95.7 ± 14.8 km/s
RV gradient dV/dφ1	-3.89 km/s/deg
PHOTOMETRY · POPULATIONS	
G0 range (median)	13.6–20.0 (19.0)
(BP−RP)0 median	0.73
GSP-Phot [M/H] (n=62)	-2.07 ± 0.51
GSP-Phot Teff median	4954 K
RUWE > 1.4	0.0 %
PM clusters (largest)	16 (18 stars)
IBATA+2024 · TABLE 3	
n catalog | paper	292 | 292
n_RV catalog | paper	10 | 10
<[Fe/H]> paper	-1.14
Stellar mass (paper)	7300 Msun
Pole offset vs paper	0.0 deg

Sky map · catalog members (n = 292) · size ∝ brightness · ring = has RV





Stream frame (great-circle fit) · length 9.7° · width σ 0.41°





NGC2808


Kinematics · proper motion · parallax · radial velocity
















NGC2808


CMD · dereddened (n = 292)




HR diagram · ϖ>0 (n = 51/62)




G0 & GSP-Phot coverage




Star types from logg (n = 62)



Kiel diagram (n = 62)




Sky · GSP-Phot [M/H] (n = 62)





GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≥ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


NGC2808


Metallicity · age · astrometric quality
















NGC2808

PM clustering · HDBSCAN · 16 cluster(s) · noise 50%



Proper-motion directions (arrows) coloured by cluster



Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	145	1.10	0.14	0.49	-2.13	5
C1	18	0.99	0.33	0.03	-1.40	3
C2	16	1.22	0.54	0.04	-1.81	0
C3	13	1.76	-0.23	0.19	-2.04	0
C4	12	1.64	0.14	0.06	-1.54	0
C5	10	1.13	0.27	0.04	-1.18	1
C6	9	0.76	0.65	0.03	-1.98	0
C7	9	0.84	0.12	0.02	-3.48	0
C8	8	0.29	0.40	0.14	-1.56	0

NGC2808

Per-cluster proper-motion vector maps

