

NGC288

MEMBERSHIP	
Stars in catalog	173
with Gaia GSP-Phot	118 (68%)
with radial velocity	7
Stream id (sID)	3
GEOMETRY · great-circle fit	
Centroid RA, Dec	12.3, -27.6 deg
Centroid l, b	342.2, -87.4 deg
Pole RA, Dec	282.5, -0.0 deg
Length (φ1, 2–98%)	20.2 deg
Width σ(φ2), robust	1.06 deg
KINEMATICS	
pmRA* med ± σ	4.02 ± 0.26 mas/yr
pmDE med ± σ	-5.94 ± 0.89 mas/yr
μφ1* med ± σ	-5.96 ± 0.87 mas/yr
μφ2 med ± σ	-4.02 ± 0.29 mas/yr
Parallax (cat.) med	0.110 ± 0.169 mas
Parallax (wtd, ZP-corr.)	0.123 ± 0.013 mas
Distance	d = 8.1 ± 0.9 kpc
Physical length	2.86 kpc
RV median ± σ(MAD)	-30.7 ± 6.9 km/s
RV gradient dV/dφ1	-0.39 km/s/deg
PHOTOMETRY · POPULATIONS	
G0 range (median)	13.6–20.0 (18.6)
(BP−RP)0 median	0.71
GSP-Phot [M/H] (n=118)	-1.48 ± 0.55
GSP-Phot Teff median	5870 K
RUWE > 1.4	0.0 %
PM clusters (largest)	10 (21 stars)
IBATA+2024 · TABLE 3	
n catalog | paper	173 | 173
n_RV catalog | paper	7 | 7
<[Fe/H]> paper	-1.32
Stellar mass (paper)	2200 Msun
Pole offset vs paper	2.0 deg

Sky map · catalog members (n = 173) · size ∝ brightness · ring = has RV





Stream frame (great-circle fit) · length 20.2° · width σ 1.06°





NGC288


Kinematics · proper motion · parallax · radial velocity
















NGC288


CMD · dereddened (n = 173)




HR diagram · ϖ>0 (n = 97/118)




G0 & GSP-Phot coverage




Star types from logg (n = 118)



Kiel diagram (n = 118)



Sky · GSP-Phot [M/H] (n = 118)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≳ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


NGC288

Metallicity · age · astrometric quality


[M/H] GSP-Phot (n = 118)




Teff vs [M/H] (n = 118)




FLAME age (n = 13)




Age–metallicity (n = 13)



RUWE (n = 118)




Parallax quality (n = 118)




NGC288

PM clustering · HDBSCAN · 10 cluster(s) · noise 39%



Proper-motion directions (arrows) coloured by cluster



Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	68	4.04	-5.76	0.42	-1.43	1
C1	21	3.97	-6.20	0.09	-1.55	0
C2	15	4.15	-5.29	0.07	-1.12	2
C3	14	3.62	-6.98	0.11	-1.49	0
C4	14	4.01	-6.61	0.06	-1.39	0
C5	10	3.91	-5.62	0.08	-1.45	0
C6	10	4.25	-6.05	0.10	-1.79	0
C7	6	4.23	-5.42	0.01	-2.46	0
C8	5	4.26	-4.93	0.09	-1.44	2

NGC288

Per-cluster proper-motion vector maps

