NGC5466

MEMBERSHIP

Stars in catalog	43
with Gaia GSP-Phot	17 (40%)
with radial velocity	6
Stream id (sID)	57

GEOMETRY · great-circle fit

Centroid RA, Dec	213.8, 27.1 deg
Centroid l, b	41.1, 71.6 deg
Pole RA, Dec	341.4, 50.0 deg
Length (φ1, 2–98%)	22.7 deg
Width σ(φ2), robust	0.30 deg

KINEMATICS

pmRA* med ± σ	-5.71 ± 1.02 mas/yr
pmDE med ± σ	-0.64 ± 0.51 mas/yr
μφ1* med ± σ	-4.57 ± 0.96 mas/yr
μφ2 med ± σ	-3.45 ± 0.51 mas/yr
Parallax (cat.) med	0.036 ± 0.185 mas
Parallax (wtd, ZP-corr.)	0.052 ± 0.017 mas
Distance	d > 11.6 kpc
Physical length	—
RV median ± σ(MAD)	88.5 ± 20.2 km/s
RV gradient dV/dφ1	-3.10 km/s/deg


PHOTOMETRY · POPULATIONS

G0 range (median)	15.0–19.9 (18.9)
(BP−RP)0 median	0.77
GSP-Phot [M/H] (n=17)	-1.62 ± 0.63
GSP-Phot Teff median	5452 K
RUWE > 1.4	0.0 %
PM clusters (largest)	3 (22 stars)


IBATA+2024 · TABLE 3

n catalog | paper	43 | 43
n_RV catalog | paper	6 | 6
<[Fe/H]> paper	-1.98
Stellar mass (paper)	1900 Msun
Pole offset vs paper	0.2 deg

Sky map · catalog members (n = 43) · size ∝ brightness · ring = has RV





Stream frame (great-circle fit) · length 22.7° · width σ 0.30°





NGC5466


Kinematics · proper motion · parallax · radial velocity
















NGC5466


CMD · dereddened (n = 43)




HR diagram · ϖ>0 (n = 12/17)




G0 & GSP-Phot coverage




Star types from logg (n = 17)



Kiel diagram (n = 17)



Sky · GSP-Phot [M/H] (n = 17)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≥ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


NGC5466

Metallicity · age · astrometric quality


[M/H] GSP-Phot (n = 17)




Teff vs [M/H] (n = 17)




FLAME age (n = 5)




Age–metallicity (n = 5)



RUWE (n = 17)




Parallax quality (n = 17)




NGC5466

PM clustering · HDBSCAN · 3 cluster(s) · noise 9%



Proper-motion directions (arrows) coloured by cluster




Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	4	-5.41	-0.91	0.47	-1.88	0
C1	22	-6.30	-0.34	0.32	-1.80	3
C2	9	-4.45	-1.16	0.13	-1.07	1
C3	8	-4.99	-0.90	0.13	-1.14	2


NGC5466

Per-cluster proper-motion vector maps


Cluster C1 · n = 22
pm = (-6.30, -0.34) mas/yr



Cluster C2 · n = 9
pm = (-4.45, -1.16) mas/yr



Cluster C3 · n = 8
pm = (-4.99, -0.90) mas/yr



Noise · n = 4

