

New-1

MEMBERSHIP	
Stars in catalog	11
with Gaia GSP-Phot	4 (36%)
with radial velocity	3
Stream id (sID)	7
GEOMETRY · great-circle fit	
Centroid RA, Dec	27.4, -56.0 deg
Centroid l, b	280.7, -59.3 deg
Pole RA, Dec	114.2, 2.2 deg
Length (φ1, 2–98%)	30.9 deg
Width σ(φ2), robust	0.20 deg
KINEMATICS	
pmRA* med ± σ	2.03 ± 0.20 mas/yr
pmDE med ± σ	1.84 ± 0.28 mas/yr
μφ1* med ± σ	-1.67 ± 0.27 mas/yr
μφ2 med ± σ	2.16 ± 0.25 mas/yr
Parallax (cat.) med	0.015 ± 0.264 mas
Parallax (wtd, ZP-corr.)	0.050 ± 0.021 mas
Distance	d > 10.9 kpc
Physical length	—
RV median ± σ(MAD)	97.0 ± 3.8 km/s
RV gradient dV/dφ1	—
PHOTOMETRY · POPULATIONS	
G0 range (median)	14.8–19.5 (19.0)
(BP−RP)0 median	0.74
GSP-Phot [M/H] (n=4)	-2.39 ± 0.59
GSP-Phot Teff median	5618 K
RUWE > 1.4	0.0 %
PM clusters (largest)	none
IBATA+2024 · TABLE 3	
n catalog | paper	11 | 11
n_RV catalog | paper	3 | 3
<[Fe/H]> paper	-1.85
Stellar mass (paper)	420 Msun
Pole offset vs paper	2.1 deg

Sky map · catalog members (n = 11) · size ∝ brightness · ring = has RV





Stream frame (great-circle fit) · length 30.9° · width σ 0.20°





New-1


Kinematics · proper motion · parallax · radial velocity
















New-1


CMD · dereddened (n = 11)




HR diagram · ϖ>0 (n = 4/4)




G0 & GSP-Phot coverage




Star types from logg (n = 4)



Kiel diagram (n = 4)



Sky · GSP-Phot [M/H] (n = 4)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≥ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


New-1

Metallicity · age · astrometric quality

[M/H] GSP-Phot (n = 4)



Teff vs [M/H] (n = 4)




FLAME age (n = 1)

FLAME ages for only 1 star(s)
(FLAME needs good parallaxes)


Age–metallicity (n = 1)

n < 3

RUWE (n = 4)




Parallax quality (n = 4)




New-1

PM clustering · HDBSCAN · 0 cluster(s) · noise 100%



Proper-motion directions (arrows) coloured by cluster



Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	11	2.03	1.84	0.20	-2.39	3