

New-5

MEMBERSHIP	
Stars in catalog	13
with Gaia GSP-Phot	9 (69%)
with radial velocity	9
Stream id (sID)	21
GEOMETRY · great-circle fit	
Centroid RA, Dec	98.3, -1.9 deg
Centroid l, b	212.1, -18.6 deg
Pole RA, Dec	68.0, 87.8 deg
Length (φ1, 2–98%)	98.4 deg
Width σ(φ2), robust	5.16 deg
KINEMATICS	
pmRA* med ± σ	-24.52 ± 20.61 mas/yr
pmDE med ± σ	-39.53 ± 15.26 mas/yr
μφ1* med ± σ	-24.25 ± 21.23 mas/yr
μφ2 med ± σ	-39.70 ± 14.59 mas/yr
Parallax (cat.) med	1.012 ± 0.298 mas
Parallax (wtd, ZP-corr.)	0.756 ± 0.037 mas
Distance	d = 1.3 ± 0.1 kpc
Physical length	2.27 kpc
RV median ± σ(MAD)	295.9 ± 140.0 km/s
RV gradient dV/dφ1	2.84 km/s/deg
PHOTOMETRY · POPULATIONS	
G0 range (median)	14.1–19.1 (17.7)
(BP−RP)0 median	1.36
GSP-Phot [M/H] (n=9)	-1.02 ± 0.50
GSP-Phot Teff median	4578 K
RUWE > 1.4	11.1 %
PM clusters (largest)	none
IBATA+2024 · TABLE 3	
n catalog | paper	13 | 13
n_RV catalog | paper	9 | 9
<[Fe/H]> paper	-1.02
Stellar mass (paper)	16 Msun
Pole offset vs paper	0.1 deg
Remark	Two structures?

Sky map · catalog members (n = 13) · size ∝ brightness · ring = has RV





Stream frame (great-circle fit) · length 98.4° · width σ 5.16°





New-5


Kinematics · proper motion · parallax · radial velocity
















New-5


CMD · dereddened (n = 13)




HR diagram · ϖ>0 (n = 9/9)




G0 & GSP-Phot coverage




Star types from logg (n = 9)



Kiel diagram (n = 9)



Sky · GSP-Phot [M/H] (n = 9)




GSP-Phot (Gaia low-resolution BP/RP) parameters are prior-dominated for faint, distant halo stars (G ≥ 17): logg, [M/H] and ages are indicative only and typically biased toward dwarfs.


New-5

Metallicity · age · astrometric quality


[M/H] GSP-Phot (n = 9)




Teff vs [M/H] (n = 9)




FLAME age (n = 3)




Age–metallicity (n = 3)



RUWE (n = 9)




Parallax quality (n = 9)




New-5

PM clustering · HDBSCAN · 0 cluster(s) · noise 100%



Proper-motion directions (arrows) coloured by cluster



Cluster summary

id	n	pmRA	pmDE	σpmRA	[M/H]	n_RV
noise	13	-24.52	-39.53	20.61	-1.02	9