

# Copilot Connectors — Start Here

*How to use this documentation set before you deploy, monitor or support any connector.*

## What these connectors do

Microsoft 365 Copilot only sees Microsoft 365 data by default. These five **Copilot Graph connectors** each bring one external system into Copilot and Search answers — with the source system's own access rules enforced, so users only ever see what they are allowed to see.

## The five connectors at a glance

| Connector  | Source system         | What it brings to Copilot                                | Freshness                 | Sensitivity                 |
|------------|-----------------------|----------------------------------------------------------|---------------------------|-----------------------------|
| Salesforce | Salesforce CRM        | Accounts, contacts, opportunities, cases, custom objects | Live                      | Customer data               |
| Clarizen   | Planview AdaptiveWork | Projects, tasks, financial records                       | Near-real-time (webhooks) | Financial                   |
| Seismic    | Seismic enablement    | Documents, pages, LiveDocs (versioned)                   | Near-real-time            | Content (MNPI-filtered)     |
| Altrata    | Altrata licensed feed | Wealth & relationship profiles on people                 | Feed (nightly)            | HIGH — personal data (DSAR) |
| Hadoop BDH | BDH data mart         | Salesforce mirror, at 150M+ scale                        | ~24h lag                  | Customer data               |

## Read in this order

- 1. **Tenant & Common Concepts Guide** (00) — read this first. It explains every shared idea (Copilot, Microsoft Graph, identity/ACLs, the connector engine, security, tenant limits, deployment, monitoring, disaster recovery) once, so the connector guides stay short.
- 2. **The guide for your connector** (01–05) — source-specific setup, monitoring and troubleshooting.
- 3. **The matching quick-reference card** (this PDF set) — keep it open while you work.

## Before you touch anything — universal pre-flight

Collect these for **every** connector (each connector guide lists its own source-specific extras):

### Universal values to request

| Value / setting                                                                                                  | Ask from                  |
|------------------------------------------------------------------------------------------------------------------|---------------------------|
| Entra <b>Directory (tenant) ID</b>                                                                               | Entra tenant admin        |
| <b>One app registration per connector</b> (5 total) + a credential (client secret or certificate)                | Entra tenant admin / PKI  |
| Azure <b>Key Vault</b> URI + get-secret access for the service account                                           | Key Vault / platform team |
| Windows Server host(s) + a <b>service account</b> (log-on-as-service) and file ACLs on state/dead-letter folders | Server / AD team          |
| Network egress to the source system <b>and</b> to Microsoft Graph; proxy/CA details if TLS is inspected          | Network / firewall team   |
| State store choice (SQLite or SQL Server) and the high-availability plan                                         | DBA / platform team       |
| A <b>separate</b> Graph connection for Hadoop BDH (must not share Salesforce's)                                  | Connector operator        |

**Bank-grade hardening release:** the connectors ship privacy- and compliance-safe by default — dead-letter records are redacted, entitlements re-sync on incremental crawls, state directories are owner-only, and (where a connector has webhooks) inbound posts require a signed timestamp. Optional controls — classification-enforced ACLs, item TTL and (Altrata) purpose-of-use authorization — are off/opt-in unless you enable them; the tamper-evident decision ledger is opt-in except Clarizen's, which is **on by default**. Each connector guide's Configuration reference lists the exact variables and defaults. An **adversarial hardening programme** (July 2026) independently attacked every control with hostile verifiers; each guide states plainly what is verified and what remains open — 4,824 automated tests across the fleet, 0 warnings.

Stay within the tenant's shared Graph limits (30 connections, 50M indexed items). The fleet allocation, crawl-stagger schedule and change-control rules are in the Common Guide, section 8, and in `TENANT_GOVERNANCE.md`.

---

Folder contents: 00 Common Guide · 01 Salesforce · 02 Clarizen · 03 Seismic · 04 Altrata · 05 Hadoop BDH (full .docx guides) + matching QuickRef PDFs. Full detail always lives in the .docx guides.