

UI MOCKUPS · SEPTEMBER 2026

Skills catalog frontend

Visual design for the three routes in `spec.md` — the browse page, the skill detail page, and the linked-out reference page — plus the states the build needs either way.

Cards show the hand-written summary field, never the Claude-facing description (§9.1). Scripts and evals appear as badges only (§5.1). Every layout is drawn light and dark.

02–03

Browse page

04–05

Skill detail

06

Reference file

07

States

Every skill in the repo, in one place.

Browse what each skill does, read its full instructions, and download it as a single file you can drop into another project.

24 skills Alphabetical by folder Rebuilt on every deploy

cl-creation

Turns a finished branch into a PR title and description a reviewer can actually read.

refs

Read skill

 .skill

conventional-commits

Writes a Conventional Commits message and commits your staged changes.

refs scripts evals

Read skill

 .skill

algo-guru

Picks the right data structure, then benchmarks it so you have real numbers.

refs scripts

Read skill

 .skill

archunitts-testing

Adds ArchUnitTS tests that stop your layers from quietly leaking into each other.

refs

Read skill

 .skill

architecture-docs

Generates a docs/architecture tree with C4 diagrams and decision records.

refs

Read skill

 .skill

cv-writing

Writes or rewrites a CV for AI/ML roles, tailored to a specific job ad.

refs

Read skill

 .skill



Every skill in the repo, in one place.

Browse what each skill does, read its full instructions, and download it as a single file you can drop into another project.

24 skills — Alphabetical by folder — Rebuilt on every deploy

cl-creation

Turns a finished branch into a PR title and description a reviewer can actually read.

refs

[Read skill](#)

↓ .skill

conventional-commits

Writes a Conventional Commits message and commits your staged changes.

refs

scripts

evals

[Read skill](#)

↓ .skill

algo-guru

Picks the right data structure, then benchmarks it so you have real numbers.

refs

scripts

[Read skill](#)

↓ .skill

archunitts-testing

Adds ArchUnitTS tests that stop your layers from quietly leaking into each other.

refs

[Read skill](#)

↓ .skill

architecture-docs

Generates a docs/architecture tree with C4 diagrams and decision records.

refs

[Read skill](#)

↓ .skill

cv-writing

Writes or rewrites a CV for AI/ML roles, tailored to a specific job ad.

refs

[Read skill](#)

↓ .skill

[All skills](#) / conventional-commits

conventional-commits

Writes a Conventional Commits message and commits your staged changes.

DESCRIPTION – FOR CLAUDE, NOT FOR YOU

Writes a Conventional Commits-compliant message for staged changes and commits them. Use whenever the user asks to commit, write a commit message, or fix a commit message that failed validation...

The format

Every message is a type, an optional scope, and a description under 72 characters. Breaking changes get an exclamation mark and a footer, never a prose warning buried in the body.

```
example

feat(site): add build-time skills index generator

Reads every top-level folder containing SKILL.md and writes
generated/skills-index.json plus one .skill archive per skill.
```

REFERENCE FILES

 [references/git-commands.md](#) 3.2 KB >

 Download .skill

conventional-commits.skill 22.4 KB

WHAT'S IN THE ARCHIVE

```
conventional-commits/
├─ SKILL.md
├─ evals/
│   └─ evals.json
├─ references/
│   └─ git-commands.md
└─ scripts/
    └─ validate_commit_message.py
```

USING IT ELSEWHERE

1. Download the [.skill](#) file
2. Rename it to [.zip](#) and unzip
3. Drop the folder into your skills directory

[All skills](#) / [cl-creation](#)

cl-creation

Turns a finished branch into a PR title and description a reviewer can actually read.

DESCRIPTION — FOR CLAUDE, NOT FOR YOU

Drafts the title, description body, and metadata for a change list (CL) or pull request, so a developer who has just finished a branch can hand reviewers something clear to read...

When to use this

Reach for this skill once a branch is finished and you need to hand it to a reviewer. It reads the diff, groups the changes by intent, and writes the title and body in the repo's own conventions.

- Summarising a branch for review
- Filling in an existing pull request template
- Improving a title that is just the last commit message

bash

```
# collect the diff against the base branch
git diff --stat origin/main...HEAD
git log --oneline origin/main..HEAD
```

[Download .skill](#)

cl-creation.skill

15.5 KB

WHAT'S IN THE ARCHIVE

```
cl-creation/
├── SKILL.md
├── references/
│   └── github-commands.md
```

REFERENCES

[references/github-commands.md](#)

Opens as its own page — see next sheet.

[All skills](#) / [conventional-commits](#) / git-commands.md

 references/git-commands.md · 3.2 KB

[Back to skill](#)

Git commands

Everything the skill shells out to, with the flags that matter. Nothing here mutates history without an explicit flag.

Inspecting staged changes

Use the staged diff, not the working tree, so the message describes exactly what is about to be committed.

```
git diff --cached --stat
git commit -m "feat(site): add index generator"
git commit --amend --no-edit
```

Recovering from a bad message

Amend if the commit is unpushed. If it is already on the remote, add a follow-up commit rather than rewriting shared history.

[cl-creation](#) / github-commands.md

4.1 KB

[Back to skill](#)

GitHub commands

Creating and updating a PR from the CLI, including the draft flow.

```
gh pr create --draft \
  --title "feat(site): skills catalog" \
  --body-file .github/pr-body.md
```

Supporting states Needed whichever layout ships



No skills yet

The build found no top-level folder containing a SKILL.md.
Add one and redeploy — no code changes needed.

404

No skill by that name

/skills/pr-writer isn't in this build. It may have been
renamed — the closest match is below.

pr-generation >

AFTER CLICKING DOWNLOAD

✓

cl-creation.skill saved

Rename to .zip to unpack it.

BUTTON STATES

Download .skill

Download .skill

Download .skill

Downloaded · 15.5 KB

Resting, hover, keyboard focus (sky-500 ring, 2px offset), confirmed.