MDS-LANCET LABORATORIES
Ghana Limited
Key to Diagnostic Excellence
in partnership with Lancet Laboratories South Africa
ISO/IEC 15189: 2012 ACCREDITED LABORATORY
A Cerba Lancet Africa Company

MEDICAL LABORATORY REPORT

MDS-LANCET LABORATORIES GHANA LTD.
Kumasi Branch
Tel: 0302 610 530 / 050 410 1205
Fax: 0302 306 746
www.mds-lancet.com

Pr Num : 5201055

For Doctor
ADIEBEBA HOSPITAL
No. 4 MELCOM ROAD,
AHODWO ROUNDABOUT
XXXX KUMASI

Other Doctors

Patient	: **SALIFU ABUBAKARI**	Guarantor	:
Doctors Ref	: **NOT AVAILABLE**	MedAid	: **CLIENT**
Age/Sex/DOB	: **46 / M /**	Tel	:
Id Num	: **NOT AVAILABLE**		
Alt. Ref	: **NONE**		

Lab Ref	: **702904986**	Collection Date	: **04/03/23 2000**
MRI No.	: **GN01171685**	Received Date	: **04/03/23 2001**
Spec #	: **23:MS0000251L**	**FINAL** Report Date	: **07/03/23 1102**

Tests : ., : **INTERPRETATION, SPUTUM MCS**
NO SAMPLE TIME STATED. TIME RECORD IS THE TIME LAB PROCESSED REQUEST.

MICROBIOLOGY

Source SPUTUM **Description Not stated**

Procedure	**Result**
> MACROSCOPY	
APPEARANCE	Mucoid
> GRAM STAIN SPUTUM	
POLYMORPHS	Not observed
SQUAMOUS EPITHELIUM	Not observed
ERYTHROCYTES	Not observed
FUNGAL ELEMENTS	Not observed
BACTERIA	Gram positive cocci

> SPUTUM INTERPRETATION

1) <10 Epithelial cells and more than >25 polymorphs/low power field can be regarded as a representative specimen.
2) >10-25 Epithelial cells/low power field irrespective of the number of polymorphs would indicate contamination with oropharyngeal secretions.

> ACID FAST BACILLI	
ACID FAST BACILLI	Not observed (no AFB per 100 immersion fields)

> FASTIDIOUS CULTURE

Normal respiratory tract bacterial flora isolated.

MDS-LANCET LABORATORIES
Ghana Limited
Key to Diagnostic Excellence
in partnership with Lancet Laboratories South Africa
ISO/IEC 15189: 2012 ACCREDITED LABORATORY
A Cerba Lancet Africa Company

MEDICAL LABORATORY REPORT

MDS-LANCET LABORATORIES GHANA LTD.
Kumasi Branch
www.mds-lancet.com

Pr Num : 5201055

Patient :	Doctors Ref	Lab Ref :	Page : 2
SALIFU ABUBAKARI	**NOT AVAILABLE**	**702904986** / 04/03/23 2000	

MICROBIOLOGY

Source SPUTUM **Description Not stated**

Procedure	**Result**
FASTIDIOUS CULTURE	(continued...)

NOTE: For specimens from the lower respiratory tract obtained via invasive procedures (e.g. bronchial washing or alveolar lavage) the possibility of contamination from the upper respiratory tract should be considered.

LIMITATION OF PROCEDURE
As with all diagnostic tests, a definite clinical diagnosis should not be based on the results of a single test, but should be made by physician after all clinical and laboratory findings have been evaluated. Please notify the Lab to repeat the test if clinical suspicion and/or clinical symptoms is in discordant with our results
For consultation by referring doctors only, please call:
Dr Simmy Waner +2711 358 0800
Dr Juanita Smit +2711 358 0800
Dr Keshree Pillay +2711 358 0800

AutoSystem:liv-PMAIL:email.PDF:6207153 ** End of Report **