
A
Bootstrap AUC estimates
AUC oriented to original ITGB1 direction
1.0
0.8
0.6
0.4
0.2
Cohort/endpoint
GSE91061
GSE78220
GSE176307
GSE126044
Unadjusted
CAF/ECM
Endothelial
Stromal/vascular
Full
B
Paired bootstrap AUC change
Full-composition-adjusted
Stromal/vascular-adjusted
Endothelial-adjusted
CAF/ECM-adjusted
Cohort/endpoint
GSE91061
GSE78220
GSE176307
GSE126044
−0.4
−0.2
0.0
0.2
0.4
AUC difference versus unadjusted ITGB1 (95% interval)
C
Independent chemoradiotherapy endpoint
AUC oriented to original ITGB1 direction
0.75
0.70
0.65
0.60
0.55
0.50
0.45
Endpoint
GSE190826 pCR
Unadjusted
CAF/ECM
Endothelial
Stromal/vascular
Full
D
Chemoradiotherapy AUC change
Full-composition-adjusted
Stromal/vascular-adjusted
Endothelial-adjusted
CAF/ECM-adjusted
Endpoint
GSE190826 pCR
−0.10
−0.05
0.00
0.05
0.10
AUC difference versus unadjusted ITGB1 (95% interval)