


A


ITGB1−high
Focal adhesion / ECM
Lower chemo sensitivity
Poor prognosis


B


All patients (Univariable)
Chemo−treated (Univariable)
Chemo−untreated (Univariable)
ER−negative (Univariable)
ER−positive (Univariable)
Basal (Univariable)
Luminal A/B (Univariable)
All patients (Adjusted)
Chemo−treated (Adjusted)
1
2
3
Hazard ratio per 1 SD ITGB1


C


Oxaliplatin
Temozolomide
Cyclophosphamide
Vinorelbine
Cisplatin
Irinotecan
SN−38
Paclitaxel
5−Fluorouracil
Topotecan
Epirubicin
Docetaxel
0.0
0.1
0.2
0.3
0.4
Spearman rho: ITGB1 vs ln(IC50)
−log10(FDR)
20
30
40
50
rho
0.45
0.40
0.35
0.30


D


Vinorelbine
Oxaliplatin
Paclitaxel
Gemcitabine
SN−38
Irinotecan
Methotrexate
Cisplatin
Docetaxel
5−Fluorouracil
4.19x
3.92x
3.34x
3.07x
2.92x
2.9x
2.88x
2.86x
2.33x
2.28x
0
1
2
3
4
5
Median IC50 ratio: ITGB1−high / ITGB1−low


E


Oxaliplatin
Paclitaxel
Gemcitabine
rho=0.47
FDR=2.3e−51
rho=0.34
FDR=2.9e−26
rho=0.26
FDR=5.8e−16
ln(IC50)
ITGB1 expression, log2(TPM + 1)


F


ECM / collagen
Integrin / focal adhesion
EMT
TGF−beta
Hypoxia
Gastric cancer
Pancreatic cancer
Liver cancer
High−low score
1.0
0.9
0.8
0.7
0.6

G


Gastric cancer
NES = 1.49
Liver cancer
NES = 1.40
FDR = 0.00534
Enrichment score
Genes ranked by ITGB1−high minus ITGB1−low mean expression

H


Signature score
ITGB1−low
ITGB1−high
ECM/collagen
Integrin/focal adhesion
EMT
TGF−beta
Drug efflux
Hypoxia