Nivel 1

```
bandit1@bandit: ~                                    —    □    X

bandit1@bandit:~$ cat _
cat: _: No such file or directory
bandit1@bandit:~$ ls
-
bandit1@bandit:~$ ^C
bandit1@bandit:~$ cat -
^C
bandit1@bandit:~$ cat ./-
263JGJPfgU6LtdEvgfWU1XP5yac29mFx
bandit1@bandit:~$
```

Nivel 2

```
bandit2@bandit: ~

bandit2@bandit:~$ ls
--spaces in this filename--
bandit2@bandit:~$ cat -- "--spaces in this filename--"
MNk8KNH3Usiio41PRUEoDFPqfxLPlSmx
bandit2@bandit:~$
```

Nivel 3

```
MINGW64:/c/Users/jrss3/OneDrive/Escritorio/1ER Semestre 2026/Web/bandit-lab    —    □    X

bandit3@bandit:~$ ls
inhere
bandit3@bandit:~$ cd inhere
bandit3@bandit:~/inhere$ ls
bandit3@bandit:~/inhere$ ls -a
.  ..  ...Hiding-From-You
bandit3@bandit:~/inhere$ ls -l
total 0
bandit3@bandit:~/inhere$ cat .  ..  ...Hiding-From-You
cat: .: Is a directory
cat: ..: Is a directory
2WmrDFRmJIq3IPxneAaMGhapOpFhF3NJ
```

Nivel 4

```
bandit4@bandit: ~/inhere
bandit4@bandit:~/inhere$ ls
-file00  -file01  -file02  -file03  -file04  -file05  -file06  -file07  -file08  -file09
bandit4@bandit:~/inhere$ file ./*
./-file00: data
./-file01: data
./-file02: data
./-file03: data
./-file04: data
./-file05: data
./-file06: data
./-file07: ASCII text
./-file08: data
./-file09: data
bandit4@bandit:~/inhere$ cat ./-file07: ASCII text
cat: './-file07:': No such file or directory
cat: ASCII: No such file or directory
cat: text: No such file or directory
bandit4@bandit:~/inhere$ cat ./-file07
4oQYVPkxZOOEOO5pTW81FB8j8lxXGUQw
bandit4@bandit:~/inhere$
```

Nivel 5


```
MINGW64:/c/Users/jrss3/OneDrive/Escritorio/1ER Semestre 2026/Web/bandit-lab
bandit5@bandit:~/inhere$ ls
maybehere00  maybehere02  maybehere04  maybehere06  maybehere08  maybehere10  maybehere12  maybehere14  maybehere16  maybehere18
maybehere01  maybehere03  maybehere05  maybehere07  maybehere09  maybehere11  maybehere13  maybehere15  maybehere17  maybehere19
bandit5@bandit:~/inhere$ find . -type f -size 1033c ! -executable
./maybehere07/.file2
bandit5@bandit:~/inhere$ cat ./maybehereXX/.hidden
cat: ./maybehereXX/.hidden: No such file or directory
bandit5@bandit:~/inhere$ cat ./maybehere07/.file2
HWasnPhtq9AVKe0dmk45nxy20cvUa6EG


                                                              bandit5@bandit:~/inhere$ exit

logout
Connection to bandit.labs.overthewire.org closed.

jrss3@JoseSan31 MINGW64 ~/OneDrive/Escritorio/1ER Semestre 2026/Web/bandit-lab (main)
$
```

Nivel 6


```
bandit6@bandit:~$ ls -a
.  ..  .bash_logout  .bashrc  .profile
bandit6@bandit:~$ find / -type f -user bandit7 -group bandit6 -size 33c 2>/dev/null
/var/lib/dpkg/info/bandit7.password
bandit6@bandit:~$ cat /var/lib/dpkg/info/bandit7.password
morbNTDkSW6jIlUc0ymOdMaLnOlFVAaj
bandit6@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
```

Nivel 7


```
MINGW64:/c/Users/jrss3/OneDrive/Escritorio/1ER Semestre 2026/Web/bandit-lab
bandit7@bandit:~$ ls
data.txt
bandit7@bandit:~$ grep millionth data.txt
millionth       dfwvzFQi4mU0wfNbFOe9RoWskMLg7eEc
bandit7@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.

jrss3@JoseSan31 MINGW64 ~/OneDrive/Escritorio/1ER Semestre 2026/Web/bandit-lab (main)
$ |
```

Nivel 8

```
MINGW64:/c/Users/jrss3/OneDrive/Escritorio/1ER Semestre 2026/Web/bandit-lab
bandit8@bandit:~$ ls
data.txt
bandit8@bandit:~$ sort data.txt | uniq -u
4CKMh1JI91bUIZZPXDqGanal4xvAgOJM
bandit8@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.

jrss3@JoseSan31 MINGW64 ~/OneDrive/Escritorio/1ER Semestre 2026/Web/bandit-lab (main)
$ |
```

Nivel 9

```
MINGW64:/c/Users/jrss3/OneDrive/Escritorio/1ER Semestre 2026/Web/bandit-lab
bandit9@bandit:~$ ls
data.txt
bandit9@bandit:~$ strings data.txt | grep =
FB`=
c\5D=
━━━━━━━━━ the
?/=l
=Uc1
=vG*2P
━━━━━━━━━ password
k=ezG
E━━━━━━━━ is
=%r_
.?=Dm
O&A=n
5━━━━━━━━ FGUW5ilLVJrxX9kMYMmlN4MgbpfMiqey
=*^Y
=L3jT
q<=,
'QHE=
+=NBf
bandit9@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
```

Nivel 10

```
MINGW64:/c/Users/jrss3/OneDrive/Escritorio/1ER Semestre 2026/Web/bandit-lab
bandit10@bandit:~$ ls
data.txt
bandit10@bandit:~$ base64 -d data.txt
The password is dtR173fZKbORRsDFSGsg2RWnpNVj3qRr
bandit10@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.

jrss3@JoseSan31 MINGW64 ~/OneDrive/Escritorio/1ER Semestre 2026/Web/bandit-lab (main)
$
```