

You Belong

Website Source Code

This PDF contains all three code files for the You Belong website. To use them: create a folder, save each section as its own file (index.html, style.css, script.js), then open index.html in a browser.

index.html — HTML — Page Structure

[illegible]

```
<nav class="navbar" id="navbar" aria-hidden="true">
  <a href="#hero" class="nav-link" onclick="closeNav()">Home</a>
  <a href="#groups" class="nav-link" onclick="closeNav()">Community Groups</a>
  <a href="#stories" class="nav-link" onclick="closeNav()">Stories</a>
  <a href="#events" class="nav-link" onclick="closeNav()">Events</a>
  <a href="#support" class="nav-link" onclick="closeNav()">Support Chat</a>
  <a href="#profile" class="nav-link" onclick="closeNav()">Profile</a>
</nav>
<main>
  <!-- HERO SECTION -->
  <section class="hero-section" id="hero">
    <!-- HERO IMAGE -->
    <div class="hero-img-wrap">
      
      <div class="img-placeholder hero-ph">
        <div class="x-cross"></div>
        <p class="ph-label">Hero Image<br>800 × 600 px</p>
      </div>
      <div class="hero-badge">&#127760; Everyone Welcome</div>
    </div>
    <!-- HERO TEXT -->
    <div class="hero-body">
      <span class="cat-pill cat-pink">Third Culture Kids (TCKs)</span>
      <h2 class="hero-heading">We Are Here<br>
      <span class="accent">For You</span> &#128155;
      </h2>
      <p class="hero-text">
        Being a Third Culture Kid can sometimes feel confusing – like you belong everywhere and nowhere at the same time. But <strong>you are not alone.</strong> Every story, culture, and experience you carry makes you unique and strong. Together, we can support one another, celebrate our differences, and find a place where we truly belong.
      </p>
      <button class="btn-pill btn-accent" onclick="handleJoin()">Join Our Community</button>
    </div>
  </section>
  <!-- OUR STORIES -->
  <section class="page-section" id="stories">
    <h2 class="section-heading">Our <span class="accent">Stories</span></h2>
    <p class="section-sub">Real stories from real people. Find one that speaks to you.</p>
    <!-- STORY CARD 1 -->
    <article class="story-card">
      <div class="story-img-wrap">
        
        <div class="img-placeholder story-ph">
          <div class="x-cross"></div>
          <p class="ph-label">Story 1 Image<br>
            <code>images/story1.jpg</code>
          </p>
        </div>
      </div>
      <div class="story-body">
        <!-- Replace src= with your image (800 × 450 px recommended). -->
        <!-- Replace category pill, title, and description text. -->
      </div>
    </article>
  </section>
</main>
```

```
<div class="cat-pill cat-pink">COMMUNITY</div>
<h3 class="story-title">Finding Strength in Community</h3>
<p class="story-text">Sometimes life feels easier when we know people understand us.
  In this story, friendship and support help turn loneliness into strength.
  By connecting with others who share similar experiences, we learn that
  community can give us courage, comfort, and confidence.</p>
<button class="btn-outline-pill" onclick="readMore(1)">Read More</button>
</div>
</article>
<!-- STORY CARD 2 -->
<article class="story-card">
  <div class="story-img-wrap">
    
    <div class="img-placeholder story-ph">
      <div class="x-cross"></div>
      <p class="ph-label">Story 2 Image<br><code>images/story2.jpg</code></p>
    </div>
  </div>
  <div class="story-body">
    <span class="cat-pill cat-blue">HEALING</span>
    <h3 class="story-title">A Journey of Healing and Hope</h3>
    <p class="story-text">Healing takes time, but every step forward matters. This story
      shows how challenges can help us grow stronger and discover hope even in difficult
      moments. With patience, support, and belief in ourselves, brighter days can always
      be found ahead.</p>
    <button class="btn-outline-pill" onclick="readMore(2)">Read More</button>
  </div>
</article>
<!-- STORY CARD 3 -->
<article class="story-card">
  <div class="story-img-wrap">
    
    <div class="img-placeholder story-ph">
      <div class="x-cross"></div>
      <p class="ph-label">Story 3 Image<br><code>images/story3.jpg</code></p>
    </div>
  </div>
  <div class="story-body">
    <span class="cat-pill cat-green">UNITY</span>
    <h3 class="story-title">Together We Are Stronger</h3>
    <p class="story-text">No one has to face life's struggles alone. When people come
      together, they can overcome challenges, inspire one another, and create positive
      change. This story reminds us that teamwork, kindness, and unity make us stronger
      than we could ever be on our own.</p>
    <button class="btn-outline-pill" onclick="readMore(3)">Read More</button>
  </div>
</article>
</section>
<!-- 
SHARE YOUR THOUGHTS
-->
<section class="page-section thoughts-section">
  <h2 class="section-heading">Share Your <span class="accent">Thoughts</span> &#9998;&#65039;
  <p class="section-sub">Write your thoughts here...</p>
  <div class="thoughts-card">
    <!-- NOTE: <textarea> creates a multi-line text box.
    placeholder= shows hint text when the box is empty.
    ■ Change the placeholder to anything you like. -->
    <textarea id="thoughtInput1"
      class="thought-input"
      rows="3"
      placeholder="Today I felt..."
  </div>
-->
```

[illegible]

```
<div></div>;<br><p class="friend-name">Carlos</p><br><p class="friend-country">&#127474;&#127485; Mexico</p><br><button class="btn-outline-pill friend-btn" onclick="addFriend(this, 'Carlos')">+ Add</button><br></div><br><div class="friend-card"><br><div class="avatar-wrap"><br><br><div class="img-placeholder avatar-ph"><br><span class="avatar-emoji">&#128105;&#127997;</span><br></div><br></div><br><p class="friend-name">Priya</p><br><p class="friend-country">&#127470;&#127475; India</p><br><button class="btn-outline-pill friend-btn" onclick="addFriend(this, 'Priya')">+ Add</button><br></div><br><div class="friend-card"><br><div class="avatar-wrap"><br><br><div class="img-placeholder avatar-ph"><br><span class="avatar-emoji">&#128105;&#127996;</span><br></div><br></div><br><p class="friend-name">Sofia</p><br><p class="friend-country">&#127463;&#127479; Brazil</p><br><button class="btn-outline-pill friend-btn" onclick="addFriend(this, 'Sofia')">+ Add</button><br></div><br><button class="btn-pill btn-accent see-all-btn" onclick="seeAllFriends()">See All Friends</button><br></section><br><!-- <b>COMMUNITY GROUPS</b><br><b></b> --><br><section class="page-section" id="groups"><br><h2 class="section-heading">Community Groups</h2><br><p class="section-sub">Find your people. Join a group that feels like home.</p><br><div class="groups-grid"><br><!-- GROUP CARD<br><div class="group-card border-red"><br><span class="group-icon">&#127760;</span><br><h3 class="group-name">Global Roots</h3><br><p class="group-desc">For those who call multiple countries home.</p><br><button class="btn-outline-pill red-btn" onclick="joinGroup(this, 'Global Roots')">Join Group</button><br></div><br><div class="group-card border-blue"><br><span class="group-icon">&#127912;</span><br><h3 class="group-name">Creative Cultures</h3><br><p class="group-desc">Art, music and dance from every corner of the world.</p><br><button class="btn-outline-pill blue-btn" onclick="joinGroup(this, 'Creative Cultures')">Join Group</button><br></div><br><div class="group-card border-green"><br><span class="group-icon">&#128218;</span><br><h3 class="group-name">Young Explorers</h3><br><p class="group-desc">A safe space for kids discovering who they are.</p><br><button class="btn-outline-pill green-btn" onclick="joinGroup(this, 'Young Explorers')">Join Group</button><br></div><br><div class="group-card border-yellow"><br><span class="group-icon">&#128172;</span><br><h3 class="group-name">Language Swap</h3><br><p class="group-desc">Learn a new language from a new friend.</p><br><button class="btn-outline-pill yellow-btn" onclick="joinGroup(this, 'Language Swap')">Join Group</button><br></div></div></div></pre>
```



```
</footer>
<!--
NOTE: <script src="script.js"> is placed at the BOTTOM of <body>.
This ensures HTML elements exist before JavaScript runs.
Never move it to <head> without adding the defer attribute.
-->
<script src="script.js"></script>
</body>
</html>
```

style.css — CSS — Styling & Colours

```

/*
■■■■■ IMPORTANT CSS PROPERTIES – REFERENCE NOTES ■■■■■
■■■■■ color: #hex; → text colour ■■■■
■■■■■ background-color: #hex; → background fill ■■■■
■■■■■ font-family: 'Name', sans; → typeface ■■■■
■■■■■ font-size: 18px; → text size ■■■■
■■■■■ font-weight: 700; → boldness (400=normal) ■■■■
■■■■■ padding: 16px; → space INSIDE element ■■■■
■■■■■ margin: 16px; → space OUTSIDE element ■■■■
■■■■■ border-radius: 12px; → rounded corners ■■■■
■■■■■ border: 2px solid #hex; → outline ■■■■
■■■■■ box-shadow: 0 4px 12px ...; → drop shadow ■■■■
■■■■■ display: flex; → side-by-side layout ■■■■
■■■■■ display: grid; → grid layout ■■■■
■■■■■ gap: 16px; → space between flex/grid ■■■■
■■■■■ object-fit: cover; → image fills its box ■■■■
■■■■■ cursor: pointer; → hand cursor on hover ■■■■
■■■■■ transition: .2s ease; → smooth animation ■■■■
■■■■■ To restyle the whole site, edit the :root variables below. ■■■■
*/
/* ■■■ DESIGN TOKENS ■■■ */
/* Change these variables to change every colour on the site */
:root {
  --cream: #FAF7F2; /* warm page background */
  --white: #FFFFFF;
  --accent: #E8624A; /* salmon / coral – main colour */
  --accent-hover: #D4503A;
  --accent-light: #FFF0ED; /* pale salmon for pill badges */
  --text: #1A1A1A; /* near-black headings */
  --text-mid: #555555; /* body copy */
  --text-light: #999999; /* hints / labels */
  --border: #EDE8E0;
  --shadow: rgba(232,98,74,.10);
  --shadow-card: 0 4px 20px rgba(0,0,0,.07);
  --gold: #F5B800; /* avatar ring colour */
  --footer-bg: #252525; /* dark footer background */
  /* Category pill colours */
  --cat-pink-bg: #FFE4DF;
  --cat-pink-text: #E8624A;
  --cat-blue-bg: #E0EEFF;
  --cat-blue-text: #3B82F6;
  --cat-green-bg: #DFFAEC;
  --cat-green-text: #16A34A;
  /* Community group border colours */
  --grp-red: #E8624A;
  --grp-blue: #3B82F6;
  --grp-green: #22C55E;
  --grp-yellow: #F59E0B;
  --radius: 20px;
  --radius-pill: 100px;
  --font: 'Nunito', 'Segoe UI', sans-serif;
}
/* ■■■ RESET & BASE ■■■ */
*, ::before, ::after { box-sizing: border-box; margin: 0; padding: 0; }
html { scroll-behavior: smooth; }
body {
  font-family: var(--font);
  background: var(--cream);
  color: var(--text-mid);
  font-size: 16px;
  line-height: 1.65;
}

```

[illegible]

```
font-weight: 700;
padding:    14px 24px;
border-bottom: 1px solid rgba(255,255,255,.08);
transition: background .18s, color .18s;
}
.nav-link:hover { background: var(--accent); color: var(--white); }
/* ■■■ PAGE SECTIONS ████████████████████████████████████████████████████ */
.page-section {
  max-width: 820px;
  margin:    0 auto;
  padding:   40px 20px;
}
.section-heading {
  font-size: 1.75rem;
  font-weight: 900;
  color:      var(--text);
  margin-bottom: 6px;
}
.section-sub {
  font-size: 0.95rem;
  color:     var(--text-light);
  margin-bottom: 28px;
}
/* ■■■ HERO SECTION ████████████████████████████████████████████████████ */
.hero-section {
  max-width: 820px;
  margin:    0 auto;
  padding:   28px 20px 0;
}
/* Hero image container */
.hero-img-wrap {
  position: relative;
  border-radius: var(--radius);
  overflow: hidden;
  height: 280px;
  margin-bottom: 28px;
}
.hero-img {
  width: 100%; height: 100%;
  object-fit: cover;
}
/* Overlay badge on photo */
.hero-badge {
  position: absolute;
  bottom: 16px; left: 50%;
  transform: translateX(-50%);
  background: var(--white);
  color:       var(--text);
  font-size: 14px;
  font-weight: 700;
  padding:     8px 20px;
  border-radius: var(--radius-pill);
  box-shadow: 0 2px 10px rgba(0,0,0,.12);
  white-space: nowrap;
}
/* Hero text block */
.hero-body { padding-bottom: 36px; }
.hero-heading {
  font-size: 2.1rem;
  font-weight: 900;
  color:      var(--text);
  line-height: 1.2;
  margin: 14px 0 16px;
}
.hero-text {
  font-size: 1rem;
  color:     var(--text-mid);
  margin-bottom: 22px;
```

[illegible]

[illegible]

[illegible]

```

    background: var(--accent);
    padding: 16px 20px;
    display: flex;
    align-items: center;
    gap: 14px;
    border-radius: var(--radius) var(--radius) 0 0;
}
.chat-logo-circle {
    width: 44px; height: 44px;
    border-radius: 50%;
    background: rgba(255,255,255,.25);
    border: 2px solid rgba(255,255,255,.5);
    display: flex; align-items: center; justify-content: center;
    overflow: hidden; flex-shrink: 0;
}
.chat-logo-img { width: 32px; height: 32px; }
.chat-header-text { flex: 1; }
.chat-title {
    font-size: 1.1rem;
    font-weight: 900;
    color: var(--white);
    line-height: 1.2;
}
.chat-subtitle {
    font-size: .85rem;
    color: rgba(255,255,255,.85);
}
/* Green online indicator dot */
.online-dot {
    width: 12px; height: 12px;
    border-radius: 50%;
    background: #4ade80;
    border: 2px solid rgba(255,255,255,.6);
    flex-shrink: 0;
}
/* Chat messages area */
.chat-messages {
    padding: 20px 16px 12px;
    min-height: 130px;
    display: flex;
    flex-direction: column;
    gap: 10px;
}
/* Individual message bubbles */
.chat-bubble {
    max-width: 80%;
    padding: 12px 16px;
    border-radius: 18px;
    font-size: .95rem;
    line-height: 1.5;
}
.chat-bubble.received {
    background: var(--cream);
    color: var(--text);
    border-bottom-left-radius: 4px;
    align-self: flex-start;
}
.chat-bubble.sent {
    background: var(--accent);
    color: var(--white);
    border-bottom-right-radius: 4px;
    align-self: flex-end;
}
/* Input row */
.chat-input-row {
    display: flex;
    gap: 10px;
    padding: 12px 16px 16px;

```


[illegible]

[illegible]

[illegible]

[illegible]

script.js — JavaScript — Buttons & Interactivity

```

/*
■■■■■ IMPORTANT JAVASCRIPT CONCEPTS — REFERENCE NOTES ■■■■■
document.getElementById('id')
    → Grabs an HTML element by its id="..." attribute.
element.textContent = 'text'
    → Changes visible text inside an element.
element.classList.add('class')
    → Adds a CSS class → changes the element's style.
element.classList.remove('class')
    → Removes a CSS class.
localStorage.setItem('key', value)
    → Saves data in the browser (survives page refresh).
localStorage.getItem('key')
    → Reads previously saved data.
setTimeout(function, ms)
    → Runs a function after a delay (ms = milliseconds).
element.scrollIntoView()
    → Smoothly scrolls the page to that element.
*/
/* ■■■ ON PAGE LOAD ■■■ */
document.addEventListener('DOMContentLoaded', function () {
    /* Restore any previously saved journal thoughts */
    var saved1 = localStorage.getItem('yb_thought1');
    var saved2 = localStorage.getItem('yb_thought2');
    if (saved1) document.getElementById('thoughtInput1').value = saved1;
    if (saved2) document.getElementById('thoughtInput2').value = saved2;
});
/* ■■■ NAVIGATION ■■■ */
toggleNav() opens or closes the slide-down navigation drawer.
It adds/removes the 'open' CSS class which changes max-height.
function toggleNav() {
    var nav = document.getElementById('navbar');
    var isOpen = nav.classList.contains('open');
    nav.classList.toggle('open');
    nav.setAttribute('aria-hidden', isOpen ? 'true' : 'false');
}
/* closeNav() is called when a nav link is clicked */
function closeNav() {
    var nav = document.getElementById('navbar');
    nav.classList.remove('open');
    nav.setAttribute('aria-hidden', 'true');
}
/* ■■■ IMAGE HELPERS ■■■ */
imgLoaded(img) → called by onload="" in HTML.
Fades the real image in and hides the placeholder.
imgError(img) → called by onerror="" in HTML.
Hides the broken-image icon; placeholder stays visible.
function imgLoaded(img) {
    img.classList.add('loaded');
    var ph = img.parentElement.querySelector('.img-placeholder');
    if (ph) ph.style.display = 'none';
}

```

```
function imgError(img) {  
    img.style.display = 'none';  
}  
/* ■■ JOIN COMMUNITY ████████████████████████████████████████████████████████████████████ */  
/*  
    ■ REPLACE the alert with: window.location.href = 'signup.html';  
    when you have a sign-up page ready.  
*/  
  
function handleJoin() {  
    alert(  
        'Welcome! ■\n\n' +  
        'Replace this alert in script.js:\n' +  
        '   window.location.href = "signup.html";'  
    );  
}  
/* ■■ READ MORE ████████████████████████████████████████████████████████████████████ */  
/*  
    ■ REPLACE the alert with: window.location.href = 'story' + id + '.html';  
*/  
  
function readMore(id) {  
    alert(  
        'Opening story ' + id + '...\n\n' +  
        'Replace with: window.location.href = "story" + id + ".html";'  
    );  
}  
/* ■■ SAVE THOUGHTS ████████████████████████████████████████████████████████████████████ */  
/*  
    Saves both journal textareas to browser localStorage.  
    localStorage keeps the data even after the page is refreshed.  
*/  
  
function saveThoughts() {  
    var t1 = document.getElementById('thoughtInput1').value;  
    var t2 = document.getElementById('thoughtInput2').value;  
    var msg = document.getElementById('saveMsg');  
    if (!t1.trim() && !t2.trim()) {  
        msg.textContent = 'Write something first!';  
        msg.style.color = '#999';  
        clearAfter(msg, 2500);  
        return;  
    }  
    localStorage.setItem('yb_thought1', t1);  
    localStorage.setItem('yb_thought2', t2);  
    msg.textContent = '✓ Saved!';  
    msg.style.color = 'var(--accent)';  
    clearAfter(msg, 3000);  
}  
  
function clearAfter(el, ms) {  
    setTimeout(function () { el.textContent = ''; }, ms);  
}  
/* ■■ ADD FRIEND ████████████████████████████████████████████████████████████████████ */  
/*  
    Toggles a friend card button between "+ Add" and "✓ Added".  
    The button becomes disabled after clicking so it can't be  
    clicked again accidentally.  
    ■ In a real app, replace the console.log with an API call  
    that sends a friend request to your backend.  
*/  
  
function addFriend(button, name) {  
    if (button.disabled) return;  
    button.textContent = '✓ Added';  
    button.classList.add('added');  
    button.style.background = 'var(--accent-light)';  
    button.style.borderColor = 'var(--accent)';  
    button.style.color = 'var(--accent)';  
    button.disabled = true;  
    /* ■ Replace this with a real API call when your backend is ready */  
    console.log('Friend request sent to: ' + name);  
}
```

[illegible]

```
setTimeout(function () {  
  var reply      = chatReplies[Math.floor(Math.random() * chatReplies.length)];  
  var replyBubble = document.createElement('div');  
  replyBubble.className = 'chat-bubble received';  
  replyBubble.textContent = reply;  
  messages.appendChild(replyBubble);  
  messages.scrollTop = messages.scrollHeight;  
}, 900);  
}
```