

# Dotfiles Keyboard and Workflow Cheat Sheets

## Keyboard Development Workflow Cheat Sheet

This is the public, machine-independent quick reference for the tracked AeroSpace, tmux, sesh, shell, and clipboard configuration. Machine-specific work aliases and sessions remain in private files.

### Core Modifiers

- Hyper: Control+Option+Shift+Command.
- Hold Right Control or Caps Lock for Hyper.
- Tap Right Control or Caps Lock for the Hammerspoon command palette.
- Right Option: Option+Shift, used for AeroSpace operations.
- tmux prefix: Ctrl+S.

### AeroSpace

#### Focus and Move

- Option+Shift+H/J/K/L: focus left/down/up/right.
- Option+Shift+Control+H/J/K/L: move the focused window.
- Control+Shift+H/J/K/L: join the window with its neighbor.
- Control+Shift+P/N: focus the previous/next monitor.
- Option+Shift+N: move the window to the next monitor and follow it.

#### Workspaces

- Control+1..9/0: switch to workspace 1..9/10.
- Option+Shift+1..9/0: move the window to workspace 1..9/10 and follow it.
- Hyper+Tab: switch back to the previous workspace.

#### Layout

- Option+Shift+--/=: shrink/grow the focused tile.
- Control+Shift+R: enter resize mode.
- Resize mode H/J/K/L: change width/height.
- Resize mode Enter or Esc: return to normal mode.
- Option+Shift+T: toggle floating/tiling.
- Option+Shift+F: toggle fullscreen.
- Option+Shift+B: balance window sizes.
- Control+Shift+F: flatten the current workspace layout.
- Control+Shift+Backspace: reload AeroSpace.

### tmux

#### Sessions and Windows

- Prefix+C-e: sesh/fzf session picker.
- Prefix+T: Television session picker.
- Prefix+N: create a named session.
- Prefix+D: choose and kill a session with confirmation.
- Prefix+c: create a window in the current pane directory.
- Prefix+n/p: next/previous window.
- Prefix+Ctrl+N/Ctrl+P: next/previous window.

- Prefix+Ctrl+H/Ctrl+L: previous/next window.
- Prefix+Tab: return to the last window.
- Prefix+X: choose a window to kill.

#### Panes and Popups

- Prefix+|: split horizontally in the current directory.
- Prefix+-: split vertically in the current directory.
- Prefix+H/J/K/L: resize by five cells.
- Prefix+Option+H/J/K/L: repeatable resize by five cells.
- Ctrl+H/J/K/L: move between Neovim splits and tmux panes.
- Prefix+=: evenly balance the current layout.
- Prefix+g: open lazygit in a popup.
- Prefix+P: toggle a lower log shell in the current window.
- Prefix+o: open a command in a new window.

Pane borders show local/dev context, Git branch, package name, devcontainer presence, and up to three listening ports.

#### Copy and Links

- Prefix+Space: tmux-thumbs; choose a highlighted token to copy it.
- tmux-thumbs writes to the tmux buffer and emits OSC52 for the local terminal clipboard, including supported remote terminal sessions.
- Prefix+u: find URLs; Ctrl+Y copies the selected URL from its picker.
- Prefix+[: enter copy mode; v starts selection and y copies.
- Prefix+r: reload .tmux.conf.

### sesh

- Alt+S: fuzzy session picker from any Zsh prompt.
- sesh connect NAME: create or attach to a named session.
- Inside the tmux picker:
  - Ctrl+A: all sources.
  - Ctrl+T: tmux sessions.
  - Ctrl+G: configured sessions.
  - Ctrl+X: zoxide directories.
  - Ctrl+F: directory search.
  - Ctrl+D: kill the selected session.
- @dotfiles and @nvim-config: connect through sesh inside tmux; otherwise change directly to the project directory.

### Shell

- sz: replace the current shell with a freshly loaded Zsh.
- ez, ea, ew, el: edit Zsh, public aliases, private work aliases, or local shell configuration.
- eh, ek, eg: edit Hammerspoon, Karabiner, or Ghostty configuration.
- z NAME: jump to a frequently used directory through zoxide.
- v, lg, g: Neovim, lazygit, and Git.
- copy FILE: copy a file through the cross-host clipboard helper.

## SketchyBar

- Click CPU for memory, load average, and disk usage.
- Click Wi-Fi for interface, local IP, download rate, and upload rate.
- Click battery for power source, remaining time, health, and cycle count.
- Click the clock for upcoming meetings and Calendar actions.
- Right-click CPU, Wi-Fi, battery, or clock for the original direct system action.

## Hammerspoon Desktop Cheat Sheet

Hyper is Control+Option+Command+Shift. Hold Right Control or Caps Lock for Hyper; tap either key to open the command palette.

### Discovery

- Hyper+;: searchable command palette.
- Hyper+/: context-aware searchable workflow cheatsheet.
- Hyper+R: desktop service manager.
- Hyper+W: search open windows by application and title.
- Hyper+Delete or Hyper+Forward Delete: return to the previous window.
- Hyper+Tab: return to the previous AeroSpace workspace.
- Cmd+Option+C: cycle windows for the focused application.

The command palette is generated from the live Hammerspoon binding registry.

### Applications

- Hyper+G: Google Chrome.
- Hyper+T: Ghostty.
- Hyper+D: Discord.
- Hyper+S: Slack.
- Hyper+O: Microsoft Outlook.
- Hyper+C: Codex.
- Hyper+I: IntelliJ IDEA.
- Hyper+F: Firefox.
- Hyper+Z: Zoom.
- Hyper+Q: KeyCastr.
- Hyper+P: Docker.
- Hyper+Space: WezTerm scratchpad.

Pressing the shortcut for an already focused application cycles its windows.

### Floating Applications

- Cmd+Control+E: Messages.
- Cmd+Control+A: Music.
- Cmd+Control+P: Podcasts.
- Cmd+Control+W: Notes.
- Cmd+Control+T: Telegram.
- Cmd+Control+F: Finder.

### Productivity and Devices

- Hyper+M: refresh and choose an upcoming meeting.
- Hyper+V: Raycast clipboard history.
- Cmd+Option+O: audio output chooser.
- Cmd+Option+I: audio input chooser.
- Cmd+Option+B: paired Bluetooth device chooser.

- Cmd+Option+W: Wi-Fi network chooser.

The Bluetooth chooser prioritizes connected devices. Selecting a disconnected device connects it; selecting a connected device disconnects it. Battery levels are shown when macOS exposes them.

### Windows and Spaces

- Hyper+A: toggle native fullscreen.
- Hyper+N: create a macOS space.
- Hyper+X: close empty macOS spaces.
- Hyper+` : show the current macOS space number.
- Cmd+Option+S: sleep.
- Cmd+Option+\: open the Hammerspoon console.

### Media

- Shift+F7: previous track.
- Shift+F8: play or pause.
- Shift+F9: next track.

Unmodified F7/F8/F9 are mapped by Karabiner to the equivalent system media keys.

### Service Manager

Hyper+R provides:

- Reload Hammerspoon configuration or restart Hammerspoon.
- Reload AeroSpace configuration or restart AeroSpace.
- Reload SketchyBar or restart its Homebrew service.
- Refresh SketchyBar workspace indicators.
- Restart JankyBorders.
- Reassign AeroSpace workspaces to monitors.
- Log Homebrew, AeroSpace, and SketchyBar status.
- Open or clear the Hammerspoon console.

### Battery Alerts

- Alerts fire once per discharge cycle at 20%, 15%, 10%, and 5%.
- The 10% and 5% alerts are marked critical.
- Each threshold shows a centered alert and a persistent macOS notification.
- Plugging into AC power resets the threshold history.

### Automatic Behavior

- The display remains awake.
- Leaving the home Wi-Fi network minimizes windows and mutes MacBook speakers.
- Monitor changes trigger three delayed AeroSpace stabilization passes, then a SketchyBar reload.
- With the built-in display connected, workspaces 1-4 remain on it and workspaces 5-10 are distributed across external displays.
- SketchyBar highlights the visible workspace on each display.

# Dotfiles Keyboard and Workflow Cheat Sheets

## Dactyl Manuform 5x7 - Keybinding Cheat Sheet

This documents the effective keys after QMK and Karabiner processing. `keymaps.json` is the firmware source of truth. Empty cells on layers 1-3 are transparent and inherit Layer 0.

### Layer 0 — Base

LEFT HAND

|       |     |   |   |   |   |         |
|-------|-----|---|---|---|---|---------|
| Esc   | 1   | 2 | 3 | 4 | 5 | 6       |
| Tab   | Q   | W | E | R | T | Home    |
| CTRL  | A   | S | D | F | G | Ct+S+Tb |
| SHIFT | Z   | X | C | V | B |         |
| `/Ly2 | Ly1 | ( | ) |   |   |         |

RIGHT HAND

|       |     |   |   |   |     |       |
|-------|-----|---|---|---|-----|-------|
| 7     | 8   | 9 | 0 | - | =   |       |
| `     | End | Y | U | I | O   | P     |
| Ct+Tb | H   | J | K | L | ;   | '     |
|       | N   | M | , | . | /   | S+CTL |
|       |     | - | = | + | Ly3 |       |

THUMBS LEFT

|              |       |
|--------------|-------|
| PgUp<br>/Ly1 | [     |
| CTRL         | SPACE |
| ALT          | HYPER |

THUMBS RIGHT

|       |              |
|-------|--------------|
| ]     | PgDn<br>/Ly3 |
| ENTER | BKSP         |
| HYPER | OPT+SH       |

### Legend

CTRL = Control (QMK sends Left GUI, Karabiner remaps to Ctrl)  
S+CTL = Shift+Control (QMK sends Right Shift, Karabiner remaps)  
HYPER = hold for Ctrl+Opt+Shift+Cmd; tap for the command palette  
OPT+SH = Option+Shift (QMK sends Right Alt, Karabiner remaps)  
/Ly1 = hold for Layer 1, tap for the printed key  
/Ly2 = hold for Layer 2, tap for `  
/Ly3 = hold for Layer 3, tap for the printed key  
Ct+S+Tb = Ctrl+Shift+Tab (previous tab)  
Ct+Tb = Ctrl+Tab (next tab)

Layer 1 — Function Keys & Navigation (hold Ly1)

Only changed keys shown. Everything else = Layer 0.

LEFT HAND

|  |        |      |      |       |    |       |
|--|--------|------|------|-------|----|-------|
|  | F1     | F2   | F3   | F4    | F5 | F6    |
|  |        |      | Up   |       |    |       |
|  |        | Left | Down | Right |    | B00T! |
|  |        |      |      |       |    |       |
|  | (hold) | Prev | Next |       |    |       |

THUMBS LEFT

|  |  |
|--|--|
|  |  |
|  |  |
|  |  |

RIGHT HAND

|    |    |    |     |     |     |  |
|----|----|----|-----|-----|-----|--|
| F7 | F8 | F9 | F10 | F11 | F12 |  |
|    |    |    |     |     |     |  |
|    |    |    |     |     |     |  |
|    |    |    |     |     |     |  |
|    |    |    |     |     |     |  |

THUMBS RIGHT

|     |  |
|-----|--|
|     |  |
| DEL |  |
|     |  |

(hold) = this is the Ly1 hold key itself B00T! = enters QMK bootloader for flashing — careful!

Layer 2 — Numpad (hold /Ly2)

Only right hand changes. Left hand = Layer 0.

RIGHT HAND

|  |  |       |   |   |   |  |
|--|--|-------|---|---|---|--|
|  |  | NumLk |   | - | + |  |
|  |  | 7     | 8 | 9 |   |  |
|  |  | 4     | 5 | 6 | * |  |
|  |  | 1     | 2 | 3 | / |  |
|  |  | 0     | . |   |   |  |

THUMBS RIGHT

|          |  |
|----------|--|
|          |  |
| NumEnter |  |
|          |  |

Layer 3 — Media & Arrows (hold Ly3)

Only changed keys shown.

LEFT HAND

|     |      |      |      |   |   |   |
|-----|------|------|------|---|---|---|
|     |      |      |      |   |   |   |
| Esc | 1    | 2    | 3    | 4 | 5 | 6 |
|     | Vol- | Vol+ | Mute |   |   |   |
|     |      |      |      |   |   |   |

RIGHT HAND

|  |   |   |      |      |       |   |
|--|---|---|------|------|-------|---|
|  |   |   |      |      |       |   |
|  | 7 | 8 | 9    | 0    | -     | = |
|  |   |   |      |      | Up    |   |
|  |   |   | Left | Down | Right |   |

Karabiner Global Shortcuts

- Right Control or Caps Lock: hold for Hyper; tap for the command palette.
- Right Shift: Shift+Control.
- Right Option: Option+Shift.
- Cmd+H/J/K/L: left/down/up/right arrows.
- Cmd+Shift+K in Raycast: open the Action Panel.
- Cmd+Q twice: quit the application; a single press is blocked.
- F7/F8/F9: previous track, play/pause, and next track.

Layer 10 in the QMK export is an inactive Configurator artifact containing only disabled or transparent keys.

Flashing Firmware

```
qmk compile ~/repos/dotfiles/keymaps.json
qmk flash ~/repos/dotfiles/keymaps.json      # flash LEFT half (USB side)
# unplug TRRS, move USB to right half
qmk flash ~/repos/dotfiles/keymaps.json      # flash RIGHT half
```

Trigger bootloader: hold Ly1 + press BOOT key, or short RST to GND on Pro Micro. Flash BOTH halves — each has its own Pro Micro with separate firmware.

Hyper Troubleshooting

The Dactyl needs a dedicated device entry in Karabiner with vendor\_id 17485 / product\_id 13623. Without it, the catch-all device rule remaps CapsLock to Command before the Hyper complex modification can intercept it. Also ensure you flash BOTH halves.