

Dotfiles Keyboard and Workflow Cheat Sheets

Keyboard Development Workflow Cheat Sheet

This is the public, machine-independent quick reference for the tracked AeroSpace, tmux, sesh, shell, and clipboard configuration. Machine-specific work aliases and sessions remain in private files.

Core Modifiers

- Hyper: Control+Option+Shift+Command.
- Hold Right Control or Caps Lock for Hyper.
- Tap Right Control or Caps Lock for the Hammerspoon command palette.
- Right Option: Option+Shift, used for AeroSpace operations.
- tmux prefix: Ctrl+S.

AeroSpace

Focus and Move

- Option+Shift+H/J/K/L: focus left/down/up/right.
- Option+Shift+Control+H/J/K/L: move the focused window.
- Control+Shift+H/J/K/L: join the window with its neighbor.
- Control+Shift+P/N: focus the previous/next monitor.
- Option+Shift+N: move the window to the next monitor and follow it.

Workspaces

- Control+1..9/0: switch to workspace 1..9/10.
- Option+Shift+1..9/0: move the window to workspace 1..9/10 and follow it.
- Hyper+Tab: switch back to the previous workspace.

Layout

- Option+Shift+--/=: shrink/grow the focused tile.
- Control+Shift+R: enter resize mode.
- Resize mode H/J/K/L: change width/height.
- Resize mode Enter or Esc: return to normal mode.
- Option+Shift+T: toggle floating/tiling.
- Option+Shift+F: toggle fullscreen.
- Option+Shift+B: balance window sizes.
- Control+Shift+F: flatten the current workspace layout.
- Control+Shift+Backspace: reload AeroSpace.

tmux

Sessions and Windows

- Prefix+C-e: sesh/fzf session picker.
- Prefix+T: Television session picker.
- Prefix+N: create a named session.
- Prefix+D: choose and kill a session with confirmation.
- Prefix+c: create a window in the current pane directory.
- Prefix+n/p: next/previous window.
- Prefix+Ctrl+N/Ctrl+P: next/previous window.

- Prefix+Ctrl+H/Ctrl+L: previous/next window.
- Prefix+Tab: return to the last window.
- Prefix+X: choose a window to kill.

Panes and Popups

- Prefix+|: split horizontally in the current directory.
- Prefix+-: split vertically in the current directory.
- Prefix+H/J/K/L: resize by five cells.
- Prefix+Option+H/J/K/L: repeatable resize by five cells.
- Ctrl+H/J/K/L: move between Neovim splits and tmux panes.
- Prefix+=: evenly balance the current layout.
- Prefix+g: open lazygit in a popup.
- Prefix+P: toggle a lower log shell in the current window.
- Prefix+o: open a command in a new window.

Pane borders show local/dev context, Git branch, package name, devcontainer presence, and up to three listening ports.

Copy and Links

- Prefix+Space: tmux-thumbs; choose a highlighted token to copy it.
- tmux-thumbs writes to the tmux buffer and emits OSC52 for the local terminal clipboard, including supported remote terminal sessions.
- Prefix+u: find URLs; Ctrl+Y copies the selected URL from its picker.
- Prefix+[: enter copy mode; v starts selection and y copies.
- Prefix+r: reload .tmux.conf.

sesh

- Alt+S: fuzzy session picker from any Zsh prompt.
- sesh connect NAME: create or attach to a named session.
- Inside the tmux picker:
 - Ctrl+A: all sources.
 - Ctrl+T: tmux sessions.
 - Ctrl+G: configured sessions.
 - Ctrl+X: zoxide directories.
 - Ctrl+F: directory search.
 - Ctrl+D: kill the selected session.
- @dotfiles and @nvim-config: connect through sesh inside tmux; otherwise change directly to the project directory.

Shell

- sz: replace the current shell with a freshly loaded Zsh.
- ez, ea, ew, el: edit Zsh, public aliases, private work aliases, or local shell configuration.
- eh, ek, eg: edit Hammerspoon, Karabiner, or Ghostty configuration.
- z NAME: jump to a frequently used directory through zoxide.
- v, lg, g: Neovim, lazygit, and Git.
- copy FILE: copy a file through the cross-host clipboard helper.

SketchyBar

- Click CPU for memory, load average, and disk usage.
- Click Wi-Fi for interface, local IP, download rate, and upload rate.
- Click battery for power source, remaining time, health, and cycle count.
- Click the clock for upcoming meetings and Calendar actions.
- Click the microphone to toggle system-wide input mute and sync an active Zoom meeting.
- Click the Zoom camera control to toggle video. Green is on, red off is off, and the control is hidden outside active Zoom meetings.
- Right-click CPU, Wi-Fi, battery, or clock for the original direct system action.

Hammerspoon Desktop Cheat Sheet

Hyper is Control+Option+Command+Shift. Hold Right Control or Caps Lock for Hyper; tap either key to open the command palette.

Discovery

- Hyper+;: searchable command palette.
- Hyper+/: context-aware searchable workflow cheatsheet.
- Hyper+R: desktop service manager.
- Hyper+W: search open windows by application and title.
- Hyper+Delete or Hyper+Forward Delete: return to the previous window.
- Hyper+Tab: return to the previous AeroSpace workspace.
- Cmd+Option+C: cycle windows for the focused application.

The command palette is generated from the live Hammerspoon binding registry.

Applications

- Hyper+G: Google Chrome.
- Hyper+T: Ghostty.
- Hyper+D: Discord.
- Hyper+S: Slack.
- Hyper+O: Microsoft Outlook.
- Hyper+C: Codex.
- Hyper+I: IntelliJ IDEA.
- Hyper+F: Firefox.
- Hyper+Z: Zoom.
- Hyper+Q: KeyCastr.
- Hyper+P: Docker.
- Hyper+Space: WezTerm scratchpad.

Pressing the shortcut for an already focused application cycles its windows.

Floating Applications

- Cmd+Control+E: Messages.
- Cmd+Control+A: Music.
- Cmd+Control+P: Podcasts.
- Cmd+Control+W: Notes.
- Cmd+Control+T: Telegram.
- Cmd+Control+F: Finder.

Productivity and Devices

- Hyper+M: refresh and choose an upcoming meeting.

- Hyper+Shift+M: toggle system and Zoom microphone mute together.
- Hyper+Shift+C: toggle the Zoom camera.
- Hyper+V: Raycast clipboard history.
- Cmd+Option+O: audio output chooser.
- Cmd+Option+I: audio input chooser.
- Cmd+Option+B: paired Bluetooth device chooser.
- Cmd+Option+W: Wi-Fi network chooser.

The Bluetooth chooser prioritizes connected devices. Selecting a disconnected device connects it; selecting a connected device disconnects it. Battery levels are shown when macOS exposes them.

Windows and Spaces

- Hyper+A: toggle native fullscreen.
- Hyper+N: create a macOS space.
- Hyper+X: close empty macOS spaces.
- Hyper+` : show the current macOS space number.
- Cmd+Option+S: sleep.
- Cmd+Option+\: open the Hammerspoon console.

Media

- Shift+F7: previous track.
- Shift+F8: play or pause.
- Shift+F9: next track.

Unmodified F7/F8/F9 are mapped by Karabiner to the equivalent system media keys.

Service Manager

Hyper+R provides:

- Reload Hammerspoon configuration or restart Hammerspoon.
- Reload AeroSpace configuration or restart AeroSpace.
- Reload SketchyBar or restart its Homebrew service.
- Refresh SketchyBar workspace indicators.
- Restart JankyBorders.
- Reassign AeroSpace workspaces to monitors.
- Log Homebrew, AeroSpace, and SketchyBar status.
- Open or clear the Hammerspoon console.

Battery Alerts

- Alerts fire once per discharge cycle at 20%, 15%, 10%, and 5%.
- The 10% and 5% alerts are marked critical.
- Each threshold shows a centered alert and a persistent macOS notification.
- Plugging into AC power resets the threshold history.

Automatic Behavior

- The display remains awake.
- Leaving the home Wi-Fi network minimizes windows and mutes MacBook speakers.
- Monitor changes trigger three delayed AeroSpace stabilization passes, then a SketchyBar reload.
- With the built-in display connected, workspaces 1-4 remain on it and workspaces 5-10 are distributed across external displays.
- SketchyBar highlights the visible workspace on each display.

Dotfiles Keyboard and Workflow Cheat Sheets

Dactyl Manuform 5x7 - Keybinding Cheat Sheet

This documents the effective keys after QMK and Karabiner processing. `keymaps.json` is the firmware source of truth. Empty cells on layers 1-3 are transparent and inherit Layer 0.

Layer 0 — Base

LEFT HAND

Esc	1	2	3	4	5	6
Tab	Q	W	E	R	T	Home
CTRL	A	S	D	F	G	Ct+S+Tb
SHIFT	Z	X	C	V	B	
`/Ly2	Ly1	(	)			

RIGHT HAND

7	8	9	0	-	=	
`	End	Y	U	I	O	P
Ct+Tb	H	J	K	L	;	'
	N	M	,	.	/	S+CTL
		-	=	+	Ly3	

THUMBS LEFT

PgUp /Ly1	[
CTRL	SPACE
ALT	HYPER

THUMBS RIGHT

]	PgDn /Ly3
ENTER	BKSP
HYPER	OPT+SH

Legend

CTRL = Control (QMK sends Left GUI, Karabiner remaps to Ctrl)
S+CTL = Shift+Control (QMK sends Right Shift, Karabiner remaps)
HYPER = hold for Ctrl+Opt+Shift+Cmd; tap for the command palette
OPT+SH = Option+Shift (QMK sends Right Alt, Karabiner remaps)
/Ly1 = hold for Layer 1, tap for the printed key
/Ly2 = hold for Layer 2, tap for `
/Ly3 = hold for Layer 3, tap for the printed key
Ct+S+Tb = Ctrl+Shift+Tab (previous tab)
Ct+Tb = Ctrl+Tab (next tab)

Layer 1 — Function Keys & Navigation (hold Ly1)

Only changed keys shown. Everything else = Layer 0.

LEFT HAND

	F1	F2	F3	F4	F5	F6
			Up			
		Left	Down	Right		B00T!
	(hold)	Prev	Next			

THUMBS LEFT

RIGHT HAND

F7	F8	F9	F10	F11	F12	

THUMBS RIGHT

DEL	

(hold) = this is the Ly1 hold key itself B00T! = enters QMK bootloader for flashing — careful!

Layer 2 — Numpad (hold /Ly2)

Only right hand changes. Left hand = Layer 0.

RIGHT HAND

		NumLk		-	+	
		7	8	9		
		4	5	6	*	
		1	2	3	/	
		0	.			

THUMBS RIGHT

NumEnter	

Layer 3 — Media & Arrows (hold Ly3)

Only changed keys shown.

LEFT HAND

Esc	1	2	3	4	5	6
	Vol-	Vol+	Mute			

RIGHT HAND

	7	8	9	0	-	=
					Up	
			Left	Down	Right	

Karabiner Global Shortcuts

- Right Control or Caps Lock: hold for Hyper; tap for the command palette.
- Right Shift: Shift+Control.
- Right Option: Option+Shift.
- Cmd+H/J/K/L: left/down/up/right arrows.
- Cmd+Shift+K in Raycast: open the Action Panel.
- Cmd+Q twice: quit the application; a single press is blocked.
- F7/F8/F9: previous track, play/pause, and next track.

Layer 10 in the QMK export is an inactive Configurator artifact containing only disabled or transparent keys.

Flashing Firmware

```
qmk compile ~/repos/dotfiles/keymaps.json
qmk flash ~/repos/dotfiles/keymaps.json      # flash LEFT half (USB side)
# unplug TRRS, move USB to right half
qmk flash ~/repos/dotfiles/keymaps.json      # flash RIGHT half
```

Trigger bootloader: hold Ly1 + press BOOT key, or short RST to GND on Pro Micro. Flash BOTH halves — each has its own Pro Micro with separate firmware.

Hyper Troubleshooting

The Dactyl needs a dedicated device entry in Karabiner with vendor_id 17485 / product_id 13623. Without it, the catch-all device rule remaps CapsLock to Command before the Hyper complex modification can intercept it. Also ensure you flash BOTH halves.