




CYB 230 Module Five Lab Worksheet

Complete this worksheet by replacing the bracketed phrases in the Response column with the relevant information.

Lab: Managing Filesystem Quotas

Prompt	Response
In the lab section "Reporting Quota Usage," provide a screenshot of the output of the repquota command. Insert your name at the command line below the output and include it in your screenshot.	<pre>[root@localhost ~]# repquota / *** Report for user quotas on device /dev/mapper/vg-lv_root Block grace time: 7days; Inode grace time: 7days Block limits User used soft hard grace File limits used soft hard grace ----- root -- 2910276 0 0 88431 0 0 daemon -- 8 0 0 3 0 0 lp -- 4 0 0 1 0 0 uucp -- 4 0 0 1 0 0 abrt -- 24 0 0 4 0 0 rpc -- 4 0 0 2 0 0 colord -- 8 0 0 2 0 0 pulse -- 4 0 0 1 0 0 mysql -- 30992 0 0 106 0 0 smmisp -- 4 0 0 1 0 0 rpcuser -- 12 0 0 4 0 0 chrony -- 8 0 0 2 0 0 sysadmin +- 119956 5000 10000 6days 256 0 0 [root@localhost ~]# Joshua Merren</pre> 
Disk quotas are used by administrators to set up or deliver preemptive notifications. What are some of the automated events that could be set up to be triggered by disk quota management?	Disk quota management allows administrators to monitor and control how much disk space each user uses. Automated events can include sending email alerts to users when they are nearing their quota limit. This helps prevent unexpected outages due to full disk space. Additionally, administrators can set up systems to log events when users exceed their quotas, which helps track and resolve disk space issues.

Lab: Using Active Directory in the Enterprise

Prompt	Response																				
In the lab section “Creating an Organization Unit and Users in Active Directory,” repeat the user creation steps using your name as a new user. Provide a screenshot of the Active Directory Users and Computer dialog box with your new user.	 The screenshot shows the 'Active Directory Users and Computers' console. The left pane shows the tree structure with 'Minecraft' selected under 'Users'. The right pane displays a table of users: <table><tr><th>Name</th><th>Type</th><th>Description</th></tr><tr><td>creeper</td><td>User</td><td></td></tr><tr><td>Joshua</td><td>User</td><td></td></tr><tr><td>steve</td><td>User</td><td></td></tr><tr><td>zombie</td><td>User</td><td></td></tr></table>	Name	Type	Description	creeper	User		Joshua	User		steve	User		zombie	User						
Name	Type	Description																			
creeper	User																				
Joshua	User																				
steve	User																				
zombie	User																				
In the lab section “Setting an Organizational Level Policy in Active Directory,” provide a screenshot verifying that Prohibit access to the Control Panel is enabled.	 The screenshot shows the 'Group Policy Management' console. The left pane shows the tree structure with 'Control Panel' selected under 'Administrative Templates'. The right pane displays the 'Control Panel' settings, including a table of policies: <table><tr><th>Setting</th><th>State</th></tr><tr><td>Add or Remove Programs</td><td></td></tr><tr><td>Display</td><td></td></tr><tr><td>Printers</td><td></td></tr><tr><td>Programs</td><td></td></tr><tr><td>Regional and Language Options</td><td></td></tr><tr><td>Hide specified Control Panel items</td><td>Not configured</td></tr><tr><td>Force classic Control Panel view</td><td>Not configured</td></tr><tr><td>Prohibit access to the Control Panel</td><td>Enabled</td></tr><tr><td>Show only specified Control Panel items</td><td>Not configured</td></tr></table>	Setting	State	Add or Remove Programs		Display		Printers		Programs		Regional and Language Options		Hide specified Control Panel items	Not configured	Force classic Control Panel view	Not configured	Prohibit access to the Control Panel	Enabled	Show only specified Control Panel items	Not configured
Setting	State																				
Add or Remove Programs																					
Display																					
Printers																					
Programs																					
Regional and Language Options																					
Hide specified Control Panel items	Not configured																				
Force classic Control Panel view	Not configured																				
Prohibit access to the Control Panel	Enabled																				
Show only specified Control Panel items	Not configured																				

Prompt	Response
The GUI makes it easy to create one user at a time in Active Directory. However, sometimes more than one user needs to be created in Active Directory. What command did you learn about in the lab that can be run at the command line and can add more than one user at a time to Active Directory? Give an example of how you would add yourself as a user to Active Directory from the command line.	Command: Net user (username) (password) /add Example: Net user Joshua P@ssw0rd /add

Prompt	Response
Describe the benefits of using organizational units and Windows Active Directory to secure operating systems.	Organizational units (OUs) in Windows Active Directory allow administrators to effectively group resources like users and computers. This grouping helps apply specific security policies to different organizational departments or user types. For example, policies can restrict access to sensitive information only to specific groups. By using OUs, administrators can ensure higher security and manageability across the organization's network.