

Josh Merren

Professor Bradbury

IT-145 Found in App Development

8 January 2024

Pseudocode For Pet Check-in

DETERMINE IF pet is a CAT or a DOG

IF pet is DOG:

CHECK if space for DOG is available (Maximum of 30):

IF no space is available:

OUTPUT no available space;

ELSE space is available:

CHECK for new or returning pet:

IF new:

COLLECT new pet information:

 petName;

 petAge;

 daysStay;

IF staying days are 2 or more:

CHECK if grooming is wanted:

IF groomed:

SELECT groom;

ASSIGN pet to space;

ELSE IF returning pet:

UPDATE pet information if needed

petName;

petAge;

daysStay;

IF staying days are 2 or more:

CHECK if grooming is wanted:

IF groomed:

SELECT groom;

ASSIGN pet to space;

DECREASE available dog space by 1;

IF pet is a CAT:

CHECK if space for CAT is available (Maximum of 12):

IF no space is available:

OUTPUT no available space;

ELSE space is available:

CHECK for new or returning pet:

IF new:

COLLECT new pet information:

petName;

petAge;

daysStay;

ELSE IF cat is returning:

UPDATE pet information if needed:

petName;

petAge;

daysStay;

ASSIGN pet to space;

DECREASE available cat space by 1;

END

Flow Chart

