

```
josh@debian:~$ su
Contraseña:
root@debian:/home/josh# rails -v
Rails 7.1.3.4
root@debian:/home/josh# ruby -v
ruby 3.1.2p20 (2022-04-12 revision 4491bb740a) [x86_64-linux]

root@debian:/home/josh# sqlite3 --version
3.40.1 2022-12-28 14:03:47 df5c253c0b3dd24916e4ec7cf77d3db5294cc9fd45ae7b9c5e82a
d8197f3alt1
root@debian:/home/josh#
```

```
josh@debian:~$ mkdir Proyectos_RoR
josh@debian:~$ ls
1rb      Escritorio  Plantillas  primer      Público  trabajo
Descargas  Imágenes   practica2   primerruby  re       Vídeos
Documentos Música     practica3   Proyectos_RoR  regex
```

```
josh@debian:~$ 
josh@debian:~/Proyectos_RoR# rails new first_app
Contraseña:
root@debian:/home/josh/Proyectos_RoR# rails new first_app
   create
   create  README.md
   create  Rakefile
   create  .ruby-version
   create  config.ru
   create  .gitignore
   create  .gitattributes
   create  Gemfile
   run    git init -b main from "."
Inicializado repositorio Git vacío en /home/josh/Proyectos_RoR/first_app/.git/
   create  app
   create  app/assets/config/manifest.js
   create  app/assets/stylesheets/application.css
   create  app/channels/application_cable/channel.rb
   create  app/channels/application_cable/connection.rb
   create  app/controllers/application_controller.rb
   create  app/helpers/application_helper.rb
   create  app/jobs/application_job.rb
   create  app/mailers/application_mailer.rb
   create  app/models/application_record.rb
   create  app/views/layouts/application.html.erb
   create  app/views/layouts/mailer.html.erb
```

```
libexec/bundle:36:in `<main>':  
root@debian:/home/josh/Proyectos_RoR# cd first_app/  
root@debian:/home/josh/Proyectos_RoR/first_app# rails server  
=> Booting Puma  
=> Rails 7.1.3.4 application starting in development  
=> Run `bin/rails server --help` for more startup options  
Puma starting in single mode...  
* Puma version: 6.4.2 (ruby 3.1.2-p20) ("The Eagle of Durango")  
* Min threads: 5  
* Max threads: 5  
* Environment: development  
* PID: 5364  
* Listening on http://127.0.0.1:3000  
* Listening on http://[::]:3000  
Use Ctrl-C to stop
```



**Rails version:** 7.1.3.4  
**Ruby version:** ruby 3.1.2p20 (2022-04-12 revision 4491bb740a) [x86\_64-linux]



🔒 📄 127.0.0.1:3000

hola, mundo!

```
home > josh > Proyectos_RoR > first_app > app > controllers > application_controller.rb
1 class ApplicationController < ActionController::Base
2   #protect_from_forgery with: :exceptions
3   def hola
4     render html: "hola, mundo!"
5   end
6 end
7
```

```
Rails.application.routes.draw do
  # Define your application routes per the DSL in https://guides.rubyonrails.org/routing.html

  # Reveal health status on /up that returns 200 if the app boots with no exceptions, otherwise 500
  # Can be used by load balancers and uptime monitors to verify that the app is live.
  #get "up" => "rails/health#show", as: :rails_health_check

  root 'application#hola'

  # Defines the root path route ("/")
  # root "posts#index"
end
```

```
class ApplicationController < ActionController::Base
  #protect_from_forgery with: :exceptions
  def hola
    #render html: "hola, mundo!"
    render html: "Ahri es mi main mas primigennio "
  end
  #def texto
  #  render html: "que chinge a su madre Josh que no hizo ni verga"
  #end
end
```



🔒 127.0.0.1:3000

Ahri es mi main mas primigennio