```c
 // 1) input data for 2 students.
#include<stdio.h>
struct student{
        char name[50];
        int age;
        float total_mark;
};
int main(){
        struct student a[2];
        int i;
        for (i=0;i<2;i++){
                printf("Enter the name of the student: ");
                scanf(" %[^\n]s",a[i].name);
                printf("Enter the age of the student: ");
                scanf(" %d",&a[i].age);
                printf("Enter the total mark of the student: ");
                scanf(" %f",&a[i].total_mark);
                printf("\n");
        }
        for (i=0;i<2;i++){
                printf("The name of the student : %s\n",a[i].name);
                printf("The age of %s : %d\n",a[i].name,a[i].age);
                printf("The total mark of %s : %.2f\n\n",a[i].name,a[i].total_mark);

        }
        return 0;
}
```

```
Enter the name of the student: Joshan Koirala
Enter the age of the student: 19
Enter the total mark of the student: 500

Enter the name of the student: Sagar Koirala
Enter the age of the student: 20
Enter the total mark of the student: 490

The name of the student : Joshan Koirala
The age of Joshan Koirala : 19
The total mark of Joshan Koirala : 500.00

The name of the student : Sagar Koirala
The age of Sagar Koirala : 20
The total mark of Sagar Koirala : 490.00



--------------------------------
Process exited after 35.35 seconds with return value 0
```

*//**2)** sum of input times.*

```c
#include<stdio.h>
struct Time{
        int hours;
        int minutes;
        int seconds;
};
int main() {
  struct Time t1, t2, result;
  struct Time sum = {0,0,0};
  printf("Enter hours for the first time: ");
  scanf("%d", &t1.hours);
  printf("Enter minutes for the first time: ");
  scanf("%d", &t1.minutes);
  printf("Enter seconds for the first time: ");
  scanf("%d", &t1.seconds);
  printf("\n");
  printf("Enter hours for the second time: ");
  scanf("%d", &t2.hours);
  printf("Enter minutes for the second time: ");
  scanf("%d", &t2.minutes);
  printf("Enter seconds for the second time: ");
  scanf("%d", &t2.seconds);
  printf("\n");
  // operation
   sum.seconds = t1.seconds + t2.seconds;
  if (sum.seconds >= 60) {
     sum.minutes += sum.seconds/60;
     sum.seconds =  sum.seconds%60;
  }
  sum.minutes += t1.minutes + t2.minutes;
  if (sum.minutes >= 60){
    sum.hours += sum.minutes/60;
    sum.minutes = sum.minutes%60;
 }
  sum.hours += t1.hours + t2.hours;
  result = sum;
printf ("Sum of the two times:%d hours %d minutes and    %d
        seconds\n",result.hours,result.minutes,result.seconds);
```

```
    return 0;
}
```




```
Enter hours for the first time: 6
Enter minutes for the first time: 22
Enter seconds for the first time: 35

Enter hours for the second time: 11
Enter minutes for the second time: 54
Enter seconds for the second time: 43

Sum of the two times:18 hours 17 minutes and 18 seconds

--------------------------------
Process exited after 22.24 seconds with return value 0
Press any key to continue . . .
```

*// **3**) Book with price between 2000 to 3000 with input of 5 book.*

```
#include<stdio.h>
struct Book{
	char title[50];
	char author[50];
	int price;
}b[5];
int main(){
	int i;
	for(i=0;i<5;i++){
		printf("Enter the title of the book: ");
		scanf(" %[^\n]s",b[i].title);
		getchar();
		printf("Enter the author of the book: ");
		scanf(" %[^\n]s",b[i].author);
		getchar();
		printf("Enter the price of the book: ");
		scanf("%d",&b[i].price);
		getchar();
		printf("\n");
	}
	printf("Book with price between 2000 and 3000 are:\n");
	int found=0;
	for(i=0;i<5;i++){
	 if (b[i].price > 2000 && b[i].price < 3000){
	    printf("Title: %s, Author: %s, Price: %d\n", b[i].title, b[i].author, b[i].price);
	 }
	 found=1;
  }

  if (!found) {
    printf("No books found in this price range.\n");
  }
	return 0;
}
```

E:\C Programming\StructureF

```
Enter the title of the book: Behal Zindagi
Enter the author of the book: Joshan Koirala
Enter the price of the book: 2980

Enter the title of the book: Physics
Enter the author of the book: Prajwal Bhandari
Enter the price of the book: 3000

Enter the title of the book:  Programming
Enter the author of the book: Ribshav Poudyal
Enter the price of the book: 2870

Enter the title of the book: Digital Logics
Enter the author of the book: Nawaraj Joshi
Enter the price of the book: 10000

Enter the title of the book: Mathematics
Enter the author of the book: Mohit Guragai
Enter the price of the book: 4000

Book with price between 2000 and 3000 are:
Title: Behal Zindagi, Author: Joshan Koirala, Price: 2980
Title: Programming, Author: Ribshav Poudyal, Price: 2870

--------------------------------
Process exited after 346.2 seconds with return value 0
Press any key to continue . . .
```