

//creating and storing information in a file


```
#include<stdio.h>
```

```
#include<stdlib.h>
```

```
int main(){  
    FILE *f;  
    f= fopen("file.txt","w");  
    if(f==NULL){  
        printf("failed to create \n");  
    }  
    else{  
        printf("successfully created\n");  
    }  
    char name[30];  
    printf("enter your name:\n");  
    scanf("%[^\n]s",name);  
    fprintf(f,"%s",name);  
    return 0;  
}
```

### **Output:**

```
successfully created  
enter your name:  
hello!!!
```




//reading the existing content of file

```
#include<stdio.h>
```

```
#include<stdlib.h>
```

```
int main(){
    FILE *f;
    f= fopen("file.txt","r");
    if(f==NULL){
        printf("failed to create \n");
    }
    else{
        printf("successfully created\n");
    }
    char name[30];
    fscanf(f,"%s",name);
    printf("%s",name);
    return 0;
}
```

### **Output:**




//writing multiple lines in file


```
#include<stdio.h>
#include<stdlib.h>

int main(){
    FILE *f;
    f=fopen("file1.txt","w");
    if(f==NULL){
        printf("file creation unsuccessful\n");
    }
    else{
        printf("file creation successful\n");
    }
    int n;
    printf("how many line do you wanna write:\n");
    scanf("%d",&n);
    char str[50];
    int i;
    for(i=1;i<=n;i++){
        printf("enter %d line \n",i);
        scanf("%s",str);
        fprintf(f,"%s\n",str);
    }
    return 0;
}
```

**Output:**



```
D:\Lab Report c From Structure\file in c\writing multiple lines in file.exe
file creation successful
how many line do you wanna write:
4
enter 1 line
hello
enter 2 line
hi
enter 3 line
bye
enter 4 line
hdhd
```




```
file1 - Notepad
File Edit Format View Help
hello
hi
bye
hdhd
```

//reading multiple lines from file

```
#include<stdio.h>
#include<stdlib.h>
int main(){
    FILE *f;
    f=fopen("file1.txt","r");
    if(f==NULL){
        printf("file creation unsuccessful\n");
    }
    else{
        printf("file creation successful\n");
    }
    char name[50];
    while(fgets(name,50,f)!=0){
        printf("%s\n",name);
    }
    fclose(f);
    FILE *p;
    p=fopen("file2.txt","r");
    if(p==NULL){
        printf("file creation unsuccessful\n");
    }
    else{
        printf("file creation successful\n");
    }
    int n;
    while(fscanf(p,"%d",&n)==1){
        printf("%d\n",n);
    }
    fclose(p);
    return 0;
}
```


**Output:**



file1 - Notepad

File Edit Format View Help

hello  
hi  
bye  
hdhd




file2 - Notepad

File Edit Format View Help

343  
545  
55  
33  
22

D:\Lab Report c From Structure\file in c\reading multiple lines from file.exe



```
file creation successful
hello
hi
bye
hdhd
file creation successful
343
545
55
33
22
```

//WAP to input 10 numbers from user and store it on a file named odd.txt and read that file and print only odd number

```
#include<stdio.h>
#include<stdlib.h>
int main(){
    FILE *f;
    f = fopen("odd.txt","w");
    if(f==NULL){
        printf("failed to create file\n");
    }
    else{
        printf("successfully opened file\n");
    }
    int n[10],i;
    printf("enter any 10 numbers\n");
    for(i=0;i<10;i++){
        scanf("%d",&n[i]);
        fprintf(f,"%d\n",n[i]);
    }
    fclose(f);
    FILE *p;
    f = fopen("odd.txt","r");
    p = fopen("write.txt","w");
    if(p==NULL){
        printf("failed to create file\n");
    }
    else{
        printf("successfully opened file\n");
    }
    int a;
    while(fscanf(f,"%d",&a)==1){
        if(a%2!=0){
            printf("odd value : %d\n",a);
            fprintf(p,"%d\n",a);
        }
    }
    fclose(f);
    return 0;
}
```

Output:

```
D:\Lab Report c From Structure\file in c\demo.exe
successfully opened file
enter any 10 numbers
1
2
3
4
5
6
7
8
9
13
successfully opened file
odd value : 1
odd value : 3
odd value : 5
odd value : 7
odd value : 9
odd value : 13
```

write - Notepad

File Edit Format View Help

**1**  
**3**  
**5**  
**7**  
**9**  
**13**

odd - Notepad

File Edit Format View Help

**1**  
**2**  
**3**  
**4**  
**5**  
**6**  
**7**  
**8**  
**9**  
**13**