## FET PRACTICAL-1

## \*\*To create your personal portfolio.\*\*

## Code:-

```
<html>
<title> Portfolio </title>
<link rel="stylesheet" href="header.css">
link
href="https://fonts.googleapis.com/css2?family=Dancing+Script:wght@500&display
=swap" rel="stylesheet">
k
href="https://fonts.googleapis.com/css2?family=Yanone+Kaffeesatz:wght@300&disp
lay=swap" rel="stylesheet">
link
href="https://fonts.googleapis.com/css2?family=Roboto:wght@300&display=swap"
rel="stylesheet">
</head>
<body bgcolor="black">
        <l
               <a class="active" href="home.html">Home</a>
               <a href="Prarthi's Resume.pdf">Resume</a>
               <a href="aboutme.html">About me</a>
        <br>
<header>
        <img src="pari2.jpg" alt="pari" height="550px" width="400px"</pre>
align="left" hspace="5"/>
        <h3 style="background-color:rgb(176, 177, 179);">Joshi Prarthi</h3>
        <h4><img src="globe.png" alt="mail" height="30px" width="25px" />To
Connect</h4>
        <img src="mail.png" alt="mail" height="30px" width="25px"</p>
/>:prarthikjoshi21@gnu.ac.in
        <img src="phone.png" alt="phone" height="30px" width="30px"</p>
/>:9904070705
        <img src="link.png" alt="link" height="40px" width="30px"</p>
/>:linkedin.com/in/prarthi-joshi-410813225
</header>
</body>
</html>
```

```
header h3{
   text-align: center;
```

```
padding-top: 80px;
    font-family: 'Yanone Kaffeesatz', cursive;
    font-size:50px;
    color:rgb(68, 252, 236);
header img{
    border-style: solid;
    border: 1px solid rgb(2, 0, 0);
    border-radius:5px;
header h4{
    text-align: center;
    font-family: 'Yanone Kaffeesatz', cursive;
    font-size:30px;
    color:rgb(249, 251, 252);
header p{
    text-align: center;
    font-family: 'Yanone Kaffeesatz', cursive;
    font-size:30px;
    color:rgb(252, 248, 248);
ul{
    list-style-type:none;
    margin:0;
    padding-top:3px;
    overflow:hidden;
    background-color:rgba(83, 237, 248, 0.87);
    position:sticky;
    top:0;
li{
    float:left;
li a{
    display: block;
    color: white;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
    font-family: 'Roboto', sans-serif;
    font-weight:bold;
li a:hover{
    background-color:rgba(8, 70, 70, 0.918);
.active{
```

```
background-color:rgba(5, 5, 5, 0.151);
}
li a:active{
  background-color:rgba(248, 251, 252, 0.877);
}
```

```
<html>
   <title> About Me </title>
<link rel="stylesheet" href="info.css">
href="https://fonts.googleapis.com/css2?family=Dancing+Script:wght@500&display
=swap" rel="stylesheet">
link
href="https://fonts.googleapis.com/css2?family=Yanone+Kaffeesatz:wght@300&disp
lay=swap" rel="stylesheet">
href="https://fonts.googleapis.com/css2?family=Roboto:wght@300&display=swap"
rel="stylesheet">
<body bgcolor="black">
   <header>
       <img src="pari3.jpg" alt="pari" height="200px" width="180px"</pre>
align="center" hspace="10"/>
       I'm a <bold style="color:rgb(249, 249, 250);">Web
Developer</bold>
       Hey there!! This is Prarthi.
        A young enthusiast who
        is completing B.Tech in<br/>
cloud based application from ICT Ganpat
University also <br>Apart
        from working as a developer like reading books and listen music.
       </body>
```

```
header p{
    text-align: center;
    font-family: 'Roboto', sans-serif;
    font-size:40px;
    color:rgb(188, 244, 252);
    margin-right:50px;
}
header img{
    border-style: solid;
```

```
border: 3px solid rgb(255, 252, 252);
    border-radius:2000px;
   margin-left: 550px;
header {
   height: 1000px;
    background-color: rgb(15, 15, 15); /* For browsers that do not support
gradients */
    background-image: linear-gradient(0deg, rgb(34, 248, 237), rgb(12, 12,
12));
.self{
    text-align: center;
    font-family: 'Roboto', sans-serif;
    font-size:30px;
    color:rgb(249, 250, 250);
   margin-right:50px;
.into{
    text-align: center;
    font-family: 'Roboto', sans-serif;
    font-size:30px;
    color:rgb(5, 5, 5);
   margin-right:50px;
    font-weight:bold;
```

## Output:-





