

SHREEJI INSTRUMENTS

Complete Official Catalog — 324 Products Extracted from Website (With Images & Specs)

Total Categories	9	Total Products	324	Images Embedded	324	Website	shreejiinstruments.com
------------------	---	----------------	-----	-----------------	-----	---------	------------------------

Category: Cement & Concrete Testing Equipments (50 Products)

#	Image	Product Name	Price (INR)	Description & Specifications
1		RM-800 Concrete Mixer Machine	■ 450000 / Unit Get Latest Price	• Batch Capacity: 1 Bag (10/7 CFT) • Mixer Type: With Mechanical Hopper • Power Source: Electric • Engine Power: 6.5 HP • Capacity: 10 cm/hour • Engine/Motor Brand: Kirloskar • Number Of Wheels: 4 Wheels • Power: 10 HP • Chassis Type: Heavy Duty Channel • Wheel Type: Pneumatic Tyre • Summary: 3 bag reversible concrete mixer machine (rm-800) with 10hp electric motor with 6. 00x16 pneumatic tyre
2		Concrete measuring Farma	■ 2850 / Number Get Latest Price	• Voltage: 110-230 V • Drum Capacity: 115 - 125 L • Frequency: 50/60 Hz • Motor Power: 370W • Carton Size: 750x577x430 - 750x577x430 mm • Net Weight: 47.5 kg • Summary: Durable finish standards High efficiency
3		Lab Concrete Mixer	■ 35500 / Number Get Latest Price	• Concrete Strength Grade: M30 • Power Source: Electric • Output Capacity: 560 Liters • Brand/Make: SHREEJI • Type Of The Drum Mixer: Tilting Drum Mixer • Material: Cast Iron • Speed Of Mixing Drum: 15r/min • Country Of Origin: Made in India • Summary: Sturdy design Mounted on a sturdy rubber tyre stand
4		Baby Concrete Mixer	■ 80000 / Unit Get Latest Price	• Power Source: Diesel Engine • Machine Type: Fully Automatic • Output Capacity: 480 Liters • Concrete Strength Grade: M40 • Usage/Application: Construction • Material: Cast Iron • Summary: Capacity: 500/600L Engine: Gasoline/ Diesel engine /Motor
5		Mini Concrete Mixer	■ 75000 / Piece Get Latest Price	• Capacity: 230 L • Concrete Strength Grade: M10 • Motor/Engine Power: 3 HP • Drum Capacity: 30 L • Power Source: Electric • Type Of The Drum Mixer: Non- Tilting Drum Mixer • Automation Grade: Semi-Automatic • Country Of Origin: Made in India • Brand: Crompton • Usage/Application: LIFTING MATIRIAL • Summary: Quartz plate with round size diameter 10mm-500mm Quartz plate with square size L: 100mm-500mm W: 10mm-500mm
6		Walk Behind Vibratory Roller	■ 195000 / Unit Get Latest Price	• Roller Type: Double Drum Roller • Brand/Make: SHREEJI • Surface Of Application: Soil Surface • Automation Grade: Semi-Automatic • Capacity: 10 TOONE • Condition: New • Summary: Fist class in compaction Static weight 800kgs.

#	Image	Product Name	Price (INR)	Description & Specifications
7		Concrete Mixer Machine	■ 75000 / Piece Get Latest Price	• Brand/Make: Shree Ji • Wheels: MS Wheels • Batch Capacity: 140Lts.(7/5cft.) • Power Requirement: 6.5 HP • Engine Cooling: Air/Water cooled Diesel Engine • Phase: 3 Phase • Summary: Excellent performance Auto shut off (option)
8		Hydraulic Test Pump	■ 7500 / Set Get Latest Price	• Pump Type: Vacuum Pump • Brand: SHREEJI • Motor Speed: 2000 RPM • Discharge: 70-100 LPH • Motor Horsepower: 2 HP • Summary: TP-5 35 kg/cm2 500 TP-10 70 kg/ cm2 1000
9		Hand Operated Concrete Mixer	■ 34500 / Set Get Latest Price	• Power Source: Diesel Engine • Output Capacity: 40 litres(5 CFT)- Unmixed, 100 litres(3.5 CFT)- Mixed • Chassis Material: Mild Steel • Color: Yellow • Drum: Made from heavy gauge sheet, Balance on heavy duty bearing & rotates on fixed shaft with double • Tyre Material: MS • Summary: Excellent performance Reliable operation
10		Material Handling Mini Lift	■ 65000 / Number Get Latest Price	• Capacity: 150 Kg upto 50 feet height • Motor Power: 3ph • Environment: Outdoor • Phase: Three phase electric motor • Country Of Origin: Made in India • Structure: Heavy Duty, Robust Steel Structure M S Angle structure • Power: 3 HP Single • Summary: Excellent performance Reliable operation
11		Concrete Needle Vibrator	■ 14500 / Set Get Latest Price	• Length: 3 m • Ip Rating: IP55 • Phase: Three Phase • Motor Power: 5 HP • Needles: 40/60mm Needle with 6 mtr. • Usage: Laboratory • Summary: We are involved in offering advanced Needle Vibrators that operates on Diesel fuel. This vibrator is primarily used for proper mixing of concrete and also ensure that the prepared concrete mixture is smooth and free of air bubbles. With the development of industrial requirements, we are employing latest technology to make it in sync with the international standards. Our range is acclaimed at global level for its robust construction, excellent durability and easy operations. Advantages :
12		Gauging Trowel Cement Testing Instruments	■ 300 / Number Get Latest Price	• Trowel Type: Finishing Trowel • Blade Length: 150 mm • Blade Material: Stainless Steel • Handle Type: Soft Grip • Blade Width: 150 mm • Usage/Application: Gauging • Material: Carbon Steel Trowel • Brand: ShreeJi • Size/Dimension: 12", 14", 16", 18", 20" • Finishing: Polished • Summary: Optimum quality Fine finish
13		Digital Universal Testing Machine	■ 755000 / Unit Get Latest Price	• Usage/Application: Industrial • Brand: SHREEJI • Material: Stainless Steel • Frequency: 50Hz • Voltage: 220V/240V • Power Source: Electric • Summary: Loading accuracy as high as $\pm 1\%$ Straining at variable speeds to suit a wide range of materials
14		Slump Cone Test Apparatus	■ 1750 / Unit Get Latest Price	• Slump Cone Height: 300 mm • Slump Cone Diameter: 200x100 mm • Surface Finish: Painted • Standard: IS 1199 • Brand: SHREEJI • Bottom Diameter: 150mm • Top Diameter: 100mm • Height: 300mm • Tamping Rod Size: 16x600 mm • Base Plate Size: 300x300 mm • Summary: Highly reliable Operator friendly

#	Image	Product Name	Price (INR)	Description & Specifications
15		Digital Rebound Testing Hammer	■ 185000 / Unit Get Latest Price	• Measuring Range: 10~100N/mm2 • Material: Stainless Steel • Capacity: 20 ton • Usage/Application: Laboratory • Warranty: 1 YEAR • Weight: 0.225 kg • Is It Portable: Portable • Accuracy: 1% • Battery Capacity: 220 • Packaging Type: Box
16		Beam Mould	■ 3600 / NOS Get Latest Price	• Usage: Flexural Test • Material: Cast Iron • Beam Size: 150×150×700 mm • Mold Material: Cast Iron • Size: 700X150X150 • Usage/Application: Construction • Weight: 18KG • Number Of Gang: Single Gang • Surface Finish: Machined • Standard: IS 9399
17		Plate Load Testing Apparatus	■ 85000 / Unit Get Latest Price	• Load Plate: 2500 cm2,1000cm2 • Hydraulic Jack Max Load: 50T • Hydraulic Jack Journey: 80mm • Electric Oil Pump Rated Pressure: 63Mpa • Pressure Range: 0-500KN • Use: Industrial • Summary: Simple design Smooth operation
18		Vicat Needle Test Apparatus Automatic Recording	■ 125000 / Unit Get Latest Price	• Total Rating: 25 W • Voltage: 230 V • Frequency: 50-60 Hz • Phase: 1 phase • Length: 180 mm • Width: 300 mm • Height: 440 mm • Summary: Long service life High accuracy
19		Hydraulic Vibratory Hammer	■ 48500 / Unit Get Latest Price	• Brand: Shreeji • Warranty: 1 year • Power Consumption (Watt): 372 • No Load Speed (Rpm): 2800 RPM • Item Weight (Kgs): 30-40 kg • Summary: Used for changing the soil formation with the use of its vibration. Used for driving hammers into heavy or hard piles.
20		Air Entertainment Meter	■ 24500 / Unit Get Latest Price	• Application: Laboratory • Brand: SHREEJI • Automation Grade: Manual • Is It Portable: Portable • Summary: An entertainment of air in limited percentage improves durability of concrete and very low percentages deteriorate it, measurement of air entrapped in freshly mixed concrete becomes important. The use of chemical additives to increase workability of concrete requires an air content check to be made. Air Entertainment Meters are used to determine air entertained in freshly mixed concrete by pressure method. Specifications:
21		Marshall Stability Testing Machine	■ 45000 / Unit Get Latest Price	• Power: 380V,50Hz,550W • Test Speed With Load: 50+/- 5mm/min • Max Load: 50kN • Accuracy: +/-1% • Flow Range: 0~100(0~10 mm) • Specimen Size: 152.4x 95.3 mm,101.6x 63.5mm • Net Weight: 205kg • Dimensions: 770x530x950mm
22		Vicat Needle Apparatus	■ 2850 / Unit Get Latest Price	• Brand: Shreeji • Automation Grade: Semi-Automatic • Material: Bass • Capacity: 3-5 L • Summary: Consists of a handling system and 6 measuring stations Equipped with a drop rod with frictionless electronic measuring system

#	Image	Product Name	Price (INR)	Description & Specifications
23		Compaction Factor Apparatus	■ 15000 / Unit Get Latest Price	• Cylinder Volume: 15 L • Hopper Shape: Top & Bottom Hopper • Frame Material: Mild Steel • Surface Finish: Painted • Cylinder Diameter: 150 mm • Standard: IS 1199 • Material: MS • Automation Grade: Manual • Surface Treatment: Color Coated • Thickness: 10-15 mm • Summary: Power: Manual Material: cast iron
24		Cylindrical Mould	■ 4200 / Number Get Latest Price	• Diameter: 12-16 inch • Shape: Round • Automation Grade: Manual • Surface Treatment: Color Coated • Material: MS • Summary: These are available in different sizes and are made according to Indian and British standards. For the metric size cube molds, the faces are machined flat to 0.02mm accuracy and finished to within 0.02mm. For the inch size molds, the faces are machined flat to 0.01 inches and finished to within 0.01 in. All molds are supplied complete with base plate. Specifications:
25		Concrete Cube Vibrating Table	■ 21500 / Unit Get Latest Price	• Weight: 200 Kg • Material: Iron • Automation Grade: Semi-Automatic • Brand: shreeji • Voltage: 440 volts • Capacity: 140 kg • Phase: 3 Phase • Cycles: 50 cycles and A.C. supply • Table Top Size: 50 cm x 50 cm • Vibrating Tables Of Table Top Size: 75 cm x 75 cm as well as 100 cm x 100 cm • Summary: Having years of experience in this domain, we are capable of providing our customers with Vibrating Tables. All our products are available in various sizes, shapes and designs at market leading prices at industry leading prices to meet the specific requirement of our customers. Moreover, our products are widely used for compacting concrete cubes and cylinders and are known for their longer service life, accuracy and sturdy construction. The apparatus consists of a motor fitted with a variable pitch pulley housed in a cabinet
26		Concrete Road And Floor Cutting Machine	■ 72000 / Piece Get Latest Price	• Automation Grade: Semi Automatic • Max Depth Cut: 14" • Model Name/Number: SHREEJI • Usage/Application: CONCRET RCC ROAD CUTTING • Weight: 150KG • Material: STEEL • Heating System: ELECTRICAL • Country Of Origin: Made in India • Summary: Quartz plate with round size diameter 10mm-500mm Quartz plate with square size L: 100mm-500mm W: 10mm-500mm
27		Electric Needle Vibrator	■ 10500 / Unit Get Latest Price	• Length: 3 m • Automation Grade: Semi-Automatic • Material: Iron, Stainless Steel • Is It Portable: Portable • Application: Industry • Power: 2hp / 3hp • Weight: 25 Kg • Voltage: 380V
28		Concrete Vibrator Needle	■ 12500 / Number Get Latest Price	• Weight: 8 kg • Brand/Make: Shreeji • Is It Portable: Portable • Speed: 3000 RPM • Country Of Origin: Made in India • Summary: Standard Lengths: 4,5,6 Weight(Kg): 18
29		Needle Vibratory Motor	■ 15000 / Number Get Latest Price	• Brand/Make: Shreeji • Phase: Three Phase • Automation Grade: Semi-Automatic • Packaging Type: Box • Is It Portable: Portable • Summary: The vibrator is mounted on a spring loaded chair based acting as drip tray and 360° turn table with craving handle for easy portability. Auto air cooled needle
30		Jumping Compactor	■ 50000 / Unit Get Latest Price	• Power Source Type: Petrol • Brand: Honda • Capacity: 3 ton • Power: 4.0 kW • Weight: 90 kg • Advance Speed: 10 to 13 m/min • Brand/Make: shreeji • Engine Type: Petrol Engine • Impact Force: 18 kN • Fuel Tank Capacity: 3.0 L • Summary: Rugged design Smooth functioning

#	Image	Product Name	Price (INR)	Description & Specifications
31		Cement Autoclave Laboratory Type	■ 55000 / Unit Get Latest Price	• Brand: shreeji • Material: MS • Capacity: 0-500 (kg/hr) • Warranty: 1 year • Country Of Origin: Made in India
32		Earth Compactor Machine	■ 48500 / Piece Get Latest Price	• Engine Power: 5 Hp • Machine Type: Portable • Usage/Application: Industrial • Capacity: 1.5 Ton • Country Of Origin: Made in India • Summary: Excellent functionality Sturdy construction
33		Handy Needle Vibrator Electrical	■ 4200 / Unit Get Latest Price	• Type: Needle Vibrator • Automation Grade: Semi-Automatic • Needle Diameter: 35 mm • Power Source: Electric Motor • Flexible Shaft Length: 3 m • Vibration Frequency: 10000 rpm • Motor Power: 0.75 hp • Brand/Make: SHREEJI • Is It Portable: Non Portable • Application: Beam • Summary: Excellent performance Low operating cost
34		Handy Needle Vibrator	■ 2850 / Set Get Latest Price	• Brand/Make: Shreeji • Material: Iron, Rubber, Mild Steel • Packaging Type: Box • Length: 1-2 m • Summary: Excellent functionality Sturdy construction
35		Digital Coating Thickness Gauge	■ 18500 / Piece Get Latest Price	• Display: Digital • Material: Plastic • Display Type: Digital • Country Of Origin: Made in India • Wire Length: 2-3 m • Summary: Paint thickness gauge / DFT gauge is widely used in India by: Powder Coating Shops
36		Paint Micron Coating Thickness Gauge	■ 8500 / Piece Get Latest Price	• Elcometer Series: Elcometer 3230 • Substrate Type: F Only • Measuring Range: 0~1250 micro meter (0 ~50 mil) • Probe Type: Micro Probe • Resolution: 10 µm • Data Interface: USB • Display: Graphic LCD with backlight • Operating Temperature: 0 to 50 C • Weight: 110 g • Test Method: Magnetic induction • Summary: DFT 111Digital Coating Thickness Gauge • Magnetic induction method (ISO 2178, ASTM D7091), Measurement of non-magnetic coatings on magnetic substrates.Features
37		Concrete Test Hammer	■ 7200 / Unit Get Latest Price	• Measuring Range: 100 MPa • Hammer Type: NR • Impact Energy: 2207 • Material: Stainless Steel • Usage/Application: impact test • Brand: shreeji • Country Of Origin: Made in India • Measuring Ranges: 10-60MPa • Spring Constant: 785N/m • Spring Extension: 75mm • Summary: Compact design High accuracy
38		Digital Hardness Tester	■ 150000 / Piece Get Latest Price	• Weight: Weight 300g • Humidity: 20%-85% • Temperature: 20C-+50C • HI Display Range: 170-960HLD • Repeatability: 6HLD • Storage Environment Temperature: -30C-+70C • Dimensions: 130mm*86mm*28mm • Operating Voltage: 3.6V • Summary: Testing direction All direction Optional Impact Device D, DC, DL, D+15, C, G

#	Image	Product Name	Price (INR)	Description & Specifications
39		Concrete Thickness Gauge	■ 250000 / Unit Get Latest Price	Material: Plastic • Type: Digital • Usage/Application: Laboratory • Country Of Origin: Made in India • Wire Length: 2-3 m • Summary: Brief Introduction:TC300 is used for measuring the thickness of nonmetallic plate indirectly, especially for concrete slab. This gauge is to measure the concrete slab thickness mainly by using distribution characteristics of electromagnetic field and possesses functions of thickness measurement, data analysis, data storage output etc. It is a kind of intelligent thickness measuring instrument that is portable, convenient and accurate. Measuring the thickness of concrete, rock glass and other nonmetallic plate
40		concrete weigh batcher	■ 38500 / Piece Get Latest Price	Brand/Make: shreeji • Material: Cast Iron • Automation Grade: Manual • Surface Treatment: Color Coated • No Of Wheel: 4 Wheel • Capacity: 200-300 L • Summary: Specifications: Chassis: Heavy Duty, Robust Steel Chassis from 75X40 mm Channel
41		Cube Testing Machine Pillar Type	■ 34500 / Piece Get Latest Price	Phase: Single phase • Display Type: Analog • Capacity: 1500 Kn, 1000 Kn • Control Type: Hand operated • Max Cube Size: 150 mm • Accuracy Class: Class 1 • Usage/Application: concrete cube testing machine • Gauge: masta • Model Name/Number: shreeji • Display: 1200kn
42		Cube Cylindrical Mould	■ 3850 / Piece Get Latest Price	Weight: 15 KG • Shape: Round • Automation Grade: Manual • Surface Treatment: Color Coated • Material: Cast Iron • Dimension: 10 cm x 20 cm • Summary: Enhanced life Compact design
43		Cube Testing Machine	■ 37500 / Piece Get Latest Price	Display Type: Analog • Phase: MANUAL • Capacity: 1000 Kn, 1500 Kn • Packaging Type: Iron • Control Type: Hand operated • Max Cube Size: 150 mm • Accuracy Class: Class 1 • Automation Grade: Manual • Frame Type: Channel type • Power: Hydraulic
44		Concrete Weigh Batcher, Capacity: 2 Hoppers Of 250 Kg Each	■ 35500 / Unit Get Latest Price	Weighing Capacity: 300 kg • Number Of Hoppers: 2 Hopper • Operation Type: Manual • Capacity: 2 Hopper for 250 kg each for sand & metal • Application: Concrete Batching • Frame Material: Mild Steel • Wheel Type: Pneumatic Tyre • Weight: 1 kg - 50 kg • Automation Grade: Manual • Bucket Type: Twin Bucket • Summary: Owing to a long-term destination for our business, we are engaged in offering a wide gamut of Concrete Batcher. The offered concrete batcher is designed keeping in mind the standards of market using excellent quality of material. This concrete batcher is valued among customer due to its superior finish. Customers can easily avail this concrete batcher from us in a confine time at nominal rates.Features: Light weight
45		Concrete Loading Lift	■ 250000 / Unit Get Latest Price	Automation Grade: Manual • Weight: 6100 kg • Brand/Make: Shreeji • Dimension: 7205x1910x32700 mm • Max Speed: 98 (Km/h) • Maximum Power: 72kw / 98hp • Summary: Precise design Robust construction
46		Reverse Drum Concrete Mixer	■ 385000 / Unit Get Latest Price	Usage/Application: Construction • Type Of The Drum Mixer: Tilting Drum Mixer • Automatic Grade: Semi-Automatic • Power Source: Diesel Engine • Drum Capacity: 1000 L, 750 L • Chassis Material: Mild Steel • Summary: Simple & easy to operate Compact design

#	Image	Product Name	Price (INR)	Description & Specifications
47		Half Bag Concrete Mixture	■ 95000 / Unit Get Latest Price	• Power Source: Diesel Engine • Automatic Grade: Manual • Output Capacity: 100-140L • Material: Cast Iron • Brand/Make: Shreeji • Summary: High durability Convinced optimized design
48		Pan Mixer	■ 85000 / Piece Get Latest Price	• Capacity: 350 L • Material: Stainless Steel • Usage/Application: Construction • Size: 1100x1050(high) mm • Brand: shreeji • Power Source: electrical • Power: 8.8 kW • Country Of Origin: Made in India • Rotational Speed: 1440r/min • Drum Rotating Speed: 20 RPM
49		Concrete Groove Cutter	■ 48000 / Unit Get Latest Price	• Brand: Shreeji • Cutting Material: Concrete • Speed: 2800 RPM • Cutting Disc: 14 Inch or 16 Inch • Motor Power: 7.5HP - 10HP • Phase: Three Phase • Depth: 4 Inch • Summary: Concrete Groove Cutter machine is also known as concrete cutter. It is mainly used to cut Grooves in RCC roads. Specifications:
50		Tower Hoist Concrete Lift	■ 200000 / Unit Get Latest Price	• Power Source: Electric • Capacity: 1000 kg • Motor Power: 15 H.P. /18 H.P. • Wire Rope: 12mm • Speed: 33 meters/min • Engine Power: 12.5 H.P.

Category: Soil & Sand Testing Equipments (41 Products)

#	Image	Product Name	Price (INR)	Description & Specifications
1		Rotary Type Sand Screening	■ 32500 / Piece Get Latest Price	• Capacity: 2CU.M./hour • Brand: SHREEJI • Country Of Origin: Made in India • Power: 2HP single 0 motor • Transmission: CD 50130 oil filled • Cylinder: 600 mm x 1500 mm (L)
2		Cone Penetrometer Soil	■ 14500 / Unit Get Latest Price	• Display Type: Analog • Brand: SHREEJI • Usage/Application: Laboratory • Surface Treatment: Color Coated • Summary: Dimensional accuracy and compact size Durable and long lasting performances
3		Sand Content Kit, Weight: 0.7 Kg	■ 18500 / Unit Get Latest Price	• Capacity: 1 L • Automation Grade: Manual • Material: PVC • Brand: SHREEJI • Scale Range: 0-100 % • Test Standard: IS 2720 • Accuracy: ± 1 % • Color: White • Summary: Api Defines Sand-Sized Particles As Any Material Larger Than 74 μ m (200-Mesh) In Size The Kit Consists Of A Glass Tube Graduated To Read Percent (%) By Volume, A Funnel, and A 200-Mesh Sieve Contained In A Cylindrical Shaped Holder

#	Image	Product Name	Price (INR)	Description & Specifications
4		Unconfined Compression Tester Proving Ring Type (Motorized)	■ 80000 / Unit Get Latest Price	• Capacity: 50 kN • Display Type: Analog • Brand: SHREEJI • Height: 1-2 Feet • Surface Treatment: Polished • Summary: Simple in operation Easy to use
5		CBR Test Apparatus	■ 48500 / Unit Get Latest Price	• Automation Grade: Semi-Automatic • Brand: Shreeji • Power Source: Electricity • Power: SINGAL PH • Surface Treatment: Color Plated • Summary: Excellent performance Low operating cost
6		Standard Penetration Test Kit Spt	■ 70000 / Unit Get Latest Price	• Display Type: No Display • Equipment Type: Dynamic Cone Penetrometer • Testing Method: Manual • Brand: SHEEJI • Color: Blue • Power Source: Manual • Material: MS • Automation Grade: Manual • Height: 3-7 Feet • Summary: Well designed Reliable operation
7		Soil Sampling Auger	■ 3500 / Number Get Latest Price	• Brand: SHREEJI • Material: MS/SS • Surface Finished: Polished • Height: 2-3 Feet • Summary: Soil Auger /Dutch Auger, one meter long with handle Size:15cm dia
8		Mud Balance	■ 16500 / Unit Get Latest Price	• Material: S S • Brand: shreeji • Color: Silver • Accuracy: 100% • Country Of Origin: Made in India • Summary: 100-00 - Mud Balance, 4 Scale, Plastic Specifications • Density Ranges 8.0 - 25.0 lb / gal 960 - 3000 Specific Gravity, kg/meter3 60 - 189 lb / ft3 420 - 1300 pounds per inch2 / 1000 ft • Size: 21.5" × 5" × 4.5" (55 × 13 × 11 cm) • Weight: 3 lb (1.4 kg) Designed to find out specific gravities of semi liquids like mud and other liquids. It has a stainless steel bam calibrated. A stainless steel cup with lid and overflow vent is fitted on one side of the beam. A counter weights with cursor slides over the graduated scale. The beam has a knife-edge at center which rests in a fulcrum fitted in the stand. Leveling screws and spirit level are fitted to the stand. Supplied complete with wooden box.
9		Gyratory Sieve Shaker	■ 28500 / Unit Get Latest Price	• Material: Mild Steel • Automation Grade: Semi-Automatic • Voltage: 220V/230V • Automation Type: Automatic • Frequency: 50Hz • Summary: Our immaculate range of Sieve Shaker is highly demanded in the market by our eminent customers. These Shakers are designed using excellent metal, which provides exceptional durability level with long lasting feature. Clients can avail in in various sizes, designs and shapes as per need with proper customization. Our experts design these trainers in complete adherence to the international standards so that we successfully meet the expectations of our patrons. Two types of sieve shaker available with us:
10		Swell Test Apparatus	■ 38500 / Unit Get Latest Price	• Automation Grade: Semi-Automatic • Material: MS • Brand: SHREEJI • Color: Blue • Surface Treatment: Color Coated • Summary: One loading unit Hand. operated 5000 kg capacity with two rates of travel One Gun metal mould, 100mm dia x 127.3 cm height X 1000 cc volume with base plate & collar

#	Image	Product Name	Price (INR)	Description & Specifications
11		Rapid Moisture Meter	■ 4250 / Unit Get Latest Price	• Usage/Application: Laboratory • Operating Temperature: 0-50 Degree Celsius • Automation Grade: Manual • Packaging Type: Box • Box Material: Wooden • Summary: Balance Base Balance Arm
12		Earth Soil Land Auger Digger Drill Machine	■ 3250 / piece Get Latest Price	• Drill Diameter: All inch • Material: Tungsten Carbide • Length: 0-30 mm, 60-100 mm, 30-60 mm • Diameter: 75 mm - 150 mm • Automatic Grade: Manual • Model Type: Sb-K2 • Summary: Augers are used to collect distributed soil samples at reasonable depths for laboratory tests. Augers are available in two type and each in different sizes. Blade type (post hole type) and Helical type (screw type). Each auger outfit consists one each of Auger head, one meter long rod, Tee piece and handle. Depths of excavating can be increased by using additional extension rods shreeji instruments are leading supply in gujarat .Posthole Type Sampling Augers: 150 mm dia.
13		Flow Table Hand Operated	■ 6500 / Number Get Latest Price	• Application Media: Water • Material: MS • Height: 10-16 inch • Brand: SHREEJI • Surface Treatment: Color Coated • Summary: Our clients can avail from us Flow Tables that are widely acknowledged for their longer functional life, corrosion resistance and dimensional accuracy. Our products are widely used in various industries laboratories and research institutes. Apart from this, our products are thoroughly checked by our team of expert quality controllers to ensure flawlessness. These products are also used for determining the workability of building limes. Specifications:
14		Soil Cone Penetrometer	■ 2850 / Number Get Latest Price	• Material: Cast Iron • Diameter: 50 mm • Weight: 148 +0.5 gms. • Length: 30.50mm • Depth: 50 mm • Summary: It will consist of metallic cone with half angle of 15' -30 ±15' and 30.50mm coned length It will be fixed at the end of a metallic rod with a disc at the top of the rod so as to have a total sliding weight of 148± 0.5 gms. The total rod shall pass through two guides (to ensure vertical movement) fixed to a stand
15		Relative Density Apparatus	■ 65000 / Unit Get Latest Price	• Container Volume: 500 ml • Application: Laboratory • Material: Mild Steel • Automation Grade: Semi-Automatic • No. Of Cylinders: 2 Cylinders • Stand Type: Fixed Stand • Color: BLUE • Industrial Use: Soil Testing • Condition: New • Brand: SHREEJI • Summary: Specimen mould: 250 ml; Inner diameter 5 cm; Height 12.7 cm Rammer: Speed 32 beats/min; Weight 1.25kg; Diameter 5cm; Drop height 15cm
16		Core Cutter With Dolly And Rammer	■ 2150 / Unit Get Latest Price	• Brand: Shreeji • Blade Material: Carbon Steel, Plastic • Operation: Manual • Application: Metal Sheet • Surface Treatment: Chrome • Diameter (Mm): 175 mm • Summary: Cylindrical core cutter 100mm i. D. X 175mm long Test form pad of 50
17		Liquid Limit Apparatus	■ 3150 / Unit Get Latest Price	• Usage/Application: Laboratory • Net Weight: 6.2 kgs • Accessories: Grooving Tool • Model: 22-T0031/E • Distance: 1. 25 cm • Summary: Net Weight: 6.2kgs Accessories: Grooving Tool
18		Proctor Compaction Test Apparatus	■ 5800 / Unit Get Latest Price	• Hammer Weight: 4.89 kg • Brand: SHREEJI • Capacity: 2250 cc • Material: Brass and SS • Diameter: 150 mm • Color: Silver • Automation Grade: Manual • Surface Finished: Polished • Summary: High efficiency Hassle free performance

#	Image	Product Name	Price (INR)	Description & Specifications
19		Triaxial Shear Test Apparatus	■ 110000 / Piece Get Latest Price	• Capacity: 50KN • Material: Mild Steel • Automation Grade: Semi-Automatic • Usage/Application: Laboratory • Phase: SINGAL PH • Brand: SHREEJI • Country Of Origin: Made in India
20		Direct Shear Test Apparatus	■ 91000 / Piece Get Latest Price	• Color: Blue • Display: DIAL • Brand: SHREEJI • Automation Grade: Semi-Automatic • Phase: SINGAL PH • Summary: AS PER IS: 2720 (Part-VIII), ASTM D-3080 For determination of the direct shear strength of soils on specimen size 60 mm x 60 mm x 25 mm. Specification: The apparatus comprises of
21		Triaxial Testing Machine	■ 100000 / Number Get Latest Price	• Capacity: 50 kN • Automation Grade: Semi-Automated • Material: Mild Steel • Usage/Application: Industrial • Country Of Origin: Made in India • Shear Rate: 0.001-5.000mm/Min • Confining Pressure: 0-1MPa • Aperture Pressure: 0-2MPa • Size: 39.1x80mm • Volume Change: 0-50ml • Summary: Needs less maintenance Easy to operate
22		Sand Equivalent Test Apparatus	■ 7500 / Unit Get Latest Price	• Brand: SHREEJI • Material: Wood and Glass • Country Of Origin: Made in India • Jar Capacity: 1-5 L • Glass Thickness: 1-2 mm • Summary: Compact design Sturdy construction
23		Marsh Cone With Stand Brass Cone	■ 7200 / Unit Get Latest Price	• Material: Mild Steel • Surface Treatment: Polished and Color Coated • Rod Material: SS • Cone Material: Brass • Height: 3-4 Feet
24		Automatic Compactor For Marshal Test	■ 50000 / Unit Get Latest Price	• Display Type: Digital • Automatic Grade: Semi-Automatic • Grade: Semi-Automatic • Brand: SHREEJI • Type Of Testing Machines: marshal test • Summary: Durable finish standards High efficiency
25		Soil Permeability Apparatus	■ 48500 / Unit Get Latest Price	• Automation Grade: Semi-Automatic • Brand: Shreeji • Weight: 3.1 kg • Max Water Leakage: 100 Kpa • Pressure Resistant Performance: 200 kpa • Summary: The apparatus is used to determine permeability of soils using a constant or variable head. This test is recommended for soils with coefficient of permeability in the range of 10-3 to 10-7 cm / sec. The maximum particle size of the soil, which can be tested in the mould is 10 mm.
26		Grain Size Analysis Apparatus	■ 40000 / Unit Get Latest Price	• Automation Grade: Semi-Automatic • Brand: SHREEJI • Material: MS • Glass Thickness: 1-2 mm • Surface Treatment: Color Coated • Summary: Specifications :The apparatus consists of a sliding panel which moves up and down by means of a screw allowing Anderson pipette fixed to it to be raised or lowered vertically. A sedimentation tube is held by a laboratory clamp provided on the stand below the pipette. The depth of immersion is measured by a scale graduated in mm at the side of the sliding panel. Supplied complete with Anderson pipette 10 ml. at the side capacity made from glass, and a sedimentation tube also of glass of 500 ml capacity and 50 Nos Test forms. Accessories & Spares :1) Sedimentation pipette (Anderson pipette) 25ml. 2) Sedimentation tube 1000ml.3) Sedimentation pipette 10ml.4) Sedimentation tube 500ml.5) Test forms pad of 50.

#	Image	Product Name	Price (INR)	Description & Specifications
27		Soil PH and Moisture Meter	■ 7000 / Unit Get Latest Price	Warranty: 1 Year • Application: Laboratory • Resolution: ± 0.2 pH • Range: 3 - 8 pH • Ph Moisture: 1 - 810%-80% • Summary: Operating Instructions for the SOIL PH AND MOISTURE TESTER. Notes :-Soil pH value is a very important factor in the production of quality crops. Most crops cannot survive in soil that is too acid or too alkaline. Therefore the correct pH reading is essential to achieve optimum results.
28		Static Cone Penetrometer	■ 17500 / Piece Get Latest Price	Drop Height: 500 mm • Rammer Weight: 10kg$\pm$10g • Max Penetration Depth: 6000 mm • Penetration Rammer Angle Max Diameter: 40mm • Iso: ISO9000 • Penetration Rammer Extent: 60
29		Dynamic Cone Penetration Apparatus	■ 21500 / Unit Get Latest Price	Brand: SHREEJI • Usage/Application: Laboratory • Automation Grade: Manual • Material: SS • Box Material: Wooden • Summary: Type: Penetration Test Equipment Power Source: AC220V
30		Core Cutter Dolly with Rammer	■ 1800 / Unit Get Latest Price	Material: MS and SS • Brand: SHREEJI • I Deal In: New Only • Bottom Shape: Round • Thickness: 2-6 mm • Summary: We are engaged in providing our clients with Field Density Kits (Core Cutter) that are used for determining the situ dry density of natural or compacted fine grained soil. Use for making the soil free from aggregates, our products have a cylindrical cutter that is used to extract a sample of the soil with the help of a dolly and rammer. Moreover, our products helps in readily calculating the weight, density, moisture and dry density of the soil. Specifications: It consists one each of:
31		Magnetic Stirrer With Hot Plate	■ 4500 / Piece Get Latest Price	Material: Stainless Steel • Frequency: 50 Hz • Capacity: 500 ml • Model Name: SHREEJI • Brand: SHREEJI • Hotplate Surface: with hotplate • Operational Mode: ELECTRICAL • Packaging Type: Box • Country Of Origin: Made in India • Power Source: Electric • Summary: Having years of experience in this domain, we are capable of providing our customers with Magnetic Stirrers. Our products are available in various sizes, shapes and designs at market leading prices at industry leading prices to meet the specific requirement of our customers. Moreover, our products are widely used for density tests on aggregates as per procedure laid down and are known for their longer service life, accuracy and sturdy construction. Stainless steel body
32		Standard Penetrometer Manual Control	■ 8200 / Unit Get Latest Price	Application Type: Bitumen • Automation Grade: Automatic • Machine Type: Semi-Automatic • Color: Blue • Brand: Humboldt • Capacity: 2 kn • Material: MS, SS • Usage/Application: Laboratory • Display Type: Analog • Surface Treatment: Color Coated • Summary: It consists of a vertical pillar mounted on a base provided with levelling screws The head, together with dial plunger rod and cone (or needle) slides on a pillar and can be clamped at any desired height
33		Pocket Concrete Penetrometer	■ 1250 / Unit Get Latest Price	Weight: 80 g • Size: 15x180 mm • Range: 0-5 kgf/cm² • Usage: Laboratory • Summary: Excellent performance Superior quality

#	Image	Product Name	Price (INR)	Description & Specifications
34		Standard Sand	■ 1350 / Cubic Feet Get Latest Price	Product Type: M-Sand • Color: White • Packaging Size: 25kg • Form: Sand STANDARDS • Washed Type: Double Washed • Usage/Application: Construction • Is Standard Compliance: IS 1542 • Packaging Type: Bag • Sand Grade (Zone): Zone II • Silt Content: Up to 5% • Summary: Grade-1 - above 12mm Grade-II - 6mm to 12mm
35		Sample Extractor Frame Hydraulic Type	■ 18500 / nos Get Latest Price	Brand: Shreeji • Usage/Application: Industrial • Material: MS • Surface Treatment: Color Coated • Height: 1.5-2 Feet • Summary: Accessories : Set of Plunger adapters and thrust plates for 38mm, 50mm and 75mm diameter specimen.
36		Sand Pouring Cylinder Apparatus	■ 5800 / Unit Get Latest Price	Automation Grade: Manual • Color: Blue • Packaging Type: Wooden Box • Material: MS • Surface Treatment: Color Coated • Summary: We are engaged in providing our customers with Sand Pouring Cylinders that are widely used for the in place determination of the dry density of compact, fine and medium grained soils. These are also used for determining the layers that should not exceeding 50 cm thickness. In addition to this, our products are available in various sizes, shapes and designs at most competitive prices to fulfill the diverse requirements of our customers. Specifications:
37		Soil Testing Equipment	■ 2850 / Piece Get Latest Price	Material: Mild Steel • Automation Grade: Automatic • Color: Blue • I Deal In: New Only • Country Of Origin: Made in India • Summary: Needs less maintenance Easy to operate
38		Marsh Cone Funnel	■ 8500 / UNIT Get Latest Price	Material: Cast Iron • Usage/Application: Laboratory • Max Feeding: 35-90mm • Speed Of Rotary: 200-350r/Min • Capacity: 5-40t/Hour • Summary: Max Feeding: 35-90mm Speed of Rotary: 200-350r/Min
39		Permeability Test Apparatus Constant Falling Head	■ 38500 / Piece Get Latest Price	Test Method: Falling Head • Brand: SHREEJI • Capacity: 1000 ml • Automation Grade: Automatic • Color: Blue • Diameter: 6 mm • Dial Gauge: Analog • Material: Mild Steel • Usage/Application: SOIL TESTING • Pressure: 10 kpa • Summary: As Per IS 2720 (Part XBII)- 1966 BS 1377; EN DD ENV 1997-2; ASTM D2434;AASHTO T215 This equipment is used for testing the permeability of granular soils (sands and gravels).The specimen is formed in a permeability cell and water is passed through it from
40		Laboratory CBR Test Apparatus	■ 38500 / Unit Get Latest Price	Material: Steel • Brand: SHREEJI • Power Source: Electric • Voltage (V): 280 V • Frequency (Hz): 50 hz • Summary: High efficiency Hassle free performance
41		California Bearing Ratio Test Apparatus	■ 52000 / nos Get Latest Price	Material: Mild Steel • Horizontal Clearance: 255 mm • Gauge: 0.01 * 25mm • Dimensions: 12 x 18 x 42 in (31 x 46 x 107 cm) (L x W x H) • Maximum Vertical Clearance: 800 mm • Summary: Relevant Standard IS: 2720 p-xvi Accurate dimensions


Category: General Laboratory & Testing Equipment (56 Products)

#	Image	Product Name	Price (INR)	Description & Specifications
1		Bushnell Radar Speed Gun	■ 21500 / Number Get Latest Price	• Brand: Bushnell • Application: Laboratory, Industrial, spots • Country Of Origin: Made in India • Color: Grey,Black • Body Material: ABS,PVC • Summary: Product Details: Provides +/- 1 MPH accuracy instantaneously
2		High Voltage Holiday Detector	■ 55000 / Unit Get Latest Price	• Brand: shreeji • Voltage: 110-240V • Country Of Origin: Made in India • Frequency: 50Hz • Power Source: Electric • Summary: We have exported our Instruments to More Than 26 Countries like USA, Colombia, UK, Belarus, Czech Republic, Germany, Italy, Poland, Romania, Spain, Switzerland, Turkey, Congo, Ghana, Saudi Arabia, Morocco, Zimbabwe, Bangladesh, Iran, Nepal, Pakistan, South Korea, China, Malta, etc.
3		Rain Gauge Cylinder	■ 5500 / Unit Get Latest Price	• Material: PS, PP • Usage/Application: rain gauge • Size: 5lt • Model Name/Number: shreeji • Measuring Range: 200 ml • Net Weight: 2.5 kg • Usage: Laboratory • Summary: Net Weight: 0.09g Size: 24.5(L)*8.3(up Dia.)*3.5(Down Dia.)Cm
4		Constant Temperature Bath	■ 58000 / Unit Get Latest Price	• Material: Aluminium Alloy • Power Source: Electric • Frequency: 220 V • Packaging Type: Box • Country Of Origin: Made in India • Summary: Backed by a team of highly skilled and talented professionals, we are engaged in providing a wide range of Constant Temperature Bath. Our offered temperature baths are manufactured utilizing finest quality material and advanced technology following the standards of industry. The temperature baths offered by us are used to maintain in water the Marshal specimens to be tested. We are giving these temperature baths from us on diverse specifications.Features: High performance
5		Bosch GLM 500 50m Laser Distance Meter	■ 5800 / Unit Get Latest Price	• Measuring Range: 50 Meters • Usage/Application: Industrial • Brand: Bosch • Model: GLM 500 • Frequency: 50Hz • Summary: The GLM 500 Professional measures distances up to 50 meters with an accuracy of ±1.5 millimeters. It continues the successful GLM series and enhances it with new functions. Measuring Units m, in, ft
6		Digital Temperature And Humidity Meter	■ 850 / nos Get Latest Price	• Data Logging: Yes • Display Type: Digital • Mounting Type: Portable • Brand: Fluke • Temperature Range: 0-100 °C • Humidity Accuracy: ±1 % RH • Resolution For The Humidity Reading: 0.01 %RH • Body Material: ABS Plastic • Model Number: HTC-1 • Summary: High efficiency Hassle free performance
7		Digital Weighing Balance	■ 9500 / Piece Get Latest Price	• Weighing Capacity: 50-100kg • Material To Be Measured: Metals • Balance Type: Digital • Automation Grade: Automatic • Usage/Application: Laboratory • Summary: High Precision Load Cell. Large LCD or LED Display.
8		Laboratory Electric Stirrer	■ 7500 / Piece Get Latest Price	• Stirrer Type: Magnetic • Max Stirring Volume: 2 L • Speed Range: 50-1500 rpm • Display Type: Analog • Speed Control: Stepless • Capacity: 6-8 ltrs • Speed: 4000 RPM • Motor Power: 1/20 HP • Type: Light Duty Stirrer • Shaft: S.S. shaft with chuck & mount on electronic speed regulator

#	Image	Product Name	Price (INR)	Description & Specifications
9		Samsonic Digital Infrared Thermometer	■ 3000 / Piece Get Latest Price	• Accuracy: +/-2C/ +/-2% • Distance Spot Ratio: 12:1 • Emissivity: 0.95 (Pre-Set) • Resolution: 0.1 C or 0.1 F • Response Time: 500ms • Measurement Range: -32C ~ 380 C (-26 F ~ 716F) • Wavelength: 5 - 14 um • Battery Power: DC 9V battery operation
10		Specific Gravity Hydrometer	■ 1200 / Number Get Latest Price	• I Deal In: New Only • Measurement Range: 0~40 - 0~30 (kg/m ³) • Country Of Origin: Made in India • Division Value: 0.1 1.0 (kg/m ³) • Full Length: 200 - 250 mm • Standard Temperature: 15 Degree - 20 Degree • Summary: Density hydrometers Brix hydrometers with thermometer
11		Length Comparator With Gauge	■ 18500 / Unit Get Latest Price	• Usage/Application: Measurement • Material: MS,SS • Brand: SHREEJI • Surface Treatment: Color Coated • Display Type: Analog • Summary: Robust construction High strength
12		B.O.D Incubator (Biological Oxygen Demand)	■ 78000 / Pack Get Latest Price	• Temperature Range: 5 Degree to 60 Degree • Voltage: 230 Volt • Accuracy: 0.2 C • Frequency (Hertz): 50 Hz • Resolution: 0.1 C • Standard Model: Interior Cabinet all S.S. LM 304 grade. Exterior Cabinet powder coated • Uniformity: 0.1C • Display Control: Digital Temperature Control • Refrigeration: CFC free compressors utilizing R134a eco-friendly refrigerant. • Observation: Inner transparent glass/acrylic door and outer door key lockable.
13		Frp Discharge Rod, 11 Kv To 400 Kv, Size: 18 Ft	■ 3000 / Piece Get Latest Price	• Material: FRP • Discharge Range: 11KV to 400KV • Color: Off White & Yellow • Diameter: 40 MM & 45 MM • Size: 18feet • Voltage: 3300 kv
14		Multi Stem Digital Thermometer	■ 1250 / Number Get Latest Price	• Usage/Application: Laboratory • Material: Plastic • Color: White • Temperature Range: 0 to 350 • Accuracy: 0.5%, 0.1% • Warranty: 1 Year • Display Type: Digital • Packaging Type: Box • Summary: Imported make Digital Multi Thermometer with 5" Pointed Probe & 1 Meter Long Wire having Alarm Facility for Max./Min. Temperature Range:
15		Measuring Cylinder	■ 210 / Number Get Latest Price	• Automation Grade: Semi-Automatic • Application: Industrial • Color Available: White Opaque Color • Sizes Available: 5 ml to 2 Liters • Raw Material Used: 33 Borosilicate Glass • Capacity: 50ml,100ml,250ml,500ml • Summary: Highly Accurate Available with a broad base for providing stability
16		Vertical Laboratory Autoclave	■ 55000 / Unit Get Latest Price	• Automation Grade: Semi Automatic • Material: S S • Temperature Range: 0 TO 100 • Country Of Origin: Made in India

#	Image	Product Name	Price (INR)	Description & Specifications
17		S S Scoops Open Type	■ 650 / piece Get Latest Price	- Scoop Type: Open - Steel Grade: SS 316 - Set Contains: 1 piece - Capacity: 0.25 kg - Diameter: 50 mm - Weight: 50 g - Application: Pharmaceutical / Chemical Industry, Construction, Automobile Industry, Oil & Gas Industry - Material: SS - Color: Silver - Thickness: 4-10 mm - Summary: Precise design High strength
18		Plummet Balance equipment	■ 8500 / Piece Get Latest Price	- Accuracy: (Upward/Downward laser) +/-1mm/100m - Compensator Accuracy: +/-1 - Compensator Range: +/-3 Degree - Laser Wave Length: 635nm - Laser Power: 5mw/ Emit 1mw - Laser Range: (Upward/Downward) 150m - Laser Spot Size: Less than equal to 20mm/100m - Remote Range: 40m - Rechargable Battery: DC 4.8V - Operating Temperature: -10 deg C +50 deg C - Summary: Conventionally particle size distribution analysis is carried out using pipette and hydrometer methods. Whereas in hydrometer method it is possible to determine particle sizes in the range 75microns, the method involves computation and it is time consuming. The pipette method can be used for determining only the percentage of specific sizes less than 0.02, 0.006 and 0.002mm as a percentage of total soil sample. The plummet balance method to determine sub sieve particle size for the entire range is very rapid and only manipulation of height of the balance, so that plummet sinks to the right depth is required. The percentage of soil in suspension is directly indicated by a pointer over a graduated scale. A vertical rod is mounted on a sturdy base having leveling screws. A pointer with steel pivots turns is jewel bearing an moves over a graduated scale. Scale graduations are marked 0-100% x 2% To the other end of the pointer a plummet is hanged. Rack and pinion arrangement is provided on the vertical rod for adjusting the height. Supplied with a chart showing relationship between "K" and temperature of suspension of soils of varying specific gravity from 2.4 to 2.8 to help in solving stroke's equation. Supplied complete with one Perspex plummet one measuring jar and one rider weight for zero adjustment and rider weight for adjusting the pointer to 100%.
19		Humidity Chamber Oven	■ 58000 / Piece Get Latest Price	- Number Of Shelves: 3, 4 - Temperature Range: 50-250 Degree Celsius - Temp Range From Ambient: 5C to 60C - Accuracy: - 0.5 Degree - Humidity Range: From atmospheric humidity to 95 % - Controller: (dry and wet bulb method) with 3 % RH - Summary: Compact design High accuracy
20		Stainless Steel Vertical Autoclave	■ 48500 / Piece Get Latest Price	- Usage/Application: Laboratory - Shape: Vertical - Brand: SHREEJI - Approval Certificate: CE Certificate - Material: Stainless Steel - Summary: Application specific design Accurate measurement
21		Round Hot Plate	■ 2850 / Piece Get Latest Price	- Number Of Plates: 1 Plate - Power Rating: 1000 W - Plate Type: Cast Iron Plate - Usage: Home Kitchen - Control Type: Rotary Knob - Color: White - Country Of Origin: Made In India - Material Grade: SS304 - Voltage: AC 220/230 V - Phase: Single Phase - Summary: We are engaged in providing our clients with Hot Plates (Round) that are procured from the reliable manufacturers of the market. All our products are widely used in various industries and sectors for diverse applications. In addition to this, our products are available in various sizes & designs at most competitive prices to fulfill their exact requirements and demands. Body made of thick PCRC sheet-power coated or full stainless steel (S.S.304)
22		Flocculator Jar Testing Apparatus	■ 18500 / Unit Get Latest Price	- Number Of Jars: 4 Jars - Usage/Application: Laboratory - Brand: SHREEJI - Material: MS - Weight: 15KG - Size: 3X3 - Automation Grade: Semi-Automatic - Country Of Origin: Made in India - Frequency: 50Hz

#	Image	Product Name	Price (INR)	Description & Specifications
23		Le Chatelier Moulds	■ 1950 / Unit Get Latest Price	- Material: Brass, Stainless Steel - Packaging Type: Box - Brand: SHREEJI - Box Color: Red - Summary: Le Chatelier Moulds The soundness of cements and limes is determined using the expansion test with Le Chatelier moulds according to the relevant standard. The mould consists of a spring tensioned split cylinder 30 mm internal diameter x 30 mm high with two indicator stems, which measure 165 mm from the points to the center line of the cylinder and O-ring.
24		Laboratory Weighing Scale	■ 10500 / nos Get Latest Price	- Capacity: 1-5 L - Usage/Application: Laboratory - Type Of Weighing Scale: Digital - Country Of Origin: Made in India - Plate Material: SS - Summary: Excellent performance Auto shut off (option)
25		Blain Air Permeability Apparatus	■ 8500 / Number Get Latest Price	- Thickness: 1.1 mm - Diameter: 12.7 mm - Height: 15mm - Hole Diameter: 1.0 mm - Net Weight: 6 kg - Summary: Accurate detection Used for determining the fineness of cement
26		Loss On Heating Oven	■ 55000 / Piece Get Latest Price	- Oven Type: Cabinet - Power Source: electrical - Max Temperature: 250°C - Temperature: 200-300 deg. Celsius - Internal Volume: 2 m³ - Air Circulation: Natural Convection - Application: Drying - Brand: shreeji - Capacity: 100-200 - Material: Stainless Steel
27		Laboratory Hot Air Oven	■ 14500 / Unit Get Latest Price	- Capacity: 90 L - Max Temperature: 200 °C - Chamber Type: Single Wall - Temperature Control: Digital - No. Of Shelves: 2 Shelves - Inner Chamber Material: SS 304 - No Of Trays: 3 - Usage/Application: Laboratory - Material: Mild Steel - Power Rating: 1.5 kW - Summary: Product Description: Interior of oven is made of specular stainless steel by argon arc-welding technics, and the exterior of oven is made of high-quality steel sheet with a beautiful and novel appearance.
28		Air Entrainment Meter	■ 31500 / nos Get Latest Price	- Display Type: Analog - Brand: Shreeji - Application: Laboratory - Grade: Semi-Automatic - Material: SS - Summary: Longer service life Low maintenance
29		Professional Metal Detector	■ 75000 / Piece Get Latest Price	- Detection Depth: 3–5 m - Technology: Multi Frequency - Target Type: Gold & Metals - Range: 2 meter, 4 meter, 6 meter, 8 meter - Waterproof Rating: IP65 - Power Source: AA Battery - Alarm Mode: Sound, Led Lights - Features: Sensitivity Adjustment, Rechargeable Batteries, Built in Speaker - Display Type: Digital - Summary: Features: Fully Automatic And All Metal Detectors: The MD-3010II detector detects all kinds of metal objects. Unless you have set for some objects that you do not want to detect. - LCD: The LCD comes with light, it improve to identify the metal in night or caliginous outside.
30		Underground Pipeline Detector	■ 185000 / Piece Get Latest Price	- Country Of Origin: Made in India - Type: Pipe Detector - Power Source: Battery - Display: Digital Screen - Application: Detection of pipe

#	Image	Product Name	Price (INR)	Description & Specifications
31		Underground Pipe And Cable Locator	■ 220000 / Unit Get Latest Price	- Location Method: Active Locate - Max Depth: 2 m - Power Source: Rechargeable Battery - Display: Digital - Display Type: LED - Frequency Range: 50-60 Hz - Cable Type: Fiber Optic - Usage: Laboratory, Industrial - Frequency: 50Hz - Color: Orange
32		MXL2 Precision Pipe & Cable Locator	■ 190000 / Piece Get Latest Price	- Location Method: Active Locate - Max Depth: 2 m - Power Source: Rechargeable Battery - Display Type: LCD - Frequency Range: 50-60 Hz - Cable Type: Fiber Optic - Product Dimensions: 720 x 280 x 65 mm - Weight: 2.4kg (including batteries) - Power Supply: 8 x "AA"cells alkaline batteries - Battery Life: Up to 40 hours intermittent use - Summary: The MXL2 is a high performance precision pipe & cable locator developed using the latest in advanced digital signal processing technology packed with the most advanced features . It is the ideal equipment for utilization in job sites demanding quick & clear position of buried pipe and cables prior to excavation in even the most difficult of environments & very specific route tracing of buried services. Designed to detect, identify and route trace specific buried pipes and cables reliably and accurately, even in the most congested areas .The MXT2 transmitter provides longer distance tracing than previously possible. Depth Measurement.
33		Underground Cable Tracker	■ 224000 / Unit Get Latest Price	- Country Of Origin: Made in India - Voltage: 220V/240V - Frequency: 50Hz - Usage: Industrial,Laboratory - Power Source: Electric
34		cat 4 Cable and Pipe Locators	■ 240000 / Unit Get Latest Price	- Material: Plastic - Usage: Laboratory - Packaging Type: Box - Accuracy: 3 m - Summary: Dual active simultaneous frequency scan for hard to find utilities GPS built-in with 3m accuracy
35		Long Range Gold Detector	■ 75000 / Unit Get Latest Price	- Range: 4 meter, 6 meter - Alarm Mode: Led Lights, Sound - Features: Sensitivity Adjustment, Rechargeable Batteries - Automation Grade: Semi-Automatic - Frequency: 50Hz - Summary: Description This MD-6250 underground metal detector, the upgraded MD-6150, is a kind of professional detecting equipment. It is easy to carry and operate. It can scan the metal objects easily and quickly, which can help professionals a lot when they do the research. And it is won't make mistake and fake alert. The MD-6250 is designed with exclusive Graphic Target ID technology to distinct the metal objects. It can select the type of metals in gold, silver, iron and so on. You also have color green and yellow to choose.
36		California Bearing Ratio Apparatus	■ 38500 / Piece Get Latest Price	- Automation Grade: Semi-Automatic - Color: Blue - Material: Steel - I Deal In: New Only - Country Of Origin: Made in India - Summary: High efficiency Hassle free performance
37		Cut Off Machine	■ 7800 / Piece Get Latest Price	- Weight: 86 kg - Blade Diameter: 16 Inch - Wattage: 2200 W - Power: 2.2 kW - Speed: RPM 2290 - Summary: High performance Durable finish standards

#	Image	Product Name	Price (INR)	Description & Specifications
38		Dial Gauge measuring	■ 2500 / Number Get Latest Price	• Gauge Type: Dial Thickness • Measuring Range: 0–25 mm • Resolution: 0.01 mm • Brand: Baker • Material: Stainless Steel • Usage/Application: Measurement • Display Type: Analog • Application: Sheet Metal • Throat Depth: 30 mm • Meter Type: Analog • Summary: Resolution: 0.001mm Precision: 0.002mm
39		Clinical Digital Thermometer	■ 1450 / Number Get Latest Price	• Measurement Type: Digital • Brand: Shreeji • Temperature Range: 0 to 300 • Accuracy: 0.1% • Packaging Type: Box • Is It Portable: Portable • Summary: Beep sound alert Clean vision of temperature
40		Digital Weighing Balances	■ 9500 / Unit Get Latest Price	• Size: 300x216x21.5mm • Box Size: 315x231x31.5mm • Carton Size: 330x246x276mm • Net Weight: 8.96kg • Gross Weight: 10.5 kg • Summary: Reliability Flexibility
41		Standard Calibration Weights	■ 4500 / Unit Get Latest Price	• Material: Stainless Steel • Usage: Laboratory • Weights: 20 kg • Range: 1mg to 200 g • Summary: High precision metrological standard weights and weight box complete range:- 1mg to 200 g weight box and loose weights upto 20 kg
42		Portable Compression Testing Machine	■ 85000 / UNIT Get Latest Price	• Capacity: 1000 kN • Automation Grade: Semi-Automatic • Usage/Application: CONCRET CUBE TESTING • Gauge: DIGITAL • Brand: SHREEJI • Material: IRON • Phase: SINGAL PH • Power Supply: 220 • Weight: 300 KG • Country Of Origin: Made in India • Summary: Being a well established-organization, we are engaged in manufacturing and supplying Electric Cube Testing Machine Dual Gauges. Our offered gauges are manufactured utilizing finest quality material and advanced technology following the standards of industry. The gauges offered by us are ideal for concrete, cement, tube, brick compression and flexural test. We are giving these gauges from us on diverse specifications. Innovative design
43		Nautical Brass Compass	■ 320 / Number Get Latest Price	• Size/Diameter: 70-80 mm • Display Type: Analog • Packaging Size: Box • Material: Brass • Summary: Beautiful finish Durable finish standards
44		Weigh Batcher	■ 38500 / Piece Get Latest Price	• Brand/Make: shreeji • I Deal In: New Only • Country Of Origin: Made in India • Surface Treatment: Color Coated • No Of Wheel: 4 Wheel • Summary: Specifications: Chassis: Heavy Duty, Robust Steel Chassis from 75X40 mm Channel
45		Bushnell Speed Radar Gun	■ 18500 / Unit Get Latest Price	• Type Of Tachometer: Digital Tachometer • Brand: Bushnell • Usage/Application: Laboratory • Operating Time: Up to 20 hours • Operating Temperature Range: -32- 04 F / 0 -40 Degree C • Summary: BALL :- 10-110MPH from 90 Feet/16-177 KPH from 27 Meters CAR :- 10-200 MPH from 1,500 Feet/16-322 KPH from 457 Meters

#	Image	Product Name	Price (INR)	Description & Specifications
46		Night Vision Binocular	■ 85000 / Number Get Latest Price	• Color: Black • Brand: Shreeji • Material: Plastic • Is It Waterproof: Waterproof • Width: 2.5 mm • Length: 42 mm • Type: Night Vision • Summary: Comfortable to use over long periods Fine finish
47		RCC Groove Cutter Machine	■ 50000 / Piece Get Latest Price	• Power Source: Electric • Brand/Make: SHREEJI • Model Name/Number: SI-2120 • Driving Method: Electric • Brand: Shreeji • Capacity: 14" • Cutting Material: Concrete • Drive Mechanism: Manual • Handel Adjustable: Yes • Type: Diesel Engine • Summary: Power:7.5 H.P.. 3 phase. 2900 R.P.M. Electric Motor Maximum cutting Depth 5"
48		Single Wheel Barrow	■ 5200 / Piece Get Latest Price	• Tray Capacity: 90 L • Load Capacity: 150 kg • Wheel Type: Pneumatic • Number Of Wheels: 1 • Tray Material: Mild Steel • Frame Material: Mild Steel • Loading Capacity(Kg): 50 kg, 0.1 cum • Tray Shape: Pan • Wheel Diameter: 12 inch • Handle Type: Straight • Summary: Enhanced service life Operational fluency
49		Bosch Gsh 11 E Demolition Hammer	■ 30000 / Unit Get Latest Price	• Tool Length: All Leanth • Weight: 5 kg,15 kg • Usage/Application: Laboratory • Brand: Bosch • Material: Brass • Warranty: 1 month
50		Jaw Crusher Machine	■ 75000 / Unit Get Latest Price	• Voltage: 220/240V • Automation Grade: Automatic • Frequency: 60Hz • Country Of Origin: Made in India • Surface Treatment: Color Coated • Summary: Designed to speed up crushing of Aggregates, Ores, Mineral, Coal and Similar Materials Compact and rugged for laboratory and small production units
51		Length Thickness Gauge	■ 1100 / Unit Get Latest Price	• Material: Brass • Brand: Shreeji • Country Of Origin: Made in India • Packaging Type: Box • Usage: Laboratory
52		Nautical Brass Alidade	■ 2250 / Unit Get Latest Price	• Type: Plain • Material: Brass • Packaging Type: Box • Diameter Of Lens: 2mm • Usage/Application: Land Survey • Brand: Shreeji • Size: 9 Inch • Height: 5 Inch • Summary: Excellent in quality Fine finish
53		Handheld Digital Compass	■ 2100 / Number Get Latest Price	• Material: Plastic • Usage/Application: Laboratory • Display Type: Digital • Weight: 70 gm • Dimension: 2.1x3.25x.88 inches WxHxD • Brand: Bushnell • Summary: Superior performance Easy installation


#	Image	Product Name	Price (INR)	Description & Specifications
54		Compression Testing Machine	■ 36500 / UNIT Get Latest Price	Capacity: 1000 kN • Automation Grade: Manual • Display Type: Analog • Usage/Application: CONCRET CUBE TESTING • Gauge: MASTA • Brand: SHREEJI • Material: IRON • Country Of Origin: Made in India • Summary: Being a well established-organization, we are engaged in manufacturing and supplying Electric Cube Testing Machine Dual Gauges. Our offered gauges are manufactured utilizing finest quality material and advanced technology following the standards of industry. The gauges offered by us are ideal for concrete, cement, tube, brick compression and flexural test. We are giving these gauges from us on diverse specifications. Innovative design
55		Digital Compression Testing Machine	■ 130000 / Piece Get Latest Price	Control Type: Semi automatic • Phase: Single phase • Service Location: gujarat • Max Cube Size: 300 mm • Accuracy Class: Class 1 • Data Output: RS232 • Display Type: Digital • Usage/Application: CUBE TESTING MACHINE CALIBRATION • Gauge: ALL INSTRUMENTS CALIBRATION • Mode Of Repairing: Replacing Damaged Parts
56		Gold Metal Detector	■ 75000 / Piece Get Latest Price	Range: 10 Feet • Alarm Mode: Sound • Model Name/Number: 4 meter, 6 meter, 2 meter, 8 meter • Country Of Origin: Made in India • Feature: Built in Speaker, Rechargeable Batteries, Sensitivity Adjustment • Display Type: Digital • Summary: Detection Alarm Metal Type Recognition: All Metals

Category: Aggregate Testing Equipments (23 Products)

#	Image	Product Name	Price (INR)	Description & Specifications
1		Aggregate Crushing Value Apparatus	■ 6500 / Unit Get Latest Price	Cylindrical Container: 150 mm +0.5 mm dia x 130 mm to 140 mm • Base Plate: 200 to 230 mm. sqr x 6mm • Plunger: 148mm +0.5mm dia x 100 to 115 mm high • Tamping Rod: 16mm dia x 600mm long • Metal Measure: 115 +0.5 mm dia x 180 0.5 mm high • Summary: Under the strict guidance of seasoned professionals, we are manufacturing and supplying Aggregate Crushing Value Apparatus. Our offered apparatus are manufactured utilizing finest quality material and advanced technology following the standards of industry. The apparatus offered by us are checked in terms of quality before delivering at customers end. We are giving these apparatus from us on diverse specifications. Superior performance
2		Tile Abrasion Testing Machine	■ 48000 / Piece Get Latest Price	Usage: Abrasion Tester • Voltage: 440 Volt • Power: Electric • Phase: 3 Phase • Display: Automatic digital • Dimension: 1100x780x100mm
3		Flakiness and Elongation Gauge	■ 1050 / Unit Get Latest Price	Material: Stainless Steel • Packaging Type: Box • Weight: 480g • Nominal Size: 1.8 mm • Usage: Laboratory • Summary: Corrosion resistance Fine finish

#	Image	Product Name	Price (INR)	Description & Specifications
4		Aggregate Density Basket	■ 1050 / Piece Get Latest Price	- Material: Made of brass with stainless steel wire mesh - Height: 20 cm high - Wire Mesh Size: 6.3 mm - Diameter: 20 cm - Shape: Round - Type: Complete with handle - Summary: We are successfully engaged in offering a commendable array of Density Basket. The offered density basket is designed keeping in mind the standards of market using excellent quality of material. This density basket is used for density tests on aggregates as per procedure laid down and are known for their longer service life. Customers can easily avail this density basket from us in a confine time at nominal rates. Superior performance
5		Bulk Density Basket	■ 7200 / Unit Get Latest Price	- Capacity: 3 LTR,15 LTR,30 LTR - Material: Brass - Application: CONSTRUCTION - Brand: Shreeji - Country Of Origin: Made in India
6		Riffle Sample Divider	■ 12500 / Piece Get Latest Price	- Feeding Size: Not more than 10mm - Sample Quantity: 6pcs or 8pcs - Feeding Volume: not more than 4000ml - Sample Bottle Volume: 100/300/500ml - Time Setting: 1-99min - Sample Flow Rate: 0-5l/min - Power Supply: 220V - Frequency: 50Hz - Total Weight: About 80kg - Dimension: 520x400x830mm
7		Riffle Sampler Divider	■ 8500 / Unit Get Latest Price	- Brand: Shreeji - Dividing Quantity: 200-1500g - Motor Power: 25W - Motor Rotational Speed: 0-1440r/min - Dividing Error: + 0.5% per kilogram - Working Voltage: 220V 50Hz - Summary: Dividing quantity: 200-1500g Motor power: 25W
8		Electrically Operated Bitument Extractor	■ 7000 / Number Get Latest Price	- Automation Grade: Manual - Material: Cast Iron - Brand: SHREEJI - Hand Operated: Yes - Installation Services: No - Packaging Type: Box - Surface Treatment: Color Coated - Summary: Centrifuge Extractor (Motorized): Same as above but shaft is rotated by an electric motor and gear. Care is taken to prevent solvent entering into the rotor of electrical motor.
9		Vibrating Machine	■ 22500 / Piece Get Latest Price	- Max Weight: 0-200 kg - Power: 1-2 kw, 0-1 kw - Vibrating Range (Amplitude): 2-3 mm, 1-2 mm - Frequency: 50/60 hz - Automation Grade: Automatic - Portable: Yes - Power Source: Electricity - Summary: We are offering our clients with Vibrating Machines that are also known as Mould Vibrator or Mortar Cube Vibrator. These concrete moulds are easily cast by using a tamping bar or a vibrating table. However air tapped in cement mortar paste can not be thus removed while casting cement mortar moulds. Easy method is to impart greater vibration of lesser amplitude to the mould while casting. This is achieved in a vibrating machine. Vibration machine is used for the preparation of mortar cubes for the determination of compression strength of ordinary and rapid hardening Portland cement, low heat portland cement, portland bleast furnace cement and high alumina cements. Specifications:
10		Flexural Testing Machine	■ 48500 / Unit Get Latest Price	- Capacity: 50 kN - Control Type: Analog - Loading Type: Hydraulic - Automation Grade: Manual - Material: Iron - Specimen Type: Concrete Beam - Power Supply: Manual - Support Span: 150-700 mm - Make: SHREEJI - Warranty: 1 YEAR - Summary: Long service life Corrosion resistance

#	Image	Product Name	Price (INR)	Description & Specifications
11		Deval Abrasion Testing Machine	■ 55000 / Unit Get Latest Price	• Specimen Size: 200 x 200 mm • Revolution Counter: Mechanical • Standard: IS 1237 • Material: Mild Steel • Disc Diameter: 200 mm • Abrasive Charge: 20 N • Phase: 3 ph • Grade: Semi-Automatic • Frequency: 50Hz • Voltage: 3 ph • Summary: Optimum strength Corrosion resistance
12		Aggregate Crushing Value	■ 7500 / Unit Get Latest Price	• Cylinder Size: 150x130 mm • Plunger Size: 148x100 mm • Body Material: Mild Steel • Hammer Weight: 13.5 kg • Standard: IS 2386 • Accessories: Tamping Rod • Material: Cast Iron • Brand: Shreeji • Automation Grade: Manual • Packaging Type: Box • Summary: For Measuring of Resistance of Aggregate to Crushing. Specification:
13		Low Temperature Water Bath	■ 48500 / Number Get Latest Price	• Material: Stainless Steel • Temperature Range: 5 deg c to 50 deg c • Automation Type: Semi-Automatic • Color: Grey • Chamber Size: 250 x 200 x 200 mm
14		Aggregate Impact Tester	■ 7500 / Unit Get Latest Price	• Voltage: 220 V • Speed: 28-30 RPM • Packaging Type: Box • Brand: Shreeji • Usage: Laboratory • Summary: We are engaged in providing our clients with Dorry Abrasion Testing Machines that are procured from the reliable manufacturers of the market. Our products are widely used in various industries and sectors for diverse applications. Furthermore, our products are available in various sizes & designs at most competitive prices to fulfill their exact requirements and demands. Specification:
15		Bulk Density Cylindrical Measure	■ 7500 / Number Get Latest Price	• Shape: Round • Material: Mild Steel • Speed: 1500 RPM • Surface Treatment: Color Coated • Working Temperature: 0~50 Degree C • Linear Speed: 25 m/s • Summary: highest input shaft speed is not more than 1500 RPM. the gear meshing linear speed is not more than 25 m/s;
16		cool and hot room thermometer	■ 450 / Unit Get Latest Price	• Usage/Application: Laboratory • Material: Brass • Temperature Range: -58 to 536 Degree F, -50 to 280 Degree C • Power: 2 kW • Brand: Shreeji • Packaging Type: Box
17		Los Angeles Abrasion Testing Machine	■ 75000 / Unit Get Latest Price	• Usage/Application: Laboratory • Material: Mild Steel • Power: 5 kW • Frequency: 60 Hz • Voltage: 240 V • Summary: The Los Angeles abrasion-testing machine is used for determining the resistance to wear, of small sized aggregates and crushed rocks. It consist of a hollow cylinder, which is mounted on a sturdy frame having ball bearings. Rotational speed of the drum is 30-33 rpm, which is powered by an electric motor supply with 12 abrasive charges of 48 mm.our company shreeji instrument are leading suppler in this instruments in pan india. Salient Features Hollow cylinder mounted on a sturdy frame
18		Specific Gravity Buoyancy Balance	■ 38500 / Unit Get Latest Price	• Application: CONSTRUCTION USER • Capacity: 200 g • Readability: 0.1 g • Sample Type: Solid + Liquid • Measurement Range: 0~3 g/cm³ • Fixture Type: Density Kit • Use: Industrial • Material To Be Measured: Metals • Pan Size: 100 mm • Display Type: LCD


#	Image	Product Name	Price (INR)	Description & Specifications
19		Pycnometer Bottle With Brass Cone	■ 850 / NOS Get Latest Price	• Capacity: 100 ml • Type: Specific Gravity • Calibration Temp: 27°C • Type Of Glassware: Heavy Wall Glass • Material: Glass • Design Type: Bottle • With Thermometer: No • Standard: ASTM • Usage/Application: Chemical Laboratory • Packaging Type: Box
20		Viscometer Standard Tar Viscometer	■ 14500 / Unit Get Latest Price	• Number Of Cups: 1 Cup • Bath Type: Oil & Water Bath • Temperature Range: 0–200°C • Cup Type: Bitumen Cup • Heating Control: Thermostatic • Usage/Application: Laboratory • Power Supply: 230 V AC • Power Source: Electric • Brand: Shreeji • Bath Material: Stainless Steel
21		Hot Plate Rectangular	■ 5500 / Piece Get Latest Price	• Application: Hot Plate • Power Source: Electricity • Shape: Square • Automation Grade: Automatic • Portable: Yes • Material: Stainless Steel • Summary: Our clients can avail from us Hot Plates (Rectangular) that are procured from the reliable vendors of the market. These are made of thick PCRC sheet-power coated or stainless steel (S.S.304). In our products, top plates are made of heavy C.I. or stainless steel and are fixed with the body in such a way that the body gets minimum heat, while the top plate is fully heated. Apart from this, our products are available with pilot indicating lamps, power plug and cord wire to work on 220/230 AC, Single phase. These products are also available with three heat control switch and energy regulator.
22		Brass Frame Testing Sieve 200mm	■ 750 / Piece Get Latest Price	• Diameter: 8 inch • Country Of Origin: Made in India • Brand: Shreeji • Color: Gold • Packaging: Box • Summary: We are offering a quality range Test Sieves, which are widely appreciated for high consistency, fit and stable functions. These are sourced from reliable vendors of the industry and are offered in customized solutions to meet client's requirements and specifications. Our range of Test Sieves are manufactured for various Household and Industrial usages. B.S.S(410/1969)Mesh Nos
23		Testing Sieves	■ 800 / Number Get Latest Price	• Aperture Size: 90 µm • Sieve Diameter: 8 inch • Frame Material: Brass • Diameter.: 8" • Mesh Type: Wire Mesh • Mesh Material: Brass • Compliance Standard: IS 460 • Mesh Size: 1mm • Material: Brass • Brand: shreeji.jayant • Summary: Compact design Easy operation


Category: Surveying Instruments & Total Stations (75 Products)

#	Image	Product Name	Price (INR)	Description & Specifications
1		Sokkia Total Station Im 55	■ 325000 / Unit Get Latest Price	• Model: IM55 • Model Name/Number: IM 55 • Angle Accuracy: 5" • Prism Range: 5000 m • Distance Accuracy: ±2 mm+2 ppm • Laser Type: Red Laser • Number Of Prism: Single • Data Storage: USB Pen Drive • Brand: SOKKIA • Distance Measurement: 1 km • Summary: 2 GB External Memory Absolute Encoding

#	Image	Product Name	Price (INR)	Description & Specifications
2		Sokkia Im 55 Total Station	■ 310000 / Piece Get Latest Price	Model Name/Number: IM 55 • Brand: SOKKIA • Usage/Application: Land Survey • Distance Measurement: 1000 METER • Angle Measurement Accuracy: 5" • Summary: Justifying our reputation in this market, we are readily immersed in the arena of offering to our patrons a broad consignment of Sokkia IM 55 Total Station. Other Details:
3		Sokkia Total Station Im 55 in Jamnagar	■ 325000 / Set Get Latest Price	Model Name/Number: IM 55 • Number Of Prism: Single • Brand: SOKKIA • Distance Measurement: 1000 METER • Usage/Application: Survey • Magnification: 32X • Resolving Power: 2.5 inch • Material: Brass • Minimum Readout: 0.5 mm • Minimum Focus: 0.5m • Summary: The iM-100 (Intelligent Measurement Total Station) incorporates all the features you need at a cost-efficient price. It will handle your most demanding survey layout or as-built project needs. You get fast, accurate, and powerful EDM technology, best-in-class accuracy up to 5,000 m with a prism and up to 1000 m in reflectorless mode, and a battery life of up to 28 hours. The iM-100 is ready to be your hardest worker out in the field. Features: SOKKIA iM 100 achieves Prism level distance accuracy on non-Prism & Sheet mode. Fast, accurate and powerful EDM measures with accuracy 1.5mm Prism mode & 2mm Non Prism, Sheet mode. Dual axis compensation. Internal memory 50000 points & support USB memory upto 32GB. Waterproof IP66 rating (Operating Temp -20 to 60 degrees) Up to 28 hours of battery life. World's First Advanced Security & TS Shield Theft protect instrument tracking system. Other Details: RED-tech Technology Reflectorless EDM. Higher accuracy 2mm on reflectorless mode with Long range upto 1000 mtrs. Fast distance measurement of 0.9s regardless of object. SOKKIA traditional pinpoint precision in reflectorless distance measurement. Reflectorless operation from 30cm to 1000m. Coaxial EDM beam and laser-pointer provide fast and accurate aiming. Ensures Prism level accuracy even with reflective sheets. Double sided backlit keyboard & Guide lights. iM features SOKKIA's original absolute encoders that provide long-term reliability in any job site condition. Dual-axis compensator ensures stable measurements even when setup on uneven terrain. Sokkia's traditional motion clamp and tangent screw are employed to ensure stable angle measurement. IM101 and IM102 feature groundbreaking IACS (Independent Angle Calibration System) technology for extremely reliable angle measurement.
4		Sokkia Total Station Im 101 in Vadodara	■ 520000 / piece Get Latest Price	Model Name/Number: IM 101 • Number Of Prism: Single • Brand: SOKKIA • Distance Measurement: 1 km • Usage/Application: Land Survey • Magnification: 32X • Material: Mild Steel • Minimum Readout: 0.5 mm • Minimum Focus: 0.5m • Battery Backup: 36 hrs • Summary: 50 DegreeC Measuring Time: 1 second Weight (kg): 4KG Battery Type: Li-ion Rechargeable Warranty: 1 year Angle Measurement Accuracy: 1"
5		Sokkia Total Station	■ 330000 / Piece Get Latest Price	Model Name/Number: IM 55 • Packaging Type: Box • Battery Backup: 36 hrs • Warranty: 1 year • Field Of View: 26m/1000m • Accuracy: +/- (3mm+2ppm@ D) • Shortest Sighting Distance: 1.0m • Summary: Shortest Sighting Distance: 1.0m Field of View: 26m/1000m
6		Digital Theodolite	■ 55000 / Unit Get Latest Price	Angle Accuracy: 2" • Telescope Length: 180 mm • Least Count: 1" • Battery Type: Rechargeable Ni-MH • Usage: Levels angle, Alignment of lines • Brand: SETL • Usage/Application: Surveying, Meteorology, Construction, Mining • Magnification: 30x • Display Panel: Double Side • Display Type: Single Side • Summary: Being the preferred choice of our customers, we are indulged in providing a flawless quality range of SETL Digital Theodolite to our customers. This SETL Digital Theodolite provides correct and accurate measurements during survey and mapping of a large scale area. Also, these products are nominal in prices. Specification:

#	Image	Product Name	Price (INR)	Description & Specifications
7		Sokkia Electronic Digital Theodolite	■ 185000 / Unit Get Latest Price	• Model Name/Number: DT 02 • Display Panel: Double Side • Usage/Application: Surveying • Material: ABS, Aluminium • Magnification: 24X • Summary: Quality, Performance, and Affordability that Ensure Maximum Profitability The laser models incorporate built-in coaxial laser pointers that maximize construction work efficiency. The applications include: - Layout (Setting-Out) - Horizontal/Vertical Alignment - Leveling - Grading - Squaring
8		Garmin GPSMAP 64 Devices	■ 28500 / Unit Get Latest Price	• Screen Size: HAND HELD • Usage/Application: Hand Held • Type: Wireless • Model Name/Number: Etrex 10 • Brand: Garmin • Summary: Specifications: 2.6" sunlight-readable color screen
9		Garmin 64s GPS Devices	■ 29500 / Unit Get Latest Price	• Screen Size: 2.5 Inch • Type: Wireless • Model Name/Number: Etrex 10 • Packaging Type: Box • Body Material: ABS • Summary: size: 32 X 54 X 13.5mm Display: 0.96 " OLED 128x64
10		Auto Level Survey	■ 19500 / UNIT Get Latest Price	• Magnification: 32X • Service Type: Building Level Survey • Accuracy Per Km: 1.5 mm • Project Type: Building Project • Compensator Range: ± 15 arc min • Objective Aperture: 32 mm • Shortest Focus: 1.5 m • Deliverables: Level Book • Dust Water Rating: IP54 • Instrument Used: Automatic Level • Summary: Quartz plate with round size diameter 10mm-500mm Quartz plate with square size L: 100mm-500mm W: 10mm-500mm
11		Leica Automatic Level	■ 28500 / Number Get Latest Price	• Magnification: 32X • Accuracy Per Km: 1.5 mm • Compensator Range: ± 15 arc min • Objective Aperture: 32 mm • Shortest Focus: 1.5 m • Dust Water Rating: IP55 • Weight: 1.6 Kg • Accuracy: Per km double run 2.5 mm • Product Code: NA720 • Setting Accuracy: Less than 0.5"
12		Sokkia B40a Automatic Level Instrument	■ 20500 / Unit Get Latest Price	• Usage/Application: Leveling • Color: Blue • Model Name/Number: B40A • Compensator Range: 250 • Bubble: 1 • Brand: SOKKIA • Summary: We bring forth this Sokkia Automatic Level (B40), which is largely admired by the clients for excellent quality and reliable performance even in the harsh environment. Designed with the help of technologically advanced machines and tools, this Sokkia Automatic Level ensures world- class quality and durable working life. The raw materials and components used in the production process of Sokkia Automatic Level (B40), are sourced from reliable vendors in the markets. Thus, this Sokkia Automatic Level (B40) is better than any other automatic level available in the markets. Specifications:
13		Dumpy Level Surveying Instruments	■ 8500 / Piece Get Latest Price	• Telescope Model: DL-9 • Image Erect Magnification: 24 • Field Of View: 1 Degree 15' • Resolution: 0.01 cm at 100 mt • Short Focus: 2.5 mm • Sensitivity: 45 Degree /2 mm • Objective Aperture: 40 mm • Summary: Light weight Easy installation
14		sun Automatic Levels	■ 14500 / UNIT Get Latest Price	• Magnification: 32X • Accuracy Per Km: 1.5 mm • Compensator Range: ± 15 arc min • Objective Aperture: 32 mm • Shortest Focus: 1.5 m • Dust Water Rating: IP55 • Usage/Application: Industrial • Staff Length: 4 m • Summary: Quartz plate with round size diameter 10mm-500mm Quartz plate with square size L: 100mm-500mm W: 10mm-500mm

#	Image	Product Name	Price (INR)	Description & Specifications
15		Bruton Compass equipment	■ 3850 / Piece Get Latest Price	• Measurement Type: Strike Dip • Housing Material: Aluminum • Clinometer: Built In • Material: Brass, Acrylic • Scale Graduation: 0.5 Degree • Liquid Filled: Yes • Usage: Geological • Illumination: Luminous Marking • Carrying Case: Leather Case • Country Of Origin: Imported • Summary: Fast needle Ultra Stable needle, needle settling time: very fast (0.5-1sec)
16		Dumpy Level Theodolite	■ 8000 / Piece Get Latest Price	• Accuracy: +/- 2-3 mm / km • Telescope Model: 9 • Length: 288 mm • Magnification: 28x • Objective Aperture: 38mm • Object Glass Diameter: 40mm • Short Focus: 1.5m • Stadia Ratio: 024000 AM • Circle Diameter: 95 mm • Graduation: 10 minutes
17		Transit Vernier Theodolite	■ 15500 / Unit Get Latest Price	• Resolving Power: 4" • Field Of View: 2.6 M at 100M • Material: Aluminum • Short Focus: 1.5M • Stadia Ratio: 1100 • Length: 178 mm • Magnification: 25X • Effective Aperture: 38mm • Circle Diameter: HZ113mm, V100 mm • Summary: We are engaged in providing our clients with Transit Verniers Theodolites that are procured from the reliable manufacturers of the market. All our products are widely used in various industries and sectors for diverse applications. Apart from this, our products are available in various sizes & designs at most competitive prices to fulfill their exact requirements and demands. Magnification
18		Survey Measuring Chain	■ 3250 / Unit Get Latest Price	• Usage/Application: Industrial • Brand: SHREEJI • Measuring Range: 30 Meters • Length: 2-3 Feet • Material: MS • Surface Finished: Polished • Summary: Measuring chain resistance, to ensure that the range of $2.5 \pm 20\%$ Ω Measuring distance space of the SELV two parts, denoted as X, unit (/ cm)
19		Brass Sextant With Box	■ 3250 / Piece Get Latest Price	• Packaging Type: Box • Size: 3" x 3" x 1.75" • Material: SS • Finish: Antique • Summary: Export quality Reasonable price
20		Precision Measuring Instrument	■ 5000 / Number Get Latest Price	• Model: HZ-2008 UV • Uv Temperature: 50 Degree C - 75 Degree C • Testing Capacity: 48 piece (75 x 150m m), 50 piece (75 x 150m m) • Dimension: 137 x 53 x 136cm (W x D x H) • Weight: 136kg
21		Aluminum Tripod Stand	■ 3000 / Piece Get Latest Price	• Tripod Type: Aluminium Tripod • Max Height: 1.8 m • Head Type: Flat Head • Clamp Type: Quick Clamp • Mount Thread: 5/8 in • Material: Aluminium • Model: AT-1 • Tripod: Head Flat • Head Size: 150 (mm) • Head Bore: 60 (mm) • Summary: We are engaged in offering our clients with Stands (Tripod) that are procured from the reliable vendors of the market. Conform to international quality norms, our products are available in various sizes, shapes and designs at market leading prices. In addition to this, all our products are thoroughly checked by expert quality controllers to ensure flawlessness. Tripod Head
22		Rodometer	■ 3650 / Number Get Latest Price	• Wheel Diameter: 318 mm (12 in) • Type: MANUAL • Measuring Range: 10000 METER • Display Type: Analog Counter • Wheel Material: Aluminium • Usage/Application: Distance Measurement • Application: Industrial • Foldable Handle: Yes • Brand: Shree Ji • Model Name/Number: GMT Q70

#	Image	Product Name	Price (INR)	Description & Specifications
23		Micro Optic Theodolites	■ 15550 / Unit Get Latest Price	• Magnification: 24X • Usage: Levels angle, Alignment of lines • Usage/Application: Surveying, Construction, Meteorology, Mining • Material: Stainless Steel, SS • Surface Treatment: Color Coated • Summary: Owing to the extensive industry experience, we are capable of providing our customers General Micro Optic Theodolites. Our products are procured from the trustworthy vendors of the market, who make these as per international quality norms & standards. Further, our products are available in various sizes, shapes & designs at industry leading prices. Product detail:
24		Telescopic Alidade Sight	■ 3500 / Unit Get Latest Price	• Material: Brass • Height: 5-6 inch • Country Of Origin: Made in India • Length: 8-12 inch • Surface Finish: Polished • Summary: Reliable and efficient Robust construction
25		Abney Hand Level	■ 2950 / Unit Get Latest Price	• Color: Yellow • Usage/Application: Industrial • Circle Diameter: 60MM • Vernier Graduation: 10' • Frame: Metal frame
26		Steel Ranging Rod 3mtrs	■ 1250 / nos Get Latest Price	• Weight: 0.75 Approx K.g • Model: R- 1 • Length Per Sec: 1 Meter • Extended Length: 2 (Mtr) • Nos Of Sec: 2 • Diamter Of The Sec: 25 (mm) • Thick Of The Sec: 1.5 (mm) • Package: 10 (Pcs. per Carton) • Summary: We are instrumental in offering our clients with Ranging Rods that are known for their dimensional accuracy, wear & tear resistance and longer functional life. All our rods are available in various sizes, shapes and designs at affordable prices to meet customers requirements. Moreover, all our products are packed using premium packaging material to ensure complete safety during transportation. Length Per Sec. (Mtr)
27		Steel Ranging Rods	■ 750 / Unit Get Latest Price	• Specific Gravity: 2.6~2.8g/cm3 • Bend Strength: Greater than 300kg • Hardness: Greater than 9 MOHS • Tensile Strength: Greater than 150kg/cm3 • Porosity Rate: Less than 30%
28		Tangent Clinometer	■ 3500 / Unit Get Latest Price	• Usage/Application: Survey • Packaging Type: Box • Ac Voltage: 250V • Dc Voltage: 24 V • Frequency: 50/60Hz • Summary: Excellent functionality Sturdy construction
29		Total Station Calibration Services	■ 8500 / Meter Get Latest Price	• Brand: Pentax • Usage/Application: Land Survey • Magnification: 30X • Angle Accuracy: 2" • Made In: India • Summary: We offer our clients Total Station Calibration Services across country at competitive prices.
30		Total Station South N4 In Gandhinagar	■ 240000 / Unit Get Latest Price	• Brand: SOUTH • Usage/Application: Land Survey • Angle Measurement Angle Accuracy: 2" • Telescope Shortest Focus Distance: 1.5m • Angle Measurement Method: Absolute Code • Angle Measurement Minimum Reading: 1" • Compensator Setting Accuracy: 1" • Compensator System: Single-axis liquid-electric tilt sensor Compensator • Compensator Working Range: +/- 3' • Telescope Magnification: 30X • Summary: Rugged design Compact size

#	Image	Product Name	Price (INR)	Description & Specifications
31		Garmin Oregon 750	■ 56000 / Piece Get Latest Price	• Screen Size: 3.5 Inch • Type: Wireless • Packaging Type: Box • Usage/Application: HAND USE • Brand: garmin • Summary: High-sensitivity dual GPS and GLONASS satellite reception for better performance in challenging environments than GPS alone Redesigned antenna enables better reception and performance; 3-axis compass with accelerometer and barometric altimeter sensors
32		Garmin eTrex 10 GPS	■ 14500 / Unit Get Latest Price	• Screen Size: 3.5 Inch • Type: Wireless • Usage/Application: hand haled • Mobile Access: No • Brand: Garmin • Condition: New • Summary: Light-weight Water-proof
33		GARMIN GPS 72H Devices	■ 21500 / Piece Get Latest Price	• Screen Size: 2.5 Inch • Type: Wireless • Usage/Application: Car • Mobile Access: No • Summary: GPS 72H, a lightweight, waterproof handheld that floats. Simple yet robust, the GPS 72H features high-sensitivity GPS and a USB connection along with its large screen, simple operation and rock-solid performance. Find your way effortlessly with the GPS 72H's high-sensitivity GPS receiver. GPS 72H acquires satellite signals quickly and tracks your location in challenging conditions, such as heavy tree cover or deep canyons. Use on Land or Water
34		Garmin ETrex 20 Devices	■ 26500 / Unit Get Latest Price	• Brand: Garmin • Display: 2.2" 65K color, sunlight-readable • Batteries: 25-hour battery life with 2 AA • Usage: Laboratory • Storage: 1.7 GB • Summary: Specifications: Worldwide basemap
35		Garmin eTrex 20 GPS Devices	■ 19500 / nos Get Latest Price	• Screen Size: 2.5 Inch • Type: Wireless • Usage/Application: Car • Mobile Access: No • Brand: GARMIN • Summary: Reliable GPS Expanded mapping capabilities
36		Garmin- Etrex-22x GPS Tracking Device	■ 24500 / Piece Get Latest Price	• Screen Size: 2.6 inch • Battery Type: AA • Brand: garmin • Weight: 141 g • Battery Life: 25 hours • Maximum Range: 1 m • Warranty: 1 Year • Type: Wireless • Color: Black • Display Resolution: 128 x 160 pixels • Summary: Waypoints: 2000 Track log: 10,000 points, 200 saved inks
37		Garmin eTrex 30 GPS Devices	■ 28500 / Unit Get Latest Price	• Screen Size: 2.5 Inch • Battery Type: AA • Brand: GARMIN • Weight: 141 g • Battery Life: 25 hours • Maximum Range: 1 m • Mobile Access: No • Type: Wireless • Summary: Reliable operation User-friendly

#	Image	Product Name	Price (INR)	Description & Specifications
38		Garmin GPSMAP 78s Devices	■ 23500 / Unit Get Latest Price	- Product Line: Garmin Etrex - Screen Size: 2.5 Inch - Device Type: Handheld GPS - Usage: Marine, Aviation, Outdoor - Power Source: Internal Battery - Ingress Protection: NOS - Packaging Type: Box - Mobile Access: No - Features: Topo Maps - Color: Grey and Black - Summary: For boaters and watersports enthusiasts who want to run with the best, the rugged GPSMAP 78s features a 3-axis compass, barometric altimeter, crisp color mapping, high-sensitivity receiver, new molded rubber side grips, plus a microSD™ card slot for loading additional maps. And it floats! You've been busy exploring and now you want to store and analyze your activities. With a simple connection to your computer and to the Internet, you can get a detailed analysis of your activities and send tracks to your outdoor device using Garmin Connect™. This one-stop site offers an activity table and allows you to view your activities on a map using Google™ Earth. Explore other routes uploaded by millions of Garmin Connect users and share your experiences on Twitter® and Facebook®. Getting started is easy, so get out there, explore and share.
39		Garmin Montana 650 Devices	■ 62500 / Piece Get Latest Price	- Screen Size: 2.2 inch - Battery Type: AA - Brand: Garmin - Weight: 141 g - Battery Life: 25 hours - Maximum Range: 1 m - Camera: 5 MP - Display Resolution: 128 x 160 pixels - Power Consumption: 2 W - Operating Temperature: -20 - 60 degree c - Summary: Specifications: 4" dual-orientation, glove-friendly touchscreen display
40		Garmin Montana 680 Devices	■ 62500 / Piece Get Latest Price	- Screen Size: 2.6 inch - Battery Type: AAA - Brand: Garmin - Weight: 141 g - Battery Life: 25 hours - Maximum Range: 1 m - Camera: 8 mega pixel - Display: Touch Screen - Compass: 3 axis - Display Size: 4.5" - Summary: Specifications: 4-inch dual-orientation, glove-friendly touchscreen display
41		GARMIN eTrex 30 Devices	■ 23800 / Number Get Latest Price	- Screen Size: 3.5 Inch - Type: Wireless - Mobile Access: No - Brand: GARMIN - Body Material: ABS - Summary: Specifications: Worldwide basemap
42		Garmin Monterra	■ 48500 / Unit Get Latest Price	- Screen Size: 2.5 Inch - Battery Type: AA - Brand: GARMIN - Weight: 141 g - Battery Life: 25 hours - Maximum Range: 1 m - Usage/Application: Mobile - Mobile Access: No - Type: Wireless - Internal Memory: 16 GB - Summary: Bluetooth® wireless technology: yes Wi-Fi connectivity: yes
43		Auto Level Instrument, Model Name/Number: B-40a	■ 20500 / Piece Get Latest Price	- Usage/Application: Land Survey - Model Number: B40A - Brand: SOKKIA - Country Of Origin: Made in India - Magnification: 24X
44		Sokkia Auto Level Instrument	■ 20500 / Piece Get Latest Price	- Magnification: 32X - Usage/Application: Survey - Accuracy Per Km: 1.5 mm - Compensator Range: ±15 arc min - Packaging Type: Box - Objective Aperture: 32 mm - Shortest Focus: 1.5 m - Dust Water Rating: IP55 - Brand: Sokkia - Size: 32x

#	Image	Product Name	Price (INR)	Description & Specifications
45		Sokkia B40 Auto Level Instrument	■ 20500 / Piece Get Latest Price	• Magnification: 32X • Usage/Application: Leveling • Accuracy Per Km: 1.5 mm • Compensator Range: ±15 arc min • Packaging Type: Box • Material: Brass • Objective Aperture: 32 mm • Shortest Focus: 1.5 m • Dust Water Rating: IP55 • Brand: Sokkia • Summary: 3 Models - 32x, 28x, and 24x Magnifications 3 Models - 32x, 28x, and 24x Magnifications
46		Leica Auto Level Instrument	■ 19500 / Unit Get Latest Price	• Usage/Application: Survey • Accuracy Per Km: 1.5 mm • Compensator Range: ±15 arc min • Objective Aperture: 32 mm • Shortest Focus: 1.5 m • Dust Water Rating: NOS • Brand: LEICA • Model Number: NA 324 • Includes Tripod: Yes • Includes Staff: Yes • Summary: 24x Magnification; 2.0 mm Standard Deviation per km (double-run leveling), Telescope: 36 mm clear objective aperture,
47		Leica NA324 Automatic Level	■ 19500 / Unit Get Latest Price	• Usage/Application: Leveling • Accuracy Per Km: 1.5 mm • Compensator Range: ±15 arc min • Color: Black • Objective Aperture: 32 mm • Shortest Focus: 1.5 m • Dust Water Rating: IP55 • Model Name/Number: NA324 • Minimum Focus: 32X • Resolving Power: 4"
48		GPS Navigation Device	■ 45000 / Piece Get Latest Price	• Screen Size: 7 inch • Brand: Garmin • Display Type: TFT • Usage/Application: MAPPING • Type: Wireless • Display Resolution: 800 x 480 pixels • Model Name/Number: Etrex 32x • Packaging Type: Box • Power Consumption: 2 W • Battery Life: 16 hours
49		Survey Instruments Accessories	■ 1000 / Piece Get Latest Price	• Instrument Type: Accessory • Brand: Topcon • Application: Land Survey • Usage: Land Survey • Power Source: Rechargeable • Material: Plastic POM/PA • Ingress Protection: IP54 • Packaging Type: Box • Size: 0.75" 1" 1.2" 1.5" 2" • Prism Pole: Leica/ Sokkia type • Summary: Downloading Cables Plastic Boxes
50		Digital Measuring Wheel and Rodo Meter	■ 3850 / Piece Get Latest Price	• Color: Black Yellow Silver • Material: Aluminum alloy PC • Max Measuring Distance: 9999.99 m • Accuracy: 0.5% • Minimum Display Value: 0.01m • Powered By: 2 x AAA batteries • Wheel Diameter: 15.7 cm • Summary: With metric and inch dual system With digital display and memory
51		GPS Survey Equipment	■ 24500 / Piece Get Latest Price	• System Type: Handheld GIS • Receiver Type: Single freq • Horizontal Accuracy: <0.5 m • Usage/Application: SURVEYING • Screen Size: 3.5 inch • Gnss System: GPS+GLONASS • Positioning Mode: DGPS • Data Interface: 4G modem • Type: Wireless • Range: SETLATIE • Summary: Quartz plate with round size diameter 10mm-500mm Quartz plate with square size L: 100mm-500mm W: 10mm-500mm
52		Data Downloading Cable	■ 5000 / Unit Get Latest Price	• Brand: sokkia,topcon • Usage/Application: Survey • Packaging Type: Box • Weight: 25 g • Length: 1 m • Power Souce: Electric • Summary: Temperature resistance Optimum quality

#	Image	Product Name	Price (INR)	Description & Specifications
53		Rodometer Measuring Wheel	■ 3850 / Piece Get Latest Price	• Measuring Range: 10000 • Brand: Freemans • Usage/Application: Distance Measurement • Model Name/Number: LDM 100H • Range: 100 meter • Warranty: 6 month • Handle Grip Material: PVC • Handl Material: Aluminium • Wheel Diameter: 10-15 inch • Summary: Shreeji instruments offer to Freemans Rodo meter 12" aluminum wheel counts up to 10,000 feet (10,000m) with convenient push-button reset
54		Digital Planimeter, Industrial	■ 38500 / Unit Get Latest Price	• Usage/Application: Industrial • Power Source: Electric • Voltage: 240 V • Frequency: 50/60Hz • Display Type: Digital • Summary: With an objective to fulfill the ever evolving demands of our clients, we are engaged in offering a wide assortment of Digital Planimeter. • Robustness • High strength • Impeccable finish
55		Round Optical Square Survey instrument	■ 1000 / Unit Get Latest Price	• Shape: Round • Usage/Application: Survey • Material: Brass • Country Of Origin: Made in India • Packaging Type: Box • Usage: Laboratory
56		Freemans Measuring Tapes	■ 80 / Piece Get Latest Price	• Tape Length: 100 m • Usage/Application: Measurement • Features: Durable • Country Of Origin: Made in India • Packaging Type: Box • Width: 3 Meter - 30 Meter • Thickness: 1-2 mm • Summary: 15 meter, 13mm width 15 meter, 9.5mm width
57		Surveying Line Ranger	■ 2500 / nos Get Latest Price	• Weight: 200 • Light Source: 1310+20nm LD • Fiber: 9/125um Single-mode optical fiber • Interface: FC/PC • Reflection Event: 40 km - 80 km • Non Reflection Event: 20m • Power Supply: 3V 6V • Battery Working Time: Provide 10, 000 times of measurements • Temperature: 0~40 Degree -10~60 Degree • Humidity: 0~85%Non-condensing
58		Bosch GLM 40 - 40m Laser Distance Meter	■ 4500 / Unit Get Latest Price	• Model: GLM 40 • Accuracy: ± 1.5 mm • Laser Class: Class 2 • Usage/Application: Distance Measurement • Functions: Area • Bluetooth: No • Brand: Bosch • Unit Measurements: m/cm,Ft/Inch • Dust And Splash Protection: IP 54 • Measuring Range: 50 Meters • Summary: Distance measurement, area calculation, volume calculation all intuitive to use Illuminated, three-line display maximises readability
59		Leica Total Station Sales	■ 280000 / unit Get Latest Price	• Model: TS01 • Angle Accuracy: 5" • Prism Range: 5000 m • Magnification: 32X • Distance Measurement: 1 km • Reflectorless Range: 500 m • Resolving Power: 2.5 inch • Distance Accuracy: ± 1 mm+1.5 ppm • Number Of Prism: Single • Data Storage: 10000 points
60		Surveying Equipment	■ 280000 / UNIT Get Latest Price	• Usage/Application: Land survey, Leveling Instrument • Packaging Type: Carton • Material: Aluminium • Packaging Size: Customized as per requirement • Summary: Designed to speed up crushing of Aggregates, Ores, Mineral, Coal and Similar Materials Compact and rugged for laboratory and small production units

#	Image	Product Name	Price (INR)	Description & Specifications
61		Plane Table Survey Board	■ 6500 / Number Get Latest Price	• Material: Brass/Aluminium • Usage/Application: Survey • Cover Material: Canvas • Height: 3-3.5 Feet • Table Thickness: 1 inch • Summary: Light weight Easy installation
62		Sokkia Total Station Tribrach With Adaptor	■ 30000 / Piece Get Latest Price	• Brand: SOKKIA • Accuracy: 0.1 mm • Material: SS • Packaging Type: Box • Type: Universal • Color: Yellow • With Optical Plummer: Yes • I Deal In: New • Usage/Application: Laboratory • Country Of Origin: Made in India
63		Skid Resistance Tester	■ 34500 / Unit Get Latest Price	• Weight: 1500g+30g • Length: 126mm+1mm • Gravity: 410mm+5g • Pressure: 22.2N+0.5N • Rubber Size: 6.35mmx25.4mmx76.2mm(pavement) • Center Distance: 510mm+2mm • Rubber Shaw: 55+5 • Gauge: 30mm • Summary: Light weight Optimum performance
64		Vernier Transit Theodolite	■ 14500 / Unit Get Latest Price	• Display Panel: Single Side • Material: Stainless Steel • Brand: SHREEJI • Usage: Alignment of lines • Magnification: 24X • Summary: Rugged design Compact size
65		Handheld GPS Device	■ 56000 / Piece Get Latest Price	• Screen Size: 3.5 Inch • Type: Wireless • Packaging Type: Box • Country Of Origin: Made in India • Summary: High-sensitivity dual GPS and GLONASS satellite reception for better performance in challenging environments than GPS alone Redesigned antenna enables better reception and performance; 3-axis compass with accelerometer and barometric altimeter sensors
66		Industrial Digital Theodolite	■ 65000 / Unit Get Latest Price	• Model Name/Number: DT-02 • Magnification: 32X • Distance Measurement: 500 m • Angle Measurement Accuracy: 5 second • Display Panel: Double Side • Brand: LANGRY • Lcd Display Panel: Double Side • Minimum Readout: 0.5 mm • Battery Backup: 36 hrs • Usage/Application: Surveying • Summary: 50 DegreeC Battery Type: Li-ion Rechargeable Weight: 3KG Warranty: 1 year Battery Operation: YES Keyboard: 2 Least Count: 1"
67		Survey Prism Big	■ 9500 / Set Get Latest Price	• Product Type: Total Station • Packaging Type: Box • Power Source: Battery • Ingress Protection: IP55 • Color: Red and Yellow • Tripod Included: No • Carrying Case: Hard Case • Country Of Origin: India • Body Material: ABS,SS • Size: L 100mm-500mm,W 10mm-500mm • Summary: Quartz plate with round size diameter 10mm-500mm Quartz plate with square size L: 100mm-500mm W: 10mm-500mm
68		Topcon Total Station Os 101 in Vadodara	■ 620000 / Unit Get Latest Price	• Model Name/Number: OS-101 • Distance Measurement: 5 km • Brand: TOPCON • Angle Measurement Accuracy: 1 second • Battery Backup: 20 hrs • Operating Temperature Range: -20 DegreeC • Summary: 50 DegreeC Usage/Application: Land Survey

#	Image	Product Name	Price (INR)	Description & Specifications
69		Topcon Total Station Gm 105	■ 390000 / unit Get Latest Price	• Model: GM-55 • Model Name/Number: GM-55 • Angle Accuracy: 5" • Prism Range: 5000 m • Magnification: 24X • Resolving Power: 2.5 inch • Reflectorless Range: 500 m • Distance Measurement: 1 km • Distance Accuracy: ± 1 mm+1 ppm • Number Of Prism: Double • Summary: 50 DegreeC Battery Type: Li-ion Rechargeable Warranty: 1 year
70		Topcon Total Station	■ 390000 / Piece Get Latest Price	• Model: GM-55 • Model Name/Number: GM-55 • Angle Accuracy: 5" • Prism Range: 5000 m • Reflectorless Range: 500 m • Distance Measurement: 5 km • Distance Accuracy: ± 1 mm+1 ppm • Data Storage: USB Disk • Brand: TOPCON • Usage/Application: Land Survey • Summary: 50 DegreeC Weight: 5.6 Kg Battery Type: Li-ion Rechargeable
71		Big Prism For Total Station	■ 6500 / Piece Get Latest Price	• Usage/Application: Laboratory • Packaging Type: Box • Brand: Shreeji • Material: SS, Aluminium • Surface Treatment: Color Coated
72		Sokkia Sdl50 Digital Auto Level	■ 120000 / Piece Get Latest Price	• Magnification: 32X • Usage/Application: Leveling • Accuracy Per Km: 1.5 mm • Compensator Range: ± 15 arc min • Packaging Type: Box • Objective Aperture: 32 mm • Shortest Focus: 1.5 m • Dust Water Rating: IP55 • Brand: Sokkia • Model Name/Number: SOKKIA
73		Sokkia Auto Level	■ 20500 / unit Get Latest Price	• Instrument Type: Auto Level • Brand: RUUNER • Angle Accuracy: 1" • Packaging Type: Box • Distance Accuracy: ± 1 mm • Measurement Range: Up to 300 m • Data Storage: No Storage • Usage/Application: AUTOMATIC LEVELING • Material: Brass • Summary: 24x Magnification; 2.0 mm Standard Deviation per km (double-run leveling), Telescope: 36 mm clear objective aperture,
74		Geomax Automatic Level	■ 16500 / Number Get Latest Price	• Usage/Application: Leveling • Accuracy: 2.0 mm • Brand: LEICA • Magnification: 32x • Min Focus: 1.0m • Horizontal Circle: 360 deg • Use: Industrial • Summary: Compact design Easy operation
75		Leica Auto Levels	■ 23500 / Unit Get Latest Price	• Usage/Application: Land Survey • Brand: LEICA • Country Of Origin: Made in India • Compensator Setting Accuracy: ± 0.3 " • Sensitivity Of Bubble: 8'/2mm

Category: Safety Shoes & Safety Equipment (32 Products)

#	Image	Product Name	Price (INR)	Description & Specifications
1		Portable Fire Extinguisher	■ 1850 / Unit Get Latest Price	• Capacity: 5 Kg • Color: White • Weight: 5 KG • Working Pressure: 8bar --20bar • Adhesion Strength: Greater than 30n • Length: 10m-30m • Lining: PVC/ Rubber Hose • Inner Diameter: 19mm-300mm • Bursting Pressure: 18bar--60bar • Summary: Best performance against flame Reliable usage
2		Fire Safety Blankets	■ 3500 / Piece Get Latest Price	• Material: Fiberglass • Usage/Application: Fire Fighting • Color: Red • Thickness: 0.13 mm - 3.7 mm • Width: 1-2 m • Packing Type: Bag
3		Underground Metal Detector	■ 75000 / Piece Get Latest Price	• Range: 4 meter • Max Detection Depth: 2 To 3 Meters • Disk Water Resistant Probe: 8.2-Inch • Operating Current: 65mA, Max - 150mA • Signal Frequency: 7.5KHZ (+/- 1KHZ) • Battery: 6 x 1.5V AA Alkaline Batteries • Main Product Weight: 1050g • Summary: Detection Alarm Metal Type Recognition: All Metals
4		Barricade Caution Tape	■ 300 / Unit Get Latest Price	• Tape Type: Barricading Tape • Usage/Application: Warning • Color: Red • Roll: 1 pack of 4 rolls. • Weight: 0.8 Kg • Summary: High durability Optimum quality
5		Shreeji Green Polyester Safety Jackets	■ 75 / Unit Get Latest Price	• Color: Green • Material: Nylon • Size: Free Size • Gender: Unisex • Sleeves Type: Half Sleeves • Usage/Application: Industrial Use • Country Of Origin: Made in India
6		Leather Hand Gloves Red	■ 95 / pair Get Latest Price	• Color: Red • Usage/Application: Industrial • Categories: Safety Gloves • Size: Medium • Material: Leather • Brand: acme • Type: Full Finger • Gender: Unisex
7		Yellow and Orange Polyester Safety Vests	■ 95 / Unit Get Latest Price	• Material: Nylon • Usage/Application: Traffic Control • Sleeves Type: Without Sleeves • Pattern: Net • Color: Green • Size: Medium
8		Cotton Safety Glove	■ 20 / Unit Get Latest Price	• Material: Cotton • Color: White • Glove Material: Cotton canvas cloth • Size: Medium • Pattern: Knitted • Gender: Unisex

#	Image	Product Name	Price (INR)	Description & Specifications
9		Royal Pro Safety Shoes	■ 1569 / pair Get Latest Price	• Usage/Application: Construction • Brand: ROYAL • Gender: Male • Occasion: industrial • Color: Black • Size: 9 • Certification: ISI • Material: Synthetic Leather • Length: Low ankle • Country Of Origin: Made in India • Summary: Design: Design S1Standard-ISO-15298 H, EN-ISO 20345-2011 Upper: Barton Grain Breathable Leather
10		PVC Traffic Cones	■ 300 / Number Get Latest Price	• Color: Red • Material: PVC • Model: Lz-203 • Height: 700 mm • Base Size: 420x420 mm • Weight: 2.3 kg • Summary: Reliability Light in weight
11		Orange Net Safety Jackets	■ 65 / Unit Get Latest Price	• Size: Free Size • Color: Orange • Material: Nylon • Usage/Application: Construction • Brand: acme • Pattern: Net • Sleeves Type: Without Sleeves
12		Safety Equipment Goggles	■ 110 / Piece Get Latest Price	• Material: HDPE, Glass, Plastic • Brand: Shreeji • Packaging Type: Box • Country Of Origin: Made in India • Usage: Laboratory • Summary: Easy to use Longer life
13		Industrial Safety Products	■ 1000 / Unit Get Latest Price	• Product Category: Head Protection • Type: Wheel Stoppers • Application: Construction • Brand Category: Premium • Material: Polyester • Compliance Standard: IS • Material Group: Plastic • Usage Type: Reusable • Packaging Type: Packet • Country Of Origin: Made in India
14		Crane Lifting Belt	■ 1850 / NOS Get Latest Price	• Packaging Type: Packet • Material: Cotton • Color: Green • Length: 1-2 m • Country Of Origin: Made in India
15		Labor Safety Shoes	■ 260 / pair Get Latest Price	• Upper Shoe Material: Leather • Usage/Application: Construction • Sole: PU • Length: Low ankle • Outsole Material: Real Leather • With Lining: Yes • Closure: Laces • Packaging Type: Box • Sole Color: Black • Gender: Male
16		Industrial Lifting Belts	■ 245 / Meter Get Latest Price	• Capacity: 5 ton • Belt Length: 4 m • Belt Width: 100 mm • Material: Nylon, Polyester • Sling Type: Flat Belt • Safety Factor: 5:1 • Color: White Green • Brand: Shree Ji • Structure Type: Roller Conveyor • Ply: 3 Ply

#	Image	Product Name	Price (INR)	Description & Specifications
17		Industrial Safety Shoes	■ 950 / Pair Get Latest Price	• Usage/Application: Construction • Outsole Material: Real Leather • Size: All Sizes • Length: High ankle • Brand: Acme • Application: Construction • Ankle Length: Low Ankle & High Ankle • Features: Acid Resistant & Anti Skid • Available Size: 6 - 11 • Certification: ISI
18		Hillson Safety Shoes	■ 600 / Pair Get Latest Price	• Usage/Application: Construction • Application: Construction • Ankle Length: Medium Ankle & High Ankle • Length: Low ankle, High ankle • Available Size: 6 - 11 • Is It With Lining: With Lining • Material: Leather • Size: 6-11 • Sole Color: Black • Gender: Male • Summary: Product Details:
19		Tiger High Ankle Safety Shoes	■ 1050 / pair Get Latest Price	• Usage/Application: Construction • Color: Black • Sole Type: PU • Size: 8 • Summary: We have specialization in offering a wide assortment of Tiger High Ankle Safety Shoes Known for high durability and thermal resistant, these shoes are very popular among our clients. These high ankle shoes with steel toe cap are suitable to wear for engineering, construction, and chemical industries. Our offered products are procured from trusted vendors, thus ensuring leather quality and hard sole material. These shoes are available with us in different sizes for diverse needs of customers. Anti sweating polyester lining
20		Tiger Safety Shoes	■ 850 / pair Get Latest Price	• Sole Type: Leather • Application: Construction • Shoe Color: Black • Length: Low ankle • Summary: Precisely designed Flawless finish
21		Hillson PU Sole Double Density Safety Shoes	■ 1050 / Pair Get Latest Price	• Ankle Length: Low Ankle • Shoe Color: Black • Available Size: 8 • Sole: Rubber • Certification: ISI • Summary: Product Details:
22		Karam Safety Shoes	■ 1250 / Pair Get Latest Price	• Usage/Application: Construction • Sole: PU • Color: Black • Certification: ISI • Sole Type: PU • Application: Construction • Outsole Material: PU • Ankle Length: Low Ankle, High Ankle • Size: 6 - 11 • Shoe Color: Black • Summary: Description: Worker's Safety Shoe providing safety with comfort.
23		Metro Safety Shoes	■ 850 / Pair Get Latest Price	• Usage/Application: Construction • Size: All Sizes • Certification: ISI • Sole Type: PU • Application: Construction • Outsole Material: Real Leather • Ankle Length: Low Ankle & High Ankle • Available Size: 6 - 11 • Sole: PU • Material: Leather
24		Hillson Rockland Safety Shoes	■ 750 / Pair Get Latest Price	• Size: 6, 7, 8, 9, 10 • Material: PU Sole upper layer made from soft leather, steel toe, inside lining also black. • Brand: Hillson • Code: 968 • Weight: 935 grams • Standard Packing: 60 Pairs • Retail Packing: 20 Pairs

#	Image	Product Name	Price (INR)	Description & Specifications
25		Safety Shoes	■ 900 / Pair Get Latest Price	• Features: Anti-Skid, Acid Resistant • Insole Material: Leather • Sole: PU • Outsole Material: PU • Ankle Length: High Ankle • Lining: Provided • With Lining: Yes • Sole Color: Black & Brown • Available Size: 6 - 11 • Gender: Male • Summary: Product Details:
26		Hillson PVC Gumboot	■ 240 / pair Get Latest Price	• Size: 6 to 10 • Type: Full Size • Application: Suitable for road construction, snow agriculture, chemical industries • Color: Black • Brand: Hillson • Weight: 1400 Grams • Standard Packing: 24 Pairs • Summary: We are one of the leading traders & suppliers of Hillson PVC Gum Boot.
27		Brown Safety Shoes	■ 1050 / pair Get Latest Price	• Usage/Application: Construction • Size: 6 - 11 • Brand: Metro • Length: Low ankle • Sole Color: Black • Sole: PU • Outsole Material: PU • Gender: Male • Closure: Laces • Packaging Type: Box • Summary: With our rich industry experience, we are engaged in offering an extensive assortment of Metro Brown Safety Shoes. These shoes are precisely designed from the best quality leather as well ultra-modern techniques by adept professionals at vendors' end. Our offered shoes give maximum safety and comfort to the wearer due to their sturdy design and impeccable finish. The provided shoes are rigorously tested against diverse quality parameters to ensure their quality. Comfortable to wear
28		Road Barriers Tape	■ 300 / Piece Get Latest Price	• Material: PVC • Usage/Application: Road Barriers • Brand: Shree Ji • Pattern: Printed • Packaging Type: Roll • Size: 250 miter 500 miter , 100 miter • Color: Red/ White, Yellow / White • Summary: High durability Optimum quality
29		Plastic Fence Barrier	■ 12500 / Piece Get Latest Price	• Material: FRP • Size: L 2000 X H 1200 mm • Color: Red, Yellow • Brand: Lion • Code: 2041 • Weight: 12 Kg • Base Width: 50 mm • Standard Packing: 12 Pieces • Retail Packing: 08 Pieces • Summary: We are a noteworthy organization in the domain, occupied in providing superior quality Laboratory Scales. Our offered laboratory scales are manufactured utilizing finest quality material and advanced technology following the standards of industry. The laboratory scales offered by us responds quickly with accurate results. We are giving these laboratory scales from us on diverse specifications. Features: Excellent performance
30		Shreeji PVC Speed Bump	■ 450 / Meter Get Latest Price	• Color: Black • No. Of Bolts: 4 • Bearing Capacity: 2 TOONE • Material: Plastic • Country Of Origin: Made in India
31		Road Safety Traffic Cone	■ 310 / Unit Get Latest Price	• Shape: pvc • Color: Red • Material: PVC • Usage/Application: Road Safety • Flexibility: Yes
32		Safety Information Board	■ 300 / Piece Get Latest Price	• Material: PVC • Usage/Application: Laboratory • Shape: Rectangular • Film Type: Reflective • Installation Type: Wall Mounted • Summary: Weather resistance Flawless finish

Category: Levelling Instruments & Accessories (18 Products)

#	Image	Product Name	Price (INR)	Description & Specifications
1		South Auto Level in Gandhinagar	■ 12500 / Unit Get Latest Price	• Usage/Application: Leveling • Packaging Type: Box • Color: Yellow • Model Name/Number: DSC-24 • Minimum Focus: 32 • Material: ABS • Brand: SOUTH • Summary: Superb sealed structure Friction-braked rotation and endless horizontal drive
2		Bosch GLM 150 Professional Laser Distance Meter	■ 21500 / Unit Get Latest Price	• Measuring Range: 0.05 to 120 m • Model: GLM150 • Accuracy: ± 1.5 mm • Laser Class: Class 2 • Functions: Volume, Pythagoras, Area • Bluetooth: Yes • Range: 150 m • Warranty: 1 YEAR • Power Source: AAA Battery • Brand: Bosch • Summary: With enriched industrial experience and knowledge, we are providing an excellent range of Bosch GLM-150 Professional Laser Distance Meters to our clients. Designed with utmost precision, the offered products are manufactured using optimum quality material and advanced technology by our reliable vendors. Our offered meters are highly acknowledged for excellent design and performance. In addition to this, our products undergo various tests under the supervision of quality controllers, in order to ensure its trouble free performance. Clients can avail these products from us, at market leading rates. Reliability
3		Bosch Optical Level	■ 17500 / Number Get Latest Price	• Magnification: 32X • Accuracy Per Km: 1.5 mm • Compensator Range: ± 15 arc min • Objective Aperture: 32 mm • Shortest Focus: 1.5 m • Dust Water Rating: IP55 • Brand: Bosch • Includes Tripod: Yes • Includes Staff: Yes • Staff Length: 4 m • Summary: Self Leveling Compensator with Transport Lock which protects pendulum in carrying case against damage and loss of calibration Both Horizontal and Vertical Cross-hairs and Stadia Lines - Measures level, alignment & estimates distance
4		GLM100C Professional Laser Distance Meter	■ 19500 / Unit Get Latest Price	• Model: GLM 100C • Accuracy: 0.1 • Measuring Range: 100 Meters • Usage/Application: Distance Measurement • Range: 100 METER • Warranty: 6 months • Battery: aa+ • Brand: Bosch
5		Automatic Level Instrument	■ 20500 / UNIT Get Latest Price	• Instrument Type: Automatic level • Magnification: 32X • Accuracy Per Km: 1.5 mm • Objective Aperture: 36 mm • Type: Digital • Shortest Focus: 1.5 m • Tripod Material: Aluminium • Usage/Application: Industrial Tanks and Vessels • Material: Stainless Steel • Application: Survey • Summary: Quartz plate with round size diameter 10mm-500mm Quartz plate with square size L: 100mm-500mm W: 10mm-500mm
6		GRL 300 HV Set Professional Rotation Laser	■ 74500 / Set Get Latest Price	• Application: Construction Levelling • Working Range: 500 m • Self Leveling: Horizontal • Model Name/Number: GRL300HV • Laser Type: YES • Accuracy: ± 1 mm/10 m • Rotation Speed: 300 rpm • Battery Type: LITHIUM • Automatic Self Levelling Laser: YES • Remote Control: No

#	Image	Product Name	Price (INR)	Description & Specifications
7		Bosch GLL 3-80 CG Professional	■ 37500 / Unit Get Latest Price	• Brand: Bosch • Warranty: 1 year
8		Bosch Glm 250 VF Laser Distance Meter	■ 29500 / Unit Get Latest Price	• Range: 250 m • Model: GLM 250 • Material: ABS • Brand: Bosch • Display Type: Digital • Summary: Bosch GLM 250 VF Laser Range Finder / Distance Measurer 250m Range Metric & Imperial Measuring
9		Horizontal Dumpy Levels	■ 6000 / NOS Get Latest Price	• Magnification: 24X • Accuracy Per Km: 1.5 mm • Telescope Length: 400 mm • Shortest Focus: 1.5 m • Tripod Material: Aluminium • Includes Tripod: Yes • Includes Staff: Yes • Weight: 1.7kgs (3.7lb) • Objective Aperture: 32MM(1.3IN) • Telescope Magnification: 24X • Summary: Our organization has gained recognition as a flourishing organization for providing Horizontal Dumpy Levels. The offered dumpy level is a compact and sturdy instrument delivers precise, erect image magnification 20X in all working conditions. We offer this dumpy level on number of specifications as per the variegated needs of customers. Our offered dumpy level is packed with quality material to enhance its life. Lightweight
10		Cross Staff With Pole	■ 950 / Piece Get Latest Price	• Usage/Application: Survey • Packaging Type: Box • Material: Cast Iron • Usage: Laboratory • Surface Treatment: Color Coated • Summary: The cross-staff consists of a long staff with a perpendicular vane which slides to and fro upon it. We mark the staffs with graduated measurements – which are precise. The angles can be then measured by holding it so that the ends of the vane are in level with the points that need to be measured. It is widely used to measure the altitude of the sun, and also different latitudes, aside from being used as a navigation instrument. We offer the cross staff at a competitive price and can modify it according to customer needs.our company shreeji instruments . Specifications:
11		Bosch Auto Level	■ 16500 / Number Get Latest Price	• Instrument Type: Automatic level • Magnification: 32X • Accuracy Per Km: 1.0 mm • Color: Blue • Objective Aperture: 32 mm • Shortest Focus: 1.5 m • Tripod Material: Aluminium • Brand: Bosch • Usage/Application: Land Survey • Weight: 5.1 kg • Summary: 50 DegreeC
12		Prism Poles	■ 4500 / Unit Get Latest Price	• Pole Type: GPS Pole • Max Length: 2.5 m • Material: ALUMINIUM • Size: 2.4 • Graduation: cm • Number Of Sections: 1 Section • Lock Type: Flip Lock • Usage/Application: surveying • Packaging Type: Box • Color: RED/WHITE • Summary: Unmatched quality Precise design
13		Aluminum Telescopic Tripod Stand	■ 3000 / Number Get Latest Price	• Material: Aluminium • Packaging Type: Box • Surface Treatment: Color Coated • No Of Leg: 3 Leg • Summary: Fully adjustable aluminium telescopic legs. Having two auxiliary eye bolts and mounted pulleys as attachment points.

#	Image	Product Name	Price (INR)	Description & Specifications
14		Aluminum Levelling Staves	■ 1500 / Piece Get Latest Price	- Material: Aluminium - Section Type: Telescopic - Graduation: mm and cm - Number Of Sections: 4 section - Effective Length: 1M,1.5M,2M - Maximal Graduation: Error(dm)less than or equal to +/-0.1mm - Expansion Rate: 2 x 10-6/ Degree C - Square Value Of The Spirit Level: 20 Feet 1/2mm - Kiev Error: 4.5mm+/-0.05mm
15		Wooden Tripod Stand	■ 6500 / Unit Get Latest Price	- Maximum Height: 1200 mm (4 ft) - Load Capacity: 5 kg - Material: Aluminium - Head Type: Ball Head - Folded Height: 800 mm - Leg Sections: 2 Section - Tripod Material: Wooden Tripod - Primary Material: Aluminium, Solid Wood - Brand: Shreeji - Number Of Legs: 4 - Summary: Suitable for all Brand Total Station universe model. 3.5 Kg easy to travel anywhere
16		Digital Prismatic Compass	■ 3500 / Number Get Latest Price	- Material: ABS - Usage/Application: Laboratory - Display Type: Digital - Packaging Type: Carton Box - Brand: Bushnell - Summary: The degree on below is the Mekka degree. It indicate how many degree you should adjust. The degree on above is current degree. We should adjust current degree same as Mekka degree.
17		Leveling Staff	■ 1500 / Piece Get Latest Price	- Model Name/Number: AS-43 - I Deal In: New Only - Measuring Range: 4 (Mtr) - Country Of Origin: Made in India - Weight: 1.5 Kg Approx - Summary: Superior performance Robust construction
18		Nikon Auto Level	■ 22500 / Unit Get Latest Price	- Accuracy Per Km: 1.5 mm - Compensator Range: ± 15 arc min - Objective Aperture: 32 mm - Shortest Focus: 1.5 m - Dust Water Rating: IP55 - Brand: NIKON - Includes Tripod: Yes - Includes Staff: Yes - Staff Length: 4 m - Country Of Origin: Made in India - Summary: The Nikon AX-2S. AC-2S and AP-8 Automatic Levels for construction are highly affordable, highly accurate, and capable of withstanding severe conditions, including rain, extreme temperatures, dust, and vibration. Featuring magnetic-dampened compensators and rugged metal housing as well as built-in bubble mirrors and sighting lines, these auto-levels are exceptionally easy to set up and use in any environment. They are ideal for a variety of construction and survey-

Category: Construction Machinery & Equipment (13 Products)

#	Image	Product Name	Price (INR)	Description & Specifications
1		Steel Bar Bending Machine 40mm	■ 99500 / Number Get Latest Price	- Application: Rebar - Max Bending Capacity: 32 mm - Max Work Size: Up To 32 mm - Operation Type: Hydraulic - Suitable Steel Grade: MS - Phase Type: Three Phase - Max Bending Radius: 0-50 mm - Power Source: Hydraulic Pressure - Body Material: Cast Iron - Control Interface: Push Button - Summary: Shreeji instruments are leading supplier is Bar Bending Machine is used for bending of reinforcement steel and bars of various forms. A semi-automatic machine, it increases the production capacity of the steel yard, minimizing the use of manual labour. Further, ensuring durability and reliable performance, this cost effective machine is widely appreciated for its quality. - Specification:

#	Image	Product Name	Price (INR)	Description & Specifications
2		Bar Cutting Machine	■ 110000 / Piece Get Latest Price	• Voltage: 415 V • Power: 5 HP • Phase: Three Phase • Country Of Origin: Made in India • Blade: Heavy duty alloy steel 3 x 3 x 1" Blade • Cut Capacity: Upto 32 mm
3		Steel Bar Cutting Machine	■ 110000 / Unit Get Latest Price	• Capacity: 32 mm to 40 mm • Power: 3ph • Automatic Grade: Semi-Automatic • Brand: SHREEJI • Summary: Power rating: 5HP 3 Phase Electric Motor Cut Capacity: Upto 32 mm
4		Tamping Rammer Supplier	■ 51000 / Number Get Latest Price	• Capacity: 2 ton • Power Source Type: Electric • Machine Type: Vibratory • Brand: Honda • Engine Power: 5 hp • Weight: 80 kg • Travel Speed: 10 to 13 m/min • Impacting Force: 10 kn • Voltage: 240 v • Material: Cast Iron • Summary: Require less maintenance Long service life
5		Vibrating Rammer Electrical	■ 42000 / Unit Get Latest Price	• Engine Power: 3 Hp • Brand/Make: shreeji • Automation Grade: Semi-Automatic • Usage/Application: Construction • Voltage: 415 V • Ramming Frequency: 600 - 700 time/min • Motor Power: 3 kW • Gross Weight: 90 Kg • Rotation Speed Of Motor: 2800 r/min • Summary: VIBRATING Product Details: Less power consumption
6		Bar Bending Machine	■ 110000 / Piece Get Latest Price	• Machine Type: Bar Bender • Operation Type: Hydraulic • Max Work Size: Up To 32 mm • Usage/Application: Industrial • Application: Rebar • Automation Grade: Semi Automatic • Phase Type: Three Phase • Body Material: Cast Iron • Brand Type: Indian Brand • Country Of Origin: Made in India • Summary: Horizontal Angle Measurement Easy to adjust
7		Tmt Bar Bending Machine	■ 100000 / Unit Get Latest Price	• Max Bending Capacity: 40 mm • Automation Grade: Semi-Automatic • Usage/Application: Leveling • Power: Electric • Bar Dimensions: 32 • Product Type: Steel Bar, Steel Rebar • Max Bending Angle: 180 degree • Max Bending Radius: 50 mm • Bend Direction: Clockwise • Power Source: Electric • Summary: Horizontal Angle Measurement Easy to adjust
8		Earth Rammer	■ 45000 / Piece Get Latest Price	• Capacity: 2 ton • Power Source Type: Petrol • Machine Type: Vibratory • Brand: Honda • Engine Power: 3 hp • Weight: 90 kg • Brand/Make: shreeji • Bounce Height: 40 - 75 MM • Advanced Speed: 10 - 13 m/min • Ramming Frequency: 600 - 700 time/min • Summary: Less power consumption Require less maintenance
9		Vibrating Earth Compaction Rammer	■ 38500 / Unit Get Latest Price	• Engine Power: 3 Hp • Material: Hard Iron • Weight: 850 kg • Phase: 3 Phase • Depth: 6 Inch • Compaction Area: 4000 sq.ft. • Summary: These models are available in three different types: Little Giant Model: Impact force: 850kg. Depth effect: 6 inch, Compaction area: 4000 sq.ft.

#	Image	Product Name	Price (INR)	Description & Specifications
10		Steel Bar Bending Machine	■ 135000 / Piece Get Latest Price	• Max Bending Capacity: 40 mm • Automation Grade: Automatic • Max Bending Radius: 50 mm • Power Source: Electric • Country Of Origin: Made in India • Body Material: Iron
11		Automatic Stirrup Bar Bending Machine	■ 54000 / Piece Get Latest Price	• Automation Grade: Automatic • Max Bending Radius: 8MM TO 18 MM • Capacity: 8 MM TO 18 MM • Model Name/Number: SI 18 • Weight: 200 • Voltage: 3PH • Material: STEEL • Usage/Application: Industrial • Summary: Bending rebar diameter Plate diameter
12		Tmt Steel Bar Cutting Machine	■ 140000 / Piece Get Latest Price	• Cutting Disc Size: 5 inch • Machine Type: Fully Automatic • Model Name/Number: SI 42 • Weight: 500 • Warranty: 6 months • Country Of Origin: Made in India
13		Tmt Bar Cutting Machine	■ 110000 / Piece Get Latest Price	• Phase: Three Phase • Blade: Heavy duty alloy steel 3 x 3 x 1" Blade • Power: 5 HP • Cut Capacity: Upto 32 mm • Strokes Per Minute: 25 to 30 • Length: 1350 mm • Width: 360 mm • Height: 870 mm • Summary: Shreeji instruments are one of the leaders in Bar Cutting machines that feature rugged built body holding its life on any construction site. Widely used for cutting reinforcement steel this machine can cut bars in any specified diameters. Further, it's durability & accuracy in cutting makes us stand ahead of our counterparts in the industry.

Category: Bitumen Testing Equipments (16 Products)

#	Image	Product Name	Price (INR)	Description & Specifications
1		Flame Retardant Safety Suits	■ 850 / Piece Get Latest Price	• Suit Material: Aluminized Glass Fibre • Size: M- 5XL • Material: Microporous+SMS • Weight: 50-60gsm+50-55gsm SMS • Code No: AHMC100 • Packing: 1pc/bag,50bags/ctn or customized as per your request • Summary: High protection Longer life
2		Kinematic Viscosity Bath	■ 100000 / Unit Get Latest Price	• Material: Mild Steel • Voltage: 220-230 V • Frequency: 50-60 Hz • Display Type: Digital • Country Of Origin: Made in India
3		Kinematic Viscosity Of Bitumen	■ 85000 / Set Get Latest Price	• Material: Steel • Shape: Round • Brand: shreeji • Automation Type: Automatic • Country Of Origin: Made in India

#	Image	Product Name	Price (INR)	Description & Specifications
4		Softening Point Apparatus	■ 7200 / Unit Get Latest Price	• Usage/Application: Laboratory • Material: SS, MS • Voltage: 220V • Phase: Single Phase • Summary: Measurement temperature accuracy: $\pm 0.1^{\circ}\text{C}$ Automatically increase of temperature per minute: 5°C
5		Flow Cup Viscometer Ford Cup	■ 2450 / Number Get Latest Price	• Cup Type: Ford • Cup Number: No. 4 • Material: Stainless Steel • Orifice Diameter: 4 mm • Stand Included: With Stand • Usage/Application: Laboratory • Standard: ASTM D1200 • Number Of Cups: 1 • Viscosity: YES • Brand: SHREEJI • Summary: We are engaged in providing our clients with Flow Cups that are procured from the reliable manufacturers of the market. Our products are widely used in various industries and sectors for diverse applications. Furthermore, our products are available in various sizes & designs at most competitive prices to fulfill their exact requirements and demands. Specification:
6		Ductility Testing Apparatus	■ 48500 / Unit Get Latest Price	• Capacity: 500 N • Material: Stainless Steel • Automation Grade: Semi-Automatic • Phase: Single Phase • Brand: SHREEJI • Country Of Origin: Made in India • Driven Type: Electric • Use: Industrial • Summary: Excellent performance Low operating cost
7		Bitumen Testing Apparatus	■ 21500 / Unit Get Latest Price	• Phase: 1 Phase • Weight: 206 Kg • Voltage: 220 Volt • Frequency: 50Hz • Sizes: 2250 x540x1160mm • Power: 3 kw • Environment Humidity: Less than 85 percent • Summary: Sturdy construction Perfect reading
8		spirit level and frame structure	■ 7500 / Piece Get Latest Price	• Length: 300 mm • Number Of Vials: 3 vials • Display Type: MANUAL • Accuracy: 0.5 mm per m • Magnetic Base: Yes • Vial Material: ALUMINUM • Type: LAB • Material: Mild Steel • Profile Type: Box • Color: Black
9		Digital Benkelman Beam	■ 25000 / Unit Get Latest Price	• Packaging Type: Wooden Box • Display Type: Analog • Material: MS • Brand: Shreeji • Grade: Manual • Summary: Our clients can avail from us Benkelman Beams that are widely acknowledged for their longer functional life, corrosion resistance and dimensional accuracy. Our products are widely used in various industries laboratories and research institutes. Furthermore, these are thoroughly checked by our team of expert quality controllers to ensure flawlessness. Specification:
10		Benkelman Beam Deflection Test Apparatus	■ 24500 / Unit Get Latest Price	• Material: Mild Steel • Brand: shreeji • Usage/Application: Measurement • Dial Gauge: 0.025 MM • Power: MANUALY
11		Automatic Compactor, Automation Grade: Semi-Automatic	■ 35000 / Unit Get Latest Price	• Material: MS • Color: Blue • Automatic Grade: Automatic • Automation Grade: Automatic • Voltage: 220-380V • Surface Treatment: Color Coated • Summary: Hammer weight: 4.536Kg(STMJ-1A), 10.21kg(STMJ-2D) Height of fall:457.2 mm

#	Image	Product Name	Price (INR)	Description & Specifications
12		Universal Automatic Compaction Apparatus	■ 58000 / Number Get Latest Price	• Cylinder Volume: 15 L • Hopper Shape: Single Hopper • Frame Material: Mild Steel • Surface Finish: Painted • Cylinder Diameter: 150 mm • Standard: IS 1199 • Material: MS • Automation Grade: Automatic • Usage Area: Lab • Frequency: 50Hz • Summary: Power: 700 W Ignition Way: Automatic Digital Ignition
13		Constant Temperature Water Bath	■ 45000 / Piece Get Latest Price	• Shape: Rectangular • Display Type: Digital • Automation Type: Automatic • Circulation Type: Circulating • Window Type: Glass • Brand: Marshal • Power Supply: AC220V+/-10%,50Hz+/-5% • Temperature Range: Ambient to 100 C • Heating Power: 1700W • Stirring Motor: Power 6W, rate 1200r/min
14		Abel Flash Point Apparatus	■ 8000 / Piece Get Latest Price	• Dimension: 397*305*240 mm • Resolution: 0.1C • Test Range: Room temperature-350C • Printer: High speed thermal printer,paper size55mm • Temperature Detection: Imported platinum resistance (Pt100) • Ignition Mode: Automatically electronic ignition with airs source • Self Checking: Automatic fault checking • Power Consumption: Less than 550 w • Temperature: Atmospheric temperature 10C-45C,humidity 30-80% • Power: AC220V+/-10% • Summary: Flash & Fire Point Apparatus used for determining the flash point of fuel oils and lubricating oil, bitumen other than cutback bitumen and suspension of solids in liquids, having a flash point above 49°C. The apparatus consists of brass test cup with handle removable cup cover with the spring operated rotated shutter having oil test jet flame device, stirrer with flexible shaft. The assembly rests in air bath which is covered with dome shape metal top. The cup assembly is positioned in a cast iron air bath, fitted with a chrome plated brass top having electric heater with temperature controller. Suitable for operation on 220V, 1Ph, 50Hz AC Supply.
15		Planetary Mixer Mortar Mixer	■ 75000 / Piece Get Latest Price	• Material: Mild Steel • Phase: Single • Speed: 140 + 5 R.P.M. and 285 + 10 R.P.M. • Voltage: 230 volts • Frequency: 50 Hz • Cycle Life: 50 cycles • Summary: Backed by our efficient workforce, we are capable of providing our customers with Planetary Mixer- Mortar Mixers. These products are available at most competitive prices and in various designs and shapes. Moreover, all our products are widely used for mixing cement pastes, mortars and pozzolanas.
16		Bitumen Extractor Electrically Operated	■ 24500 / Unit Get Latest Price	• Automation Grade: Semi-Automatic • Material: MS • Brand: Shreeji • Voltage: 220 • I Deal In: New Only • Power: 220 • Hand Operated: No • Usage/Application: BITUMIN • Installation Services: No • Country Of Origin: Made in India • Summary: Superior performance Easy installation