W3schools

Tutorials ▾ | Exercises ▾ | Certificates ▾ | Services ▾ | Search...

🔆

🏢 Jobs | ⟨/⟩ Spaces | 🛒 Get Certified | **Sign Up** | Log in

HTML | CSS | JAVASCRIPT | SQL | PYTHON | JAVA | PHP | HOW TO | W3.CSS | C | C++ | C# | BOOTSTRAP | REACT | MYSQL | JQUERY | EXCEL | XML | DJANGO | NUMPY | PANDAS | NODEJS | R | TYPESCRIPT | ANGULAR | GIT | POSTGRESQL | MONGODB | ASP | AWS | AI | GO | KOTLIN | SASS | VUE | GEN AI | SCIPY | CYBERSECURITY | DATA SCIENCE ▸

CSS Layout - Float Examples

[< Previous]　　　　　　　　　　　　　　　　　　[Next >]

This page contains common float examples.

Grid of Boxes / Equal Width Boxes

Box 1	Box 2

Box 1	Box 2	Box 3

With the `float` property, it is easy to float boxes of content side by side:

Example

```
* {
  box-sizing: border-box;
}

.box {
  float: left;
  width: 33.33%; /* three boxes (use 25% for four, and 50% for two, etc) */
  padding: 50px; /* if you want space between the images */
}
```

[Try it Yourself »]

What is box-sizing?

You can easily create three floating boxes side by side. However, when you add something that enlarges the width of each box (e.g. padding or borders), the box will break. The `box-sizing` property allows us to include the padding and border in the box's total width (and height), making sure that the padding stays inside of the box and that it does not break.

You can read more about the box-sizing property in our CSS Box Sizing Chapter.

Images Side By Side

The grid of boxes can also be used to display images side by side:

Example

```
    padding: 5px; /* if you want space between the images */
}
```

Try it Yourself »

Equal Height Boxes

In the previous example, you learned how to float boxes side by side with an equal width. However, it is not easy to create floating boxes with equal heights. A quick fix however, is to set a fixed height, like in the example below:

Example

```
.box {
    height: 500px;
}
```

Try it Yourself »

However, this is not very flexible. It is ok if you can guarantee that the boxes will always have the same amount of content in them. But many times, the content is not the same. If you try the example above on a mobile phone, you will see that the second box's content will be displayed outside of the box. This is where CSS3 Flexbox comes in handy - as it can automatically stretch boxes to be as long as the longest box:

Example

Using **Flexbox** to create flexible boxes:

Try it Yourself »

Tip: You can read more about the Flexbox Layout Module in our CSS Flexbox Chapter.

Navigation Menu

You can also use `float` with a list of hyperlinks to create a horizontal menu:

Example

Try it Yourself »

Web Layout Example

It is also common to do entire web layouts using the `float` property:

| The Flight |
| The City |
| The Island |
| The Food |

The City

Chania is the capital of the Chania region on the island of Crete. The city can be divided in two parts, the old town and the modern city.

You will learn more about web layout and responsive web pages in a later chapter.

Footer Text

Example

```css
.header, .footer {
  background-color: grey;
  color: white;
  padding: 15px;
}

.column {
  float: left;
  padding: 15px;
}

.clearfix::after {
  content: "";
  clear: both;
  display: table;
}

.menu {
  width: 25%;
}

.content {
  width: 75%;
}
```

Try it Yourself »

More Examples

An image with border and margins that floats to the right in a paragraph
Let an image float to the right in a paragraph. Add border and margins to the image.

An image with a caption that floats to the right
Let an image with a caption float to the right.

Let the first letter of a paragraph float to the left
Let the first letter of a paragraph float to the left and style the letter.

Creating a website with float
Use float to create a homepage with a navbar, header, footer, left content and main content.

All CSS Float Properties

Property	Description
box-sizing	Defines how the width and height of an element are calculated: should they include padding and borders, or not
clear	Specifies what should happen with the element that is next to a floating element
float	Specifies whether an element should float to the left, right, or not at all
overflow	Specifies what happens if content overflows an element's box
overflow-x	Specifies what to do with the left/right edges of the content if it overflows the element's content area
overflow-y	Specifies what to do with the top/bottom edges of the content if it overflows the element's content area

‹ Previous   Log in to track progress   Next ›

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM | ABOUT