

Phase3-Practice Project: Assisted Practice

Postman:

Demonstrate how to work with variables in Postman.

Demonstrate how environments are used in Postman.

Creating Variables and Environment:

Create a new request

Repetitive text in api can be replace with the variables.


Variables are create using environment in the postman.

Environment can be considered as we created a base file in the java package.

An environment in collection is scoped to all of its collections.

Lets create an environment.

Click on environment on the right side.



Click on create environment






Abb variable as shown below.





Then click on save.

Replace the url with variable but the variable is in error as the collection is not attached to the environment.



Select the environment.



Save and send.

Sections

ApiTesting-Lesson2

- GET getRequest-Demo
- GET Openweather_Get_method
- GET Openweather_Get_method_var...

Comments

History

ApiTesting-Lesson2 / Openweather_Get_method

GET {{Base_URL}}?appid=aa9126a7d7b4c20f33602b045a197e3f&lat=28.6128&lon=77.2311

Params Authorization Headers (7) Body Pre-request Script Tests Settings

Query Params

Key	Value	Description
<input checked="" type="checkbox"/> appid	aa9126a7d7b4c20f33602b045a197e3f	
<input checked="" type="checkbox"/> lat	28.6128	
<input checked="" type="checkbox"/> lon	77.2311	
Key	Value	Description

Body Cookies Headers (9) Test Results

Pretty Raw Preview Visualize JSON

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

```
"coord": {
  "lon": 77.2311,
  "lat": 28.6128
},
"weather": [
  {
    "id": 711,
    "main": "Smoke",
    "description": "smoke",
    "icon": "5ed"
  }
],
"base": "stations",
"main": {
  "temp": 381.24,
```