Phase3-Practice Project: Assisted Practice

JMeter:

Samplers:

Write a program to demonstrate how a SMTP sampler script is run in JMeter.

Write a program to demonstrate how a JDBC sampler script is run in JMeter.

Write a program to demonstrate how a JUnit sampler script is run in JMeter.

Write a program to demonstrate how Selenium WebDriver is integrated using JMeter script.


Write a program to demonstrate a WebDriver set sampler script in JMeter.


Write a program to demonstrate a WebDriver set sampler script in JMeter.

1. SMTP Sampler

SMTP sampler will allow JMeter to send a request to a SMTP server, the server will then send an email to the destination and will also send response as success to JMeter.

Threadgrup → Add → Sampler → SMTP sampler






Execute the Sampler. The request will fail as username and password is incorrect.

That is alright. It is because gmail SMTP server is not allowing third party tools to use it and send emails.

You can submit assignment with failed requests.

However you can activate 2 step verification on your gmail account \rightarrow and generate app password on Gmail account

Then give that app password in the SMTP sampler, then your request will be successful.



2.JDBC Sampler:

Download the JDBC connector jar file

Open the browser of the lab and open this URL

https://dev.mysql.com/downloads/connector/j/

In the drop down select platform independent

Select the second option: Platform Independent (Architecture Independent), ZIP

Click on download button


on next page click on => No thanks, just start my download.

Zip file will be downloaded.


Now go to downloads folder of lab


and right click on zip file and clickon extract here

In the folder there will be a JDBC connector.jar file



This Jar file has to be copied and pasted in your Jmeter folder →lib folder







After copying the jar file in LIB folder \rightarrow restart your apache Jmeter (close it and start it again).


In JMeter→ create a Thread group -→ Add → Config Element→ JDBC connection Configuration


Add the variable pool name and add DB connection details.





Thread group \rightarrow Add the JDBC request \rightarrow Add the variable name as given in JDBC configuration \rightarrow Add the query to be executed.












3. JUNIT Sampler

Create a Java package in eclipse→ create a Junit class and add Junit test annotation→ create a junit method.


Add Junit 4 library in the java project.



```
© Eclipse 2023 - Imeter/unitSampler/src/jmeter/unitDemoTest.java - Eclipse DE


| Expect | Court | Cou
```


Select Junit 4 library




Next we have to export this Porject of junit into a Jar file, so that jmeter can execute it.


Right click on project → select export → select Jar





Press next and select the export destination → Click on browse→ the path with jmeter/lib/junit folder -> C:\Users\DELL\Desktop\apache-jmeter-5.6.2\lib\junit\ JunitJmetersampler.jar






Click on save and finish button.

Close and restart jmeter.

ThreadGroup \rightarrow add \rightarrow junit request sampler \rightarrow in the smapler select below details




4. Selenium Sampler and WebDriver set sampler

We have to download plugin manager jar file for jmeter and add plugin manager to jmeter.

Installation and Usage


Download the Plugins Manager JAR file and put it into JMeter's lib/ext directory

https://jmeter-plugins.org/wiki/PluginsManager/







Copy this in jmeter folder → lib->ext folder




Stop and restart jmeter



Click on plugin manager → go to available plugins → search for selenium webdriver support plugin





Click on Apply changes and restart jmeter



After this we can now add selenium configuration in jmeter

 Add the threadGroup → add the config element → select the element jp@gc chromeDriver Config





For Jmeter to create a session with your chrome browser, we have to download chromedriver.exe

This has to be downloaded from selenium downloads website.

We have to give path of chromedriver.exe in ChromeDriver config

To download the chromedriver.exe use the below url:

https://googlechromelabs.github.io/chrome-for-testing/

Download that version of chromedriver which is same as that of your chrome browser version



Chrome version in 118, download chromedriver.exe for 118 version only.

ersion: 118.0.5993.70 (r1192594)



Click on chromedriver win64 link.. it will download the driver zip




Extract the contents fot he zip file.


Rename the zip folder if needed. No space should be there in the folder name




Copy the path of chromedriver folder and give it in Jmeter. Pls add the file name also at the end as chromedriver.exe



Now in the thread group add the webdriver sampler




In the webdriver sampler we should write selenium code .



Click on save.

Then go to listener → add view results tree.

Then click on run.



5. FTP Sampler:

Download filezilla Client



Overview

Welcome to the homepage of FileZilla®, the free FTP solution. The FileZilla Client not or free of charge under the terms of the GNU General Public License.

We are also offering FileZilla Pro, with additional protocol support for WebDAV, Amazon Storage, and Google Cloud Storage.

Last but not least, FileZilla Server is a free open source FTP and FTPS Server.

Support is available through our forums, the wiki and the bug and feature request track

In addition, you will find documentation on how to compile FileZilla and nightly builds fc







Pick the client if you want to transfer files. Get the server if you want to make file

FTP server details:

Trademark Policy Development

Source code

Nightly builds Translations

Version history Changelog

FileZilla Server

Download

Community

Forum

Wiki General

FAQ

Support Contact

License Privacy Policy




Give details in filezilla




Create file in any folder on your machine

Now in filezilla you will find your file in the folder



Calculating timezone offset of server... Timezone offset of server is 0 seconds. Directory listing of "/" successful



Add FTP sampler in Jmeter

