

## ./msgsnd

./msgsnd 3 con art and he l

msgget: msgget succeeded: msgqid = 22

Message(1): "con" Sent (8 bytes)

23456Report "con"

1 of 5, Mansfield\_Park.txt=> contemptible, size=144

2 of 5, Sense\_And\_Sensibility.txt=> constant, size=144

3 of 5, The\_Call\_Of\_The\_Wild.txt=> not found, size=144

4 of 5, Tale\_Of\_Two\_Cities.txt=> not found, size=144

5 of 5, Peter\_Pan.txt=> conspicuous, size=144

Message(2): "art" Sent (8 bytes)

Report "art"

1 of 5, Mansfield\_Park.txt=> not found, size=144

2 of 5, Sense\_And\_Sensibility.txt=> not found, size=144

3 of 5, The\_Call\_Of\_The\_Wild.txt=> artesian, size=144

4 of 5, Tale\_Of\_Two\_Cities.txt=> not found, size=144

5 of 5, Peter\_Pan.txt=> not found, size=144

Message(3): "and" Sent (8 bytes)

Report "and"

1 of 5, Mansfield\_Park.txt=> and, size=144

2 of 5, Sense\_And\_Sensibility.txt=> and, size=144

3 of 5, The\_Call\_Of\_The\_Wild.txt=> and, size=144

4 of 5, Tale\_Of\_Two\_Cities.txt=> and, size=144

5 of 5, Peter\_Pan.txt=> and, size=144

Message(0): "" Sent (8 bytes)

## PassagProcessor

art

Worker-0 (Mansfield\_Park.txt) thread started ...

Worker-1 (Sense\_And\_Sensibility.txt) thread started ...

Worker-2 (The\_Call\_Of\_The\_Wild.txt) thread started ...  
Worker-3 (Tale\_Of\_Two\_Cities.txt) thread started ...  
Worker-4 (Peter\_Pan.txt) thread started ...  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 1 of 5 on 2:art from Mansfield\_Park.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "1: not found" Sent  
results:Mansfield\_Park.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 2 of 5 on 2:art from Sense\_And\_Sensibility.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "2: not found" Sent  
results:Sense\_And\_Sensibility.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 3 of 5 on 2:art from The\_Call\_Of\_The\_Wild.txt present=1 lw=artesian(len=8)  
msglen=144  
Message: "3:artesian" Sent  
results:The\_Call\_Of\_The\_Wild.txt:artesian  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 4 of 5 on 2:art from Tale\_Of\_Two\_Cities.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "4: not found" Sent  
results:Tale\_Of\_Two\_Cities.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 5 of 5 on 2:art from Peter\_Pan.txt present=1 lw= not found(len=10) msglen=144  
Message: "5: not found" Sent  
results:Peter\_Pan.txt: not found  
id=3 prefix=and  
and  
Worker-0 (Mansfield\_Park.txt) thread started ...  
Worker-1 (Sense\_And\_Sensibility.txt) thread started ...  
Worker-2 (The\_Call\_Of\_The\_Wild.txt) thread started ...  
Worker-3 (Tale\_Of\_Two\_Cities.txt) thread started ...  
Worker-4 (Peter\_Pan.txt) thread started ...  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 1 of 5 on 3:and from Mansfield\_Park.txt present=1 lw=and(len=3) msglen=144  
Message: "1:and" Sent  
results:Mansfield\_Park.txt:and  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 2 of 5 on 3:and from Sense\_And\_Sensibility.txt present=1 lw=and(len=3)  
msglen=144  
Message: "2:and" Sent  
results:Sense\_And\_Sensibility.txt:and

msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 3 of 5 on 3:and from The\_Call\_Of\_The\_Wild.txt present=1 lw=and(len=3)  
msglen=144  
Message: "3:and" Sent  
results:The\_Call\_Of\_The\_Wild.txt:and  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 4 of 5 on 3:and from Tale\_Of\_Two\_Cities.txt present=1 lw=and(len=3)  
msglen=144  
Message: "4:and" Sent  
results:Tale\_Of\_Two\_Cities.txt:and  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 5 of 5 on 3:and from Peter\_Pan.txt present=1 lw=and(len=3) msglen=144  
Message: "5:and" Sent  
results:Peter\_Pan.txt:and  
id=0 prefix=

./msgsnd

./msgsnd 3 hel wor big gre apple  
msgget: msgget succeeded: msgqid = 22  
Message(1): "hel" Sent (8 bytes)

Report "hel"

1 of 5, Mansfield\_Park.txt=> not found, size=144  
2 of 5, Sense\_And\_Sensibility.txt=> not found, size=144  
3 of 5, The\_Call\_Of\_The\_Wild.txt=> held, size=144  
4 of 5, Tale\_Of\_Two\_Cities.txt=> not found, size=144  
5 of 5, Peter\_Pan.txt=> not found, size=144

Message(2): "wor" Sent (8 bytes)

Report "wor"

1 of 5, Mansfield\_Park.txt=> worse, size=144  
2 of 5, Sense\_And\_Sensibility.txt=> not found, size=144  
3 of 5, The\_Call\_Of\_The\_Wild.txt=> not found, size=144  
4 of 5, Tale\_Of\_Two\_Cities.txt=> worst, size=144  
5 of 5, Peter\_Pan.txt=> not found, size=144

Message(3): "big" Sent (8 bytes)

Report "big"

1 of 5, Mansfield\_Park.txt=> not found, size=144  
2 of 5, Sense\_And\_Sensibility.txt=> not found, size=144  
3 of 5, The\_Call\_Of\_The\_Wild.txt=> big, size=144  
4 of 5, Tale\_Of\_Two\_Cities.txt=> not found, size=144  
5 of 5, Peter\_Pan.txt=> not found, size=144

Message(4): "gre" Sent (8 bytes)

Report "gre"

1 of 5, Mansfield\_Park.txt=> greatness, size=144  
2 of 5, Sense\_And\_Sensibility.txt=> great, size=144  
3 of 5, The\_Call\_Of\_The\_Wild.txt=> green, size=144  
4 of 5, Tale\_Of\_Two\_Cities.txt=> not found, size=144  
5 of 5, Peter\_Pan.txt=> not found, size=144

Message(5): "apple" Sent (10 bytes)

Report "apple"

1 of 5, Mansfield\_Park.txt=> not found, size=144  
2 of 5, Sense\_And\_Sensibility.txt=> not found, size=144  
3 of 5, The\_Call\_Of\_The\_Wild.txt=> not found, size=144  
4 of 5, Tale\_Of\_Two\_Cities.txt=> not found, size=144  
5 of 5, Peter\_Pan.txt=> not found, size=144

Message(0): "" Sent (10 bytes)

## PassagProcessor

Note: Some input files use unchecked or unsafe operations.

Note: Recompile with -Xlint:unchecked for details.

Note: CtCILibrary/Trie.java uses unchecked or unsafe operations.

Note: Recompile with -Xlint:unchecked for details.

id=1 prefix=wor

wor

Worker-2 (The\_Call\_Of\_The\_Wild.txt) thread started ...

Worker-3 (Tale\_Of\_Two\_Cities.txt) thread started ...

Worker-1 (Sense\_And\_Sensibility.txt) thread started ...

Worker-4 (Peter\_Pan.txt) thread started ...

Worker-0 (Mansfield\_Park.txt) thread started ...

msgget: msgget succeeded: msgqid = 22

msgsnd Reply 1 of 5 on 1:wor from Mansfield\_Park.txt present=1 lw=worse(len=5) msglen=144

Message: "1:worse" Sent

results:Mansfield\_Park.txt:worse

msgget: msgget succeeded: msgqid = 22

msgsnd Reply 2 of 5 on 1:wor from Sense\_And\_Sensibility.txt present=1 lw= not found(len=10)

msglen=144

Message: "2: not found" Sent

results:Sense\_And\_Sensibility.txt: not found

msgget: msgget succeeded: msgqid = 22

msgsnd Reply 3 of 5 on 1:wor from The\_Call\_Of\_The\_Wild.txt present=1 lw= not found(len=10)

msglen=144

Message: "3: not found" Sent

results:The\_Call\_Of\_The\_Wild.txt: not found

msgget: msgget succeeded: msgqid = 22

msgsnd Reply 4 of 5 on 1:wor from Tale\_Of\_Two\_Cities.txt present=1 lw=worst(len=5)

msglen=144

Message: "4:worst" Sent

results:Tale\_Of\_Two\_Cities.txt:worst

msgget: msgget succeeded: msgqid = 22

msgsnd Reply 5 of 5 on 1:wor from Peter\_Pan.txt present=1 lw= not found(len=10) msglen=144

Message: "5: not found" Sent

results:Peter\_Pan.txt: not found

id=2 prefix=big

big

Worker-0 (Mansfield\_Park.txt) thread started ...

Worker-2 (The\_Call\_Of\_The\_Wild.txt) thread started ...  
Worker-1 (Sense\_And\_Sensibility.txt) thread started ...  
Worker-3 (Tale\_Of\_Two\_Cities.txt) thread started ...  
Worker-4 (Peter\_Pan.txt) thread started ...  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 1 of 5 on 2:big from Mansfield\_Park.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "1: not found" Sent  
results:Mansfield\_Park.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 2 of 5 on 2:big from Sense\_And\_Sensibility.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "2: not found" Sent  
results:Sense\_And\_Sensibility.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 3 of 5 on 2:big from The\_Call\_Of\_The\_Wild.txt present=1 lw=big(len=3)  
msglen=144  
Message: "3:big" Sent  
results:The\_Call\_Of\_The\_Wild.txt:big  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 4 of 5 on 2:big from Tale\_Of\_Two\_Cities.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "4: not found" Sent  
results:Tale\_Of\_Two\_Cities.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 5 of 5 on 2:big from Peter\_Pan.txt present=1 lw= not found(len=10) msglen=144  
Message: "5: not found" Sent  
results:Peter\_Pan.txt: not found  
id=3 prefix=gre  
gre  
Worker-0 (Mansfield\_Park.txt) thread started ...  
Worker-1 (Sense\_And\_Sensibility.txt) thread started ...  
Worker-2 (The\_Call\_Of\_The\_Wild.txt) thread started ...  
Worker-3 (Tale\_Of\_Two\_Cities.txt) thread started ...  
Worker-4 (Peter\_Pan.txt) thread started ...  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 1 of 5 on 3:gre from Mansfield\_Park.txt present=1 lw=greatness(len=9)  
msglen=144  
Message: "1:greatness" Sent  
results:Mansfield\_Park.txt:greatness  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 2 of 5 on 3:gre from Sense\_And\_Sensibility.txt present=1 lw=great(len=5)  
msglen=144

Message: "2:great" Sent  
results:Sense\_And\_Sensibility.txt:great  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 3 of 5 on 3:gre from The\_Call\_Of\_The\_Wild.txt present=1 lw=green(len=5)  
msglen=144  
Message: "3:green" Sent  
results:The\_Call\_Of\_The\_Wild.txt:green  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 4 of 5 on 3:gre from Tale\_Of\_Two\_Cities.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "4: not found" Sent  
results:Tale\_Of\_Two\_Cities.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 5 of 5 on 3:gre from Peter\_Pan.txt present=1 lw= not found(len=10) msglen=144  
Message: "5: not found" Sent  
results:Peter\_Pan.txt: not found  
id=4 prefix=apple  
apple  
Worker-0 (Mansfield\_Park.txt) thread started ...  
Worker-1 (Sense\_And\_Sensibility.txt) thread started ...  
Worker-2 (The\_Call\_Of\_The\_Wild.txt) thread started ...  
Worker-3 (Tale\_Of\_Two\_Cities.txt) thread started ...  
Worker-4 (Peter\_Pan.txt) thread started ...  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 1 of 5 on 4:apple from Mansfield\_Park.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "1: not found" Sent  
results:Mansfield\_Park.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 2 of 5 on 4:apple from Sense\_And\_Sensibility.txt present=1 lw= not found(len=10) msglen=144  
Message: "2: not found" Sent  
results:Sense\_And\_Sensibility.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 3 of 5 on 4:apple from The\_Call\_Of\_The\_Wild.txt present=1 lw= not found(len=10) msglen=144  
Message: "3: not found" Sent  
results:The\_Call\_Of\_The\_Wild.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 4 of 5 on 4:apple from Tale\_Of\_Two\_Cities.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "4: not found" Sent  
results:Tale\_Of\_Two\_Cities.txt: not found

msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 5 of 5 on 4:apple from Peter\_Pan.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "5: not found" Sent  
results:Peter\_Pan.txt: not found  
id=0 prefix=  
root@josh-dev:~/Projects/Spring\_cs300\_project# ./test.sh  
Note: Some input files use unchecked or unsafe operations.  
Note: Recompile with -Xlint:unchecked for details.  
Note: CtCILibrary/Trie.java uses unchecked or unsafe operations.  
Note: Recompile with -Xlint:unchecked for details.  
id=1 prefix=hel  
hel  
Worker-3 (Tale\_Of\_Two\_Cities.txt) thread started ...  
Worker-1 (Sense\_And\_Sensibility.txt) thread started ...  
Worker-2 (The\_Call\_Of\_The\_Wild.txt) thread started ...  
Worker-0 (Mansfield\_Park.txt) thread started ...  
Worker-4 (Peter\_Pan.txt) thread started ...  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 1 of 5 on 1:hel from Mansfield\_Park.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "1: not found" Sent  
results:Mansfield\_Park.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 2 of 5 on 1:hel from Sense\_And\_Sensibility.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "2: not found" Sent  
results:Sense\_And\_Sensibility.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 3 of 5 on 1:hel from The\_Call\_Of\_The\_Wild.txt present=1 lw=held(len=4)  
msglen=144  
Message: "3:held" Sent  
results:The\_Call\_Of\_The\_Wild.txt:held  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 4 of 5 on 1:hel from Tale\_Of\_Two\_Cities.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "4: not found" Sent  
results:Tale\_Of\_Two\_Cities.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 5 of 5 on 1:hel from Peter\_Pan.txt present=1 lw= not found(len=10) msglen=144  
Message: "5: not found" Sent  
results:Peter\_Pan.txt: not found  
id=2 prefix=wor



wor

Worker-0 (Mansfield\_Park.txt) thread started ...

Worker-1 (Sense\_And\_Sensibility.txt) thread started ...

Worker-2 (The\_Call\_Of\_The\_Wild.txt) thread started ...

Worker-3 (Tale\_Of\_Two\_Cities.txt) thread started ...

Worker-4 (Peter\_Pan.txt) thread started ...

msgget: msgget succeeded: msgqid = 22

msgsnd Reply 1 of 5 on 2:wor from Mansfield\_Park.txt present=1 lw=worse(len=5) msglen=144

Message: "1:worse" Sent

results:Mansfield\_Park.txt:worse

msgget: msgget succeeded: msgqid = 22

msgsnd Reply 2 of 5 on 2:wor from Sense\_And\_Sensibility.txt present=1 lw= not found(len=10)

msglen=144

Message: "2: not found" Sent

results:Sense\_And\_Sensibility.txt: not found

msgget: msgget succeeded: msgqid = 22

msgsnd Reply 3 of 5 on 2:wor from The\_Call\_Of\_The\_Wild.txt present=1 lw= not found(len=10)

msglen=144

Message: "3: not found" Sent

results:The\_Call\_Of\_The\_Wild.txt: not found

msgget: msgget succeeded: msgqid = 22

msgsnd Reply 4 of 5 on 2:wor from Tale\_Of\_Two\_Cities.txt present=1 lw=worst(len=5)

msglen=144

Message: "4:worst" Sent

results:Tale\_Of\_Two\_Cities.txt:worst

msgget: msgget succeeded: msgqid = 22

msgsnd Reply 5 of 5 on 2:wor from Peter\_Pan.txt present=1 lw= not found(len=10) msglen=144

Message: "5: not found" Sent

results:Peter\_Pan.txt: not found

id=3 prefix=big

big

Worker-0 (Mansfield\_Park.txt) thread started ...

Worker-1 (Sense\_And\_Sensibility.txt) thread started ...

Worker-2 (The\_Call\_Of\_The\_Wild.txt) thread started ...

Worker-3 (Tale\_Of\_Two\_Cities.txt) thread started ...

Worker-4 (Peter\_Pan.txt) thread started ...

msgget: msgget succeeded: msgqid = 22

msgsnd Reply 1 of 5 on 3:big from Mansfield\_Park.txt present=1 lw= not found(len=10)

msglen=144

Message: "1: not found" Sent

results:Mansfield\_Park.txt: not found

msgget: msgget succeeded: msgqid = 22

msgsnd Reply 2 of 5 on 3:big from Sense\_And\_Sensibility.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "2: not found" Sent  
results:Sense\_And\_Sensibility.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 3 of 5 on 3:big from The\_Call\_Of\_The\_Wild.txt present=1 lw=big(len=3)  
msglen=144  
Message: "3:big" Sent  
results:The\_Call\_Of\_The\_Wild.txt:big  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 4 of 5 on 3:big from Tale\_Of\_Two\_Cities.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "4: not found" Sent  
results:Tale\_Of\_Two\_Cities.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 5 of 5 on 3:big from Peter\_Pan.txt present=1 lw= not found(len=10) msglen=144  
Message: "5: not found" Sent  
results:Peter\_Pan.txt: not found  
id=4 prefix=gre  
gre  
Worker-0 (Mansfield\_Park.txt) thread started ...  
Worker-1 (Sense\_And\_Sensibility.txt) thread started ...  
Worker-2 (The\_Call\_Of\_The\_Wild.txt) thread started ...  
Worker-3 (Tale\_Of\_Two\_Cities.txt) thread started ...  
Worker-4 (Peter\_Pan.txt) thread started ...  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 1 of 5 on 4:gre from Mansfield\_Park.txt present=1 lw=greatness(len=9)  
msglen=144  
Message: "1:greatness" Sent  
results:Mansfield\_Park.txt:greatness  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 2 of 5 on 4:gre from Sense\_And\_Sensibility.txt present=1 lw=great(len=5)  
msglen=144  
Message: "2:great" Sent  
results:Sense\_And\_Sensibility.txt:great  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 3 of 5 on 4:gre from The\_Call\_Of\_The\_Wild.txt present=1 lw=green(len=5)  
msglen=144  
Message: "3:green" Sent  
results:The\_Call\_Of\_The\_Wild.txt:green  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 4 of 5 on 4:gre from Tale\_Of\_Two\_Cities.txt present=1 lw= not found(len=10)  
msglen=144

Message: "4: not found" Sent  
results:Tale\_Of\_Two\_Cities.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 5 of 5 on 4:gre from Peter\_Pan.txt present=1 lw= not found(len=10) msglen=144  
Message: "5: not found" Sent  
results:Peter\_Pan.txt: not found  
id=5 prefix=apple  
apple  
Worker-0 (Mansfield\_Park.txt) thread started ...  
Worker-1 (Sense\_And\_Sensibility.txt) thread started ...  
Worker-2 (The\_Call\_Of\_The\_Wild.txt) thread started ...  
Worker-3 (Tale\_Of\_Two\_Cities.txt) thread started ...  
Worker-4 (Peter\_Pan.txt) thread started ...  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 1 of 5 on 5:apple from Mansfield\_Park.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "1: not found" Sent  
results:Mansfield\_Park.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 2 of 5 on 5:apple from Sense\_And\_Sensibility.txt present=1 lw= not  
found(len=10) msglen=144  
Message: "2: not found" Sent  
results:Sense\_And\_Sensibility.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 3 of 5 on 5:apple from The\_Call\_Of\_The\_Wild.txt present=1 lw= not  
found(len=10) msglen=144  
Message: "3: not found" Sent  
results:The\_Call\_Of\_The\_Wild.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 4 of 5 on 5:apple from Tale\_Of\_Two\_Cities.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "4: not found" Sent  
results:Tale\_Of\_Two\_Cities.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 5 of 5 on 5:apple from Peter\_Pan.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "5: not found" Sent  
results:Peter\_Pan.txt: not found  
id=0 prefix=

./msgsnd

./msgsnd 3 he ba go con art

2 valid prefixes

msgget: msgget succeeded: msgqid = 22

Message(1): "con" Sent (8 bytes)

23456Report "con"

1 of 5, Mansfield\_Park.txt=> contemptible, size=144

2 of 5, Sense\_And\_Sensibility.txt=> constant, size=144

3 of 5, The\_Call\_Of\_The\_Wild.txt=> not found, size=144

4 of 5, Tale\_Of\_Two\_Cities.txt=> not found, size=144

5 of 5, Peter\_Pan.txt=> conspicuous, size=144

Message(2): "art" Sent (8 bytes)

Report "art"

1 of 5, Mansfield\_Park.txt=> not found, size=144

2 of 5, Sense\_And\_Sensibility.txt=> not found, size=144

3 of 5, The\_Call\_Of\_The\_Wild.txt=> artesian, size=144

4 of 5, Tale\_Of\_Two\_Cities.txt=> not found, size=144

5 of 5, Peter\_Pan.txt=> not found, size=144

Message(0): "" Sent (8 bytes)

## PassagProcessor

Note: Some input files use unchecked or unsafe operations.

Note: Recompile with -Xlint:unchecked for details.

Note: CtCILibrary/Trie.java uses unchecked or unsafe operations.

Note: Recompile with -Xlint:unchecked for details.

id=1 prefix=con

con

Worker-2 (The\_Call\_Of\_The\_Wild.txt) thread started ...

Worker-0 (Mansfield\_Park.txt) thread started ...

Worker-3 (Tale\_Of\_Two\_Cities.txt) thread started ...

Worker-1 (Sense\_And\_Sensibility.txt) thread started ...

Worker-4 (Peter\_Pan.txt) thread started ...  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 1 of 5 on 1:con from Mansfield\_Park.txt present=1 lw=contemptible(len=12)  
msglen=144  
Message: "1:contemptible" Sent  
results:Mansfield\_Park.txt:contemptible  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 2 of 5 on 1:con from Sense\_And\_Sensibility.txt present=1 lw=constant(len=8)  
msglen=144  
Message: "2:constant" Sent  
results:Sense\_And\_Sensibility.txt:constant  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 3 of 5 on 1:con from The\_Call\_Of\_The\_Wild.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "3: not found" Sent  
results:The\_Call\_Of\_The\_Wild.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 4 of 5 on 1:con from Tale\_Of\_Two\_Cities.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "4: not found" Sent  
results:Tale\_Of\_Two\_Cities.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 5 of 5 on 1:con from Peter\_Pan.txt present=1 lw=conspicuous(len=11)  
msglen=144  
Message: "5:conspicuous" Sent  
results:Peter\_Pan.txt:conspicuous  
id=2 prefix=art  
art  
Worker-0 (Mansfield\_Park.txt) thread started ...  
Worker-1 (Sense\_And\_Sensibility.txt) thread started ...  
Worker-2 (The\_Call\_Of\_The\_Wild.txt) thread started ...  
Worker-3 (Tale\_Of\_Two\_Cities.txt) thread started ...  
Worker-4 (Peter\_Pan.txt) thread started ...  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 1 of 5 on 2:art from Mansfield\_Park.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "1: not found" Sent  
results:Mansfield\_Park.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 2 of 5 on 2:art from Sense\_And\_Sensibility.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "2: not found" Sent  
results:Sense\_And\_Sensibility.txt: not found

msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 3 of 5 on 2:art from The\_Call\_Of\_The\_Wild.txt present=1 lw=artesian(len=8)  
msglen=144  
Message: "3:artesian" Sent  
results:The\_Call\_Of\_The\_Wild.txt:artesian  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 4 of 5 on 2:art from Tale\_Of\_Two\_Cities.txt present=1 lw= not found(len=10)  
msglen=144  
Message: "4: not found" Sent  
results:Tale\_Of\_Two\_Cities.txt: not found  
msgget: msgget succeeded: msgqid = 22  
msgsnd Reply 5 of 5 on 2:art from Peter\_Pan.txt present=1 lw= not found(len=10) msglen=144  
Message: "5: not found" Sent  
results:Peter\_Pan.txt: not found  
id=0 prefix=