ResBack Use Case Descriptions

Use Case Name	Create Account	
Use Case ID	UC-01	
Use Case Description	Allows a new Student to register an account and access the feedback submission form.	
Primary Actor	Student registering a new account	
Secondary Actor	None	
Precondition	The Student is not signed in and can access the registration page.	
Postcondition	A Student account is saved and an authenticated session opens the feedback form.	
Normal Flow (Main Flow)	**User Action**	**System Response**
	1. Selects Create Account.	2. Displays the registration form.
	3. Enters a nickname, email, password and password confirmation; submits the form.	4. Validates the required fields, uniqueness and password confirmation.
		5. Saves the account with the Student role and a hashed password.
		6. Starts an authenticated session and displays the feedback form.
Alternate Flow	1a. A Student who already has an account selects Login (UC-02) instead of registering again.	
Exception Flow	4a. Invalid or duplicate details prevent account creation. The system identifies the fields to correct. A storage failure prevents successful registration.	
Non-Functional Requirements	Passwords must be hashed. Validation must not reveal stored passwords. The authenticated session must be regenerated.	

ResBack Use Case Descriptions

Use Case Name	Login	
Use Case ID	UC-02	
Use Case Description	Allows an existing user to access ResBack according to the account role.	
Primary Actor	Student, Faculty, Admin or Super Admin	
Secondary Actor	None	
Precondition	The user has an active account and is not currently signed in.	
Postcondition	The user is authenticated and reaches the feedback form or dashboard allowed for the role.	
Normal Flow (Main Flow)	**User Action**	**System Response**
	1. Opens Login.	2. Displays the email and password fields.
	3. Enters the registered email and password; selects Login.	4. Validates the input, verifies the credentials and checks that the account is active.
		5. Starts an authenticated session and regenerates the session identifier.
		6. Opens the Student feedback form or the Faculty, Admin or Super Admin dashboard according to the account role.
Alternate Flow	1a. A Student without an account selects Create Account (UC-01). Successful registration signs the Student in automatically.	
Exception Flow	4a. Incorrect credentials or an inactive account prevents login. Missing or invalid fields return validation errors.	
Non-Functional Requirements	Password entry must be masked. Authentication errors must not expose stored credentials. Sessions must be protected from fixation.	

ResBack Use Case Descriptions

Use Case Name	Submit Feedback	
Use Case ID	UC-03	
Use Case Description	Allows a Student or Faculty member to submit confidential CCIS feedback. Submission includes prohibited-content screening; accepted feedback proceeds to analysis.	
Primary Actor	Student or Faculty	
Secondary Actor	None	
Precondition	The submitter is signed in with an active Student or Faculty account and can access the active CCIS feedback category. Admin and Super Admin cannot submit feedback.	
Postcondition	The feedback is saved as rejected, pending, analyzed or failed, as applicable. The submitter receives its stored status and available analysis.	
Normal Flow (Main Flow)	**User Action**	**System Response**
	1. Opens Submit Feedback.	2. Displays the CCIS feedback form.
	3. Enters feedback and selects Submit.	4. Validates the content, category, duplicate submission and submission limit.
		5. Normalizes the text and configured blocked terms, checks prohibited matches and saves accepted feedback as pending.
		6. For accepted feedback, performs Analyze Accepted Feedback (UC-05) and displays the stored status and available analysis.
Alternate Flow	5a. Prohibited content is saved as rejected; the rejection result is displayed and UC-05 is skipped. Screening is part of submission, not a separate use case.	
Exception Flow	4a. Invalid content/category, duplicate feedback or exceeding the submission limit prevents saving. 5a. A screening error prevents successful completion. 6a. Analysis failure preserves the saved feedback with failed status.	
Non-Functional Requirements	Screening must apply configured rules consistently and preserve the submitted text. History remains private to its owner. Results must distinguish an unsaved submission from a saved record whose analysis failed. Submission does not grant Student dashboard access.	

ResBack Use Case Descriptions

Use Case Name	Edit Own Profile	
Use Case ID	UC-04	
Use Case Description	Allows a signed-in user to update the user's own nickname and optional profile photo.	
Primary Actor	Student, Faculty, Admin or Super Admin	
Secondary Actor	None	
Precondition	The user is signed in with an active account.	
Postcondition	Valid profile changes are saved and a confirmation is displayed.	
Normal Flow (Main Flow)	**User Action**	**System Response**
	1. Opens the profile page.	2. Displays the current nickname and profile photo.
	3. Changes the nickname or selects a new photo; selects Save.	4. Validates nickname uniqueness and the permitted photo type and size.
		5. Stores or removes the profile photo as requested and updates only the signed-in user's profile.
		6. Displays the updated profile and a confirmation message.
Alternate Flow	3a. The user chooses to remove the existing photo before selecting Save. The user may leave the page without saving; existing details remain.	
Exception Flow	4a. A duplicate/invalid nickname or an invalid photo prevents the update. 5a. A photo-storage failure prevents successful completion.	
Non-Functional Requirements	Users must only edit their own profiles. Nicknames protect real-name privacy. Photo uploads must be validated before storage.	

ResBack Use Case Descriptions

Use Case Name	Analyze Accepted Feedback	
Use Case ID	UC-05	
Use Case Description	Classifies accepted feedback by sentiment, language and concern topics using Gemma through the Gemini API. It extends Submit Feedback (UC-03) when screening accepts the content.	
Primary Actor	Student or Faculty through Submit Feedback (UC-03)	
Secondary Actor	Google Gemini API (hosted Gemma inference service)	
Precondition	Submission screening within Submit Feedback (UC-03) accepted the content; the feedback is saved as pending and the analysis service is configured.	
Postcondition	A valid analysis result is saved, the feedback is marked analyzed and its category concern rankings are rebuilt.	
Normal Flow (Main Flow)	**User Action**	**System Response**
		1. Starts analysis for the accepted feedback record saved as pending by UC-03.
		2. Sends the feedback to the Gemini API with the required classification instructions.
		3. Receives and validates the returned sentiment, confidence, keywords, topics and language data.
		4. Saves the result, marks the feedback analyzed and rebuilds the concern rankings; returns control to UC-03 to display the result.
Alternate Flow	2a. A temporary request failure may trigger a retry before the final result is determined.	
Exception Flow	2a/3a. Missing configuration, connection failure, API error or unusable output marks the saved feedback failed; it does not create a successful analysis result.	
Non-Functional Requirements	API credentials must remain confidential and transport must use TLS. Returned data must be validated. A service failure must preserve the submitted record.	

ResBack Use Case Descriptions

Use Case Name	View My Feedback	
Use Case ID	UC-06	
Use Case Description	Allows a submitter to review only the feedback records belonging to the signed-in account.	
Primary Actor	Student or Faculty	
Secondary Actor	None	
Precondition	The Student or Faculty member is signed in with an active account. Feedback history is restricted to the account owner.	
Postcondition	The user sees the personal feedback history with processing status and available analysis.	
Normal Flow (Main Flow)	**User Action**	**System Response**
	1. Selects View My Feedback.	2. Checks that the signed-in user is permitted to access personal feedback history.
		3. Retrieves only the user's feedback records with their categories and available analysis, newest first.
		4. Displays the personal feedback history, processing statuses and available analysis in a paginated list.
	5. Selects the next or previous history page when available.	6. Displays the requested page of the same user's records.
Alternate Flow	3a. If the user has no submissions, the system displays an empty history. 4a. Records without analysis show their current status.	
Exception Flow	1a. An expired session requires Login (UC-02). A retrieval failure prevents the history from being displayed.	
Non-Functional Requirements	History queries must enforce ownership. Pagination must not expose another user's records. Status labels must distinguish rejected, pending, failed and analyzed feedback.	

ResBack Use Case Descriptions

Use Case Name	View Dashboard	
Use Case ID	UC-07	
Use Case Description	Allows authorized users to review CCIS feedback summaries, sentiment and language distributions, trends and ranked concerns.	
Primary Actor	Faculty, Admin or Super Admin	
Secondary Actor	None	
Precondition	The user is signed in with an active account and a role permitted to access the dashboard.	
Postcondition	The dashboard displays the available reportable feedback and analytics for the current scope.	
Normal Flow (Main Flow)	**User Action**	**System Response**
	1. Opens View Dashboard.	2. Checks dashboard access and retrieves reportable CCIS feedback.
		3. Calculates feedback counts, sentiment and language distributions and trends.
		4. Builds the leading concern rankings and retrieves the paginated feedback list.
		5. Displays summaries, charts, concerns and feedback, with Filter Feedback (UC-08) and Export Feedback (UC-09) for PDF or XLSX downloads.
Alternate Flow	2a. With no reportable records, the dashboard shows zero totals and an empty list. After step 5, the user may filter (UC-08), export (UC-09), or, if authorized, delete feedback (UC-10) or open Manage Account (UC-11). Faculty may open Submit Feedback (UC-03); Students submit through their feedback form.	
Exception Flow	1a. A Student or other unauthorized user is denied dashboard access. Invalid scope values or a retrieval failure prevent the requested view.	
Non-Functional Requirements	Access must be role controlled. Rejected feedback must be excluded from reports. Dashboard records must not disclose submitters' email addresses or real names.	

ResBack Use Case Descriptions

Use Case Name	Filter Feedback	
Use Case ID	UC-08	
Use Case Description	Narrows dashboard feedback and analytics by supported language and date-range criteria.	
Primary Actor	Faculty, Admin or Super Admin	
Secondary Actor	None	
Precondition	View Dashboard (UC-07) is open and the user has dashboard permission.	
Postcondition	Dashboard records and analytics reflect the selected valid filter criteria.	
Normal Flow (Main Flow)	**User Action**	**System Response**
	1. Opens the dashboard filter controls.	2. Displays supported language and date-range options for CCIS.
	3. Selects the desired criteria and applies the filters.	4. Validates the selected criteria.
		5. Retrieves matching reportable feedback and recalculates analytics for the selected scope.
		6. Displays the filtered feedback and analytics; retains the scope for PDF and spreadsheet downloads.
Alternate Flow	3a. The user clears optional filters to restore the default CCIS view. 5a. No matching records produces an empty result.	
Exception Flow	4a. Unsupported language/category values or invalid date ranges prevent applying the requested filter. A retrieval failure prevents refreshed results.	
Non-Functional Requirements	The same criteria must be applied consistently to records, analytics and downloads. Filter use must not bypass access restrictions.	

ResBack Use Case Descriptions

Use Case Name	Export Feedback	
Use Case ID	UC-09	
Use Case Description	Exports the selected reportable CCIS feedback scope as a PDF report or XLSX spreadsheet. Both download features are covered by Export Feedback.	
Primary Actor	Faculty, Admin or Super Admin	
Secondary Actor	None	
Precondition	View Dashboard (UC-07) is open; the user has dashboard permission and the requested language and date filters are valid.	
Postcondition	The chosen PDF report or XLSX spreadsheet is generated and returned for download.	
Normal Flow (Main Flow)	**User Action**	**System Response**
	1. Selects Download PDF Report or Export Feedback (XLSX) for the current dashboard scope.	2. Checks dashboard access and validates the requested language and date filters.
		3. Retrieves matching reportable CCIS feedback and available analysis; calculates report summaries and concern rankings for PDF output.
		4. Generates the selected PDF report with summaries, rankings, feedback and page numbers, or an XLSX spreadsheet with feedback, dates, statuses and analysis.
		5. Returns the chosen file for download with a descriptive filename.
Alternate Flow	1a. No optional filters uses the default CCIS scope. 3a. No matching feedback produces a PDF with zero/empty summaries or an XLSX file with column headings. The user may select the other download format from the dashboard.	
Exception Flow	2a. Invalid filters or unauthorized access prevents export. 3a/4a. Retrieval or PDF/spreadsheet generation failure prevents a completed download.	
Non-Functional Requirements	Both formats must preserve the selected scope, exclude rejected feedback and omit identifying account fields. PDF text and pagination must remain readable. XLSX feedback must be stored as text rather than executable formulas.	

ResBack Use Case Descriptions

Use Case Name	Delete Feedback	
Use Case ID	UC-10	
Use Case Description	Allows an administrator to permanently remove a selected feedback record and its associated analysis.	
Primary Actor	Admin or Super Admin	
Secondary Actor	None	
Precondition	The administrator is signed in with an active account and the selected feedback exists.	
Postcondition	The feedback and associated analysis are removed; the dashboard displays a deletion confirmation.	
Normal Flow (Main Flow)	**User Action**	**System Response**
	1. Locates a feedback record on the dashboard.	2. Displays the record and the permitted delete control.
	3. Selects Delete Feedback.	4. Presents the deletion confirmation.
	5. Confirms deletion.	6. Checks administrator permission and permanently deletes the record and associated analysis.
		7. Displays confirmation and the remaining feedback records.
Alternate Flow	5a. The administrator cancels confirmation; the feedback remains unchanged.	
Exception Flow	6a. A Faculty or Student user cannot delete feedback. A missing record or database failure prevents successful deletion.	
Non-Functional Requirements	Deletion must enforce administrator authorization and request protection. Confirmation must make the permanent effect clear. Associated analysis must not remain orphaned.	

ResBack Use Case Descriptions

Use Case Name	Manage Account	
Use Case ID	UC-11	
Use Case Description	Allows administrators to view/search accounts, change roles, deactivate/reactivate or delete accounts as permitted.	
Primary Actor	Admin or Super Admin	
Secondary Actor	None	
Precondition	Signed in, active Admin or Super Admin with account-management access. Changes/deletion require an existing target account.	
Postcondition	The list/search results are displayed. A permitted action updates the role/status or deletes the target account, with confirmation.	
Normal Flow (Main Flow)	**User Action**	**System Response**
	1. Opens Manage Account.	2. Checks access; lists nicknames, roles, statuses, registration dates and permitted controls.
	3. Optionally searches by nickname or selects a result page.	4. Validates search; displays matching pages and retains the criteria.
	5. Selects another account and a role, status or deletion action.	6. Checks authority and self-change restrictions; shows permitted controls or Super Admin deletion confirmation.
	7. Saves a permitted role, selects Deactivate/Reactivate, or confirms deletion.	8. Rechecks authority/input, applies the role/status change or deletion, then refreshes the list with confirmation.
Alternate Flow	3a. Empty search lists all accounts; no matches shows an empty result. 5a. View/search only leaves accounts unchanged. 7a. Admin assigns Student/Faculty roles; Super Admin may also assign Admin/Super Admin. 7b. Deactivate makes an account inactive; Reactivate restores active status. 7c. Only Super Admin confirms permanent deletion of another account; cancelling keeps it unchanged.	
Exception Flow	2a. Deny unauthorized access. 4a. Search must be text, maximum 50 characters. 6a/8a. Block self-role/status changes and self-deletion. Admin cannot change administrator roles/status or delete accounts. Disallowed roles, missing targets or database failures prevent completion.	
Non-Functional Requirements	Enforce server authorization and request protection. Lists use nicknames and omit emails/real names. Confirm permanent deletion. Deactivated users must be blocked from protected operations.	