


MOD 6920 - Beuken, gelakt

Hout		
INDOOR		
20.6920.640.40	60 x 40	L = 2500 mm





**MOD 50** - □ 60 x 40 mm

	U	T	
19.5042.208.00	24	8 - 11	L = 2500  mm
19.5042.211.00	24	11,5 - 13,5	L = 2500  mm
19.5042.215.00	24	15	L = 2500  mm
19.5042.216.00	24	16 - 17,5	L = 2500  mm
19.5042.219.00	24	19	L = 2500  mm
19.5042.222.00	24	20 - 21,5	L = 2500  mm
19.5042.008.00	24	8 - 11	L = 5000  mm
19.5042.011.00	24	11,5 - 13,5	L = 5000  mm
19.5042.015.00	24	15	L = 5000  mm
19.5042.016.00	24	16 - 17,5	L = 5000  mm
19.5042.019.00	24	19	L = 5000  mm
19.5042.022.00	24	20 - 21,5	L = 5000  mm
19.5042.508.00	24	8 - 11	L = 25  m
19.5042.511.00	24	11,5 - 13,5	L = 25  m
19.5042.515.00	24	15	L = 25  m
19.5042.516.00	24	16 - 17,5	L = 25  m
19.5042.519.00	24	19	L = 25  m
19.5042.522.00	24	20 - 21,5	L = 25  m





# MOD 6729

304				
INDOOR				
20.6729.640.12	60 x 40	QS-49 348	2	










## MOD 6790


304				
INDOOR			8	
20.6790.640.12	60 x 40	QS-49 348	2	











## MOD 6505

304			
INDOOR			8
13.6505.640.12	60 x 40	QS-7 348	2





# MOD 6313

304				
INDOOR				
20.6313.640.12	60 x 40	QS-49 348	2	








## MOD 0710

	Q	8
19 0710 640 35	0-81	1






Glaslijsten/handrailingen, hout

HOUT

EASY GLASS® SYSTEEM - U-profiel, rond






MOD 6925 - Beuken, gelakt

Hout		
INDOOR	Ø	⊗
20.6925.042.40	42,0	L = 2500  mm






MOD 6925 - Eiken, gelakt

Hout		
INDOOR	Ø	
20.6925.042.43	42,0	L = 2500 mm






MOD 6925 - Beuken, P11 gebeitst en gelakt

Hout		
INDOOR	Ø	
20.6925.042.41	42,0	L = 2500 mm






**MOD 50** - Ø 42,0 mm

	U	T	8
19.5042.208.00	24	8 - 11	L = 2500  mm
19.5042.211.00	24	11,5 - 13,5	L = 2500  mm
19.5042.215.00	24	15	L = 2500  mm
19.5042.216.00	24	16 - 17,5	L = 2500  mm
19.5042.219.00	24	19	L = 2500  mm
19.5042.222.00	24	20 - 21,5	L = 2500  mm
19.5042.008.00	24	8 - 11	L = 5000  mm
19.5042.011.00	24	11,5 - 13,5	L = 5000  mm
19.5042.015.00	24	15	L = 5000  mm
19.5042.016.00	24	16 - 17,5	L = 5000  mm
19.5042.019.00	24	19	L = 5000  mm
19.5042.022.00	24	20 - 21,5	L = 5000  mm
19.5042.508.00	24	8 - 11	L = 25  m
19.5042.511.00	24	11,5 - 13,5	L = 25  m
19.5042.515.00	24	15	L = 25  m
19.5042.516.00	24	16 - 17,5	L = 25  m
19.5042.519.00	24	19	L = 25  m
19.5042.522.00	24	20 - 21,5	L = 25  m









(3)

1







MOD 0710

19.0710.042.12

Q

Q-20

MOD 6729

304				
INDOOR	Ø			
20.6729.042.12	42,0	QS-49 348	2	









## MOD 6790

304			
INDOOR	Ø		
20.6790.042.12	42,0	QS-49 348	2





