


LASONDERDELEN - Voor handrailingsteunen

Muurafstand = 85 mm






MOD 0109

304		
INDOOR		8
13.0109.000.12	QS-7 348	2
316		
OUTDOOR		8
14.0109.000.12	OS-6 ■ 348	2










MOD 0114

304		
INDOOR		(2)
13.0114.000.12	QS-1 348	2
316		
OUTDOOR		(2)
14.0114.000.12	QS-2 348	2







MOD 4112


304			
INDOOR	Ø		8
13.4112.042.12	42,4	QS-5 348 / QS-25 349	2
13.4112.048.12	48,3	QS-5 348 / QS-25 349	2












MOD 0113

304		
INDOOR		♦
13.0113.000.12	QS-7 348	2
316		
OUTDOOR		♦
14.0113.000.12	QS-6 ■ 348	2









MOD 0695

304			
INDOOR	Ø	Н	8
13.0695.200.12	42,4 x 2,0	79	2
316			
OUTDOOR	Ø	Н	8
14.0695.200.12	42,4 x 2,0	79	2

MOD 0696

304			
INDOOR	Ø	Н	8
13.0696.200.12	48,3 x 2,0	80	2
316			
OUTDOOR	Ø	Н	
14.0696.200.12	48.3 x 2.0	80	2






Q-INFO









MOD 0813

304		
INDOOR		8
13.0813.070.12	QS-14 349	2










MOD 0814


304			
INDOOR			
13.0814.085.12	QS-14 349	2	





















Bijbehorende producten 1800, 1801 en 1802 vindt u op pagina's 214 en 296.

Q-INFO










CECLEDEN

$LASONDER DELEN-Voor\ handrailing steunen$





MOD 1930


304			
INDOOR		(2)	
13.1930.085.12	QS-3 348	4	











MOD 1936


304		
INDOOR		8
13.1936.070.12	QS-56 348	4











MOD 1935

304			
INDOOR		8	
13.1935.070.12	QS-56 ■ 348	8	











MOD 1937

304		
INDOOR	(2)	
13.1937.045.12	4	






railingsystemei

Q-INFO








MOD 1800

304		
INDOOR		8
13.1800.000.12	QS-48 349 / QS-12 349	8
316		
OUTDOOR		
14.1800.000.12	QS-89 349 / QS-13 349	8








MOD 1801

304		
INDOOR		
13.1801.000.12	QS-48 349 / QS-12 349	8








MOD 1802

304		
INDOOR		(2)
13.1802.000.12	QS-48 349 / QS-12 349	8



Bijbehorende producten 4811, 4812, 0811 en 0812 vindt u op pagina's 160 en 213.






MOD 1800

304			
INDOOR	Ø		
13.1800.033.12	33,7	QS-48 \$\bar{\bar{\bar{\bar{\bar{\bar{\bar{\b	8
13.1800.042.12	42,4	QS-48 \$\Bar{\Bar{\Bar{\Bar{\Bar{\Bar{\Bar{	8
13.1800.048.12	48,3	QS-48 349 / QS-10 348	8
316			
OUTDOOR	Ø		8
14.1800.042.12	42,4	QS-89 349 / QS-11 348	8
14.1800.048.12	48,3	QS-89 349 / QS-11 348	8








MOD 1801

304			
INDOOR	Ø		
13.1801.042.12	42,4	QS-48 349 / QS-10 348	8
13.1801.048.12	48,3	QS-48 349 / QS-10 348	8







MOD 1802

304				
INDOOR	Ø			
13.1802.042.12	42,4	QS-48 ■349 / QS-10 ■348	8	
13.1802.048.12	48,3	QS-48 349/ QS-10 348	8	










LASONDERDELEN - Voor balusters







MOD 0940

304					
INDOOR	Ø	В	D		
13.0940.042.00	42,4	75	Ø 100	QS-59 354	2
13.0940.048.00	48,3	80	Ø 100	QS-59 354	2
316					
OUTDOOR	Ø	В	D		
0UTD00R 14.0940.042.00	Ø 42,4	B 75	D Ø 100	QS-58 354	2

MOD 0941

304					
INDOOR	Ø	В	D		8
13.0941.042.00	42,4	90	Ø 120	QS-59 354	2
13.0941.048.00	48,3	90	Ø 120	QS-59 354	2
316					
OUTDOOR	Ø	В	D		
14.0941.042.00	42,4	90	Ø 120	QS-58 354	2
14.0941.048.00	48,3	90	Ø 120	QS-58 354	2











MOD 3502

304					
INDOOR	Ø	В	D		8
13.3502.042.00	42,4	80	Ø 105	QS-35 354	2
13.3502.048.00	48,3	90	Ø 115	QS-35 354	2
316					
OUTDOOR	Ø	В	D		
14.3502.042.00	42,4	80	Ø 105	QS-34 354	2
14 3502 048 00	48 3	90	Ø 115	OS-34 ■ 354	2





Afdekkappen: zie pagina's 233 en 234.

Kijk voor meer informatie over buizen op pagina 236, 237.

© Q-railing - All rights reserved






CECLEDEN

LASONDERDELEN - Voor balusters en buizen






MOD 3501

304		
INDOOR	Ø	
13.3501.242.00	42,4 x 2,0	2
13.3501.042.00	42,4 x 2,6	2









MOD 1550

304							
INDOOR	Ø	Н	В	B2	D		(3)
13.1550.033.12	33,7	95	100	70	55	QS-65 352	1
13.1550.042.12	42,4	110	120	85	65	QS-65 352	1
13.1550.048.12	48,3	110	120	85	75	0S-65 ■352	1





Kijk voor meer informatie over buizen op pagina 236, 237.







MOD 4940

304					
INDOOR		Ø	В		
13.4940.040.00	100	11	75	QS-59 354	2
316					
OUTDOOR		Ø	В		
14.4940.040.00	100	11	75	QS-58 354	2


MOD 4945

304					
INDOOR		Ø	В		8
13.4945.040.00	86	8,5	70	OS-35 ■ 354	2









MOD 4550

304			
INDOOR			8
13.4550.040.12	40 x 40	QS-65 ■ 352	1
316			
OUTDOOR			8
14.4550.040.12	40 x 40	QS-64 ■352	1










Q-INFO

GESI FPFN

LASONDERDELEN - Voor balusters en buizen






MOD 1729

304			
INDOOR	Ø	Н	8
13.1729.042.12	42,4	8,5	16
13.1729.048.12	48,3	9,5	16








MOD 1939

304		
INDOOR		
13.1939.008.12	8	








MOD 1305

304			
INDOOR	Ø	Н	8
13.1305.233.12	33,7 x 2,0	50	2
13.1305.242.12	42,4 x 2,0	65	2
13.1305.248.12	48,3 x 2,0	75	2








MOD 1732

304			
INDOOR	Ø	Н	8
13.1732.060.12	60.0	4	16







MOD 1940

304		
INDOOR	Ø	
13.1940.042.12	42,4	4



ıilingsystemen

Q-INFO

