




SPIDER, MAAR DAN IN SQUARE!




MOD 4752

304		
INDOOR		8
13.4752.000.12	QS-19 349	2
316		
OUTDOOR		
14.4752.000.12	QS-20 349	2



International Design Model Protection




MOD 4753

304		
INDOOR		
13.4753.000.12	QS-19 349	2
316		
OUTDOOR		
14.4753.000.12	QS-20 349	2
14.4753.000.12	QS-20 349	2



International Design Model Protection










Glasadapters - Spider



MOD 0752

304			
INDOOR		8	
13.0752.000.12	QS-21 349	2	








MOD 0750	M	01	0 0	7	50	0
----------	---	----	-----	---	----	---

304		
INDOOR		8
13.0750.000.12	QS-31 349	2
316		
OUTDOOR		8
14.0750.000.12	QS-72 349	2










MOD 0753

304			
INDOOR		8	
13.0753.000.12	QS-21 349	2	











MOD 0751

304		
INDOOR		
13.0751.000.12	QS-31 349	2
316		
OUTDOOR		
14.0751.000.12	QS-72 349	2





Vullingen

Adapters voor glasklemmen

Voor vlak











MOD 0724

304		
INDOOR	♡	
13.0724.000.12	2	
316		
OUTDOOR	(2)	
14.0724.000.12	2	





MOD 0724

304		
INDOOR	Ø	
13.0724.042.12	42,4	2
13.0724.048.12	48,3	2
316		
OUTDOOR	Ø	
14.0724.042.12	42,4	2
14 0724 048 12	48.3	2




Bevestigingsmateriaal dient apart te worden besteld.





Heeft u speciale wensen als het gaat om voorbewerkte producten? Gebruik dan ons bestelformulier op pagina 366 - 403.










MOD 0754			
316			
OUTDOOR			
14.0754.000.12	0S-30 ■ 349	4	







International Design Model Protection




CECLEDEN

Glasadapters - Ø 30 mm

Vlak - glas






MOD 0746

304			
INDOOR	L	L1	8
13.0746.000.12	50	12	4
316			
OUTDOOR	L	L1	8
14.0746.000.12	50	12	4
Zamak			
INDOOR	L	L1	8
10.0746.000	50	12	4








MOD 0746 - Ø 30 mm

304				
INDOOR	Н	L	L1	
13.0746.300.12	30	70	16	4
13.0746.400.12	40	80	16	4
13.0746.500.12	50	90	16	4



Buis - glas





MOD 0746

304				
INDOOR	Ø	L	L1	8
13.0746.033.12	33,7	50	12	4
13.0746.042.12	42,4	50	12	4
13.0746.048.12	48,3	50	12	4
316				
OUTDOOR	Ø	L	L1	(2)
14.0746.033.12	33,7	50	12	4
14.0746.042.12	42,4	50	12	4
14.0746.048.12	48,3	50	12	4
14.0746.060.12	60,3	50	12	4
Zamak				
INDOOR	Ø	L	L1	(2)
10.0746.033	33,7	50	12	4
10.0746.042	42,4	50	12	4







MOD 0740

304		
INDOOR	(2)	
13.0740.000.12	4	
316		
OUTDOOR	(2)	
14.0740.000.12	4	




Vlak - glas

Q-INFO Zamak	MOD 0746.000	AFWERKINGEN
Onbewerkt	Mat verchroomd	RVS look
10.0746 00	10.0746 <mark>16</mark>	10.0746 19
Zwart RAL 9005	Wit RAL 9016	Aluminium wit RAL 9006
		A Committee
10.0746 31	10.0746 32	10.0746 36

Buis - glas








Glasadapters - Ø 25 mm

Glas - staf





MOD 0746 - Ø 25 mm

304		
INDOOR	Ø	(2)
13.0746.016.12	16	4
316		
OUTDOOR	Ø	(2)
14.0746.012.12	12	4
14.0746.016.12	16	4




Vullingen

Glasadapters - Ø 50 mm

Vlak - glas






MOD 0747

304			
INDOOR	L	L1	8
13.0747.000.12	50	10	2
316			
OUTDOOR	L	L1	8
14.0747.000.12	50	10	2
Zamak			
	L	L1	8
10.0747.000	50	10	2



Buis - glas





MOD 0747 - Ø 42,4 / Ø 48,3 mm

304				
INDOOR	Ø	L	L1	8
13.0747.042.12	42,4	50	10	2
13.0747.048.12	48,3	50	10	2
316				
OUTDOOR	Ø	L	L1	
14.0747.042.12	42,4	50	10	2



Vlak - glas





