IRO – Issues Reporting Outlet: Code Listing

CSC426 Weekly Dev – Weekend 3 · Joshua Omolafe (Joshua989)

app/index.html (71 lines)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>IRO – Issues Reporting Outlet</title>
  <link rel="stylesheet" href="css/style.css">
</head>
<body>
  <header>
    <nav class="nav">
      <a class="brand" href="index.html">IR<span>O</span></a>
      <ul>
        <li><a class="link active" href="index.html">Home</a></li>
        <li><a class="link" href="report.html">Report an Issue</a></li>
        <li><a class="link" href="track.html">Track Report</a></li>
        <li><a class="link" href="admin.html">Admin</a></li>
      </ul>
    </nav>
  </header>

  <main>
    <section class="hero">
      <h1>Issues Reporting Outlet</h1>
      <p>
        One safe place for AAUA students and the indigenes of Akungba, Iwaro,
        Etioro, Ayegunle and neighbouring communities to report issues that
        affect town–gown relations — and to follow them until they are resolved.
      </p>
      <a class="btn" href="report.html">Report an Issue</a>
      <a class="btn secondary" href="track.html">Track My Report</a>
    </section>

    <section class="grid">
      <div class="card">
        <h3>1. Report</h3>
        <p>Describe what happened, where and when. You can stay anonymous.</p>
      </div>
      <div class="card">
        <h3>2. Get a ticket</h3>
        <p>You receive a ticket ID (e.g. <code>IRO-26-4F7K2</code>). Keep it safe.</p>
      </div>
      <div class="card">
        <h3>3. Track</h3>
        <p>Use your ticket ID to see the status and any updates from the IRO desk.</p>
      </div>
      <div class="card">
        <h3>4. Resolution</h3>
        <p>The IRO desk reviews, escalates to the right authority and records the outcome.</p>
      </div>
    </section>

    <section class="card" style="margin-top:24px">
```

```
      <h2>What can I report?</h2>
      <p id="categoryList"></p>
      <div class="notice">
        <strong>Emergency?</strong> IRO is not an emergency line. If anyone is in
        immediate danger, contact campus security or the nearest police division first,
        then file a report here.
      </div>
    </section>
  </main>

  <footer>IRO &copy; 2026 · CSC426 Weekly Dev · Adekunle Ajasin University, Akungba-Akoko</footer>

  <script src="js/store.js"></script>
  <script>
    document.getElementById("categoryList").textContent = IRO.CATEGORIES.join(" · ");
  </script>
</body>
</html>
```

app/report.html (107 lines)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Report an Issue – IRO</title>
  <link rel="stylesheet" href="css/style.css">
</head>
<body>
  <header>
    <nav class="nav">
      <a class="brand" href="index.html">IR<span>O</span></a>
      <ul>
        <li><a class="link" href="index.html">Home</a></li>
        <li><a class="link active" href="report.html">Report an Issue</a></li>
        <li><a class="link" href="track.html">Track Report</a></li>
        <li><a class="link" href="admin.html">Admin</a></li>
      </ul>
    </nav>
  </header>

  <main>
    <div class="card" id="formCard">
      <h2>Report an Issue</h2>
      <p>Fields marked <span class="opt">(optional)</span> can be left blank.</p>

      <form id="reportForm" novalidate>
        <h3>About you</h3>
        <div class="row">
          <div>
            <label for="reporterType">I am a</label>
            <select id="reporterType" required>
              <option value="">-- Select --</option>
              <option>Student</option>
              <option>Indigene</option>
              <option>Other</option>
            </select>
          </div>
          <div id="matricGroup" class="hidden">
```

```
            <label for="matricNo">Matric number <span class="opt">(optiona
l)</span></label>
            <input id="matricNo" placeholder="e.g. 210404012">
          </div>
          <div id="communityGroup" class="hidden">
            <label for="community">Community</label>
            <select id="community"></select>
          </div>
        </div>

        <label class="check"><input type="checkbox" id="anonymous"> Report
anonymously (your name and contact will not be stored)</label>

        <div class="row" id="identityGroup">
          <div>
            <label for="name">Full name <span class="opt">(optional)</span>
</label>
            <input id="name" autocomplete="name">
          </div>
          <div>
            <label for="contact">Phone or email <span class="opt">(optiona
l)</span></label>
            <input id="contact" autocomplete="email">
          </div>
        </div>

        <h3>The issue</h3>
        <div class="row">
          <div>
            <label for="category">Category</label>
            <select id="category" required></select>
          </div>
          <div>
            <label for="severity">Severity</label>
            <select id="severity" required></select>
          </div>
        </div>
        <div class="row">
          <div>
            <label for="location">Location</label>
            <input id="location" required placeholder="e.g. Ibaka junction,
Iwaro">
          </div>
          <div>
            <label for="incidentDate">Date of incident</label>
            <input type="date" id="incidentDate" required>
          </div>
        </div>
        <label for="title">Short title</label>
        <input id="title" required maxlength="100" placeholder="e.g. Landlo
rd increased rent mid-session">
        <label for="description">Describe what happened</label>
        <textarea id="description" required maxlength="2000"></textarea>

        <p id="formError" class="error"></p>
        <button class="btn" type="submit">Submit Report</button>
      </form>
    </div>

    <div class="card hidden" id="successCard">
      <h2>Report submitted</h2>
      <p>Thank you. Your report has been received. Save this ticket ID — yo
u need it to track your report:</p>
      <div class="notice"><span class="ticket" id="ticketId"></span></div>
      <a class="btn secondary" id="trackLink" href="track.html">Track this
report</a>
      <a class="btn" href="report.html">Report another issue</a>
```

```
    </div>
  </main>

  <footer>IRO &copy; 2026 · CSC426 Weekly Dev · Adekunle Ajasin University, Akungba-Akoko</footer>

  <script src="js/store.js"></script>
  <script src="js/report.js"></script>
</body>
</html>
```

app/track.html (46 lines)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Track Report – IRO</title>
  <link rel="stylesheet" href="css/style.css">
</head>
<body>
  <header>
    <nav class="nav">
      <a class="brand" href="index.html">IR<span>O</span></a>
      <ul>
        <li><a class="link" href="index.html">Home</a></li>
        <li><a class="link" href="report.html">Report an Issue</a></li>
        <li><a class="link active" href="track.html">Track Report</a></li>
        <li><a class="link" href="admin.html">Admin</a></li>
      </ul>
    </nav>
  </header>

  <main>
    <div class="card">
      <h2>Track a Report</h2>
      <form id="trackForm" class="toolbar">
        <input id="ticketInput" placeholder="Enter ticket ID, e.g. IRO-26-4F7K2" required>
        <button class="btn" type="submit" style="flex:0 0 auto">Track</button>
      </form>
      <p id="trackError" class="error"></p>
    </div>

    <div class="card hidden" id="resultCard" style="margin-top:16px">
      <h2 id="resTitle"></h2>
      <p id="resMeta"></p>
      <p><strong>Current status:</strong> <span id="resStatus"></span></p>
      <h3>Progress</h3>
      <ul class="timeline" id="resHistory"></ul>
    </div>
  </main>

  <footer>IRO &copy; 2026 · CSC426 Weekly Dev · Adekunle Ajasin University, Akungba-Akoko</footer>

  <script src="js/store.js"></script>
  <script src="js/track.js"></script>
</body>
</html>
```

app/admin.html (103 lines)

```
<!DOCTYPE html>
```

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Admin Desk – IRO</title>
  <link rel="stylesheet" href="css/style.css">
</head>
<body>
  <header>
    <nav class="nav">
      <a class="brand" href="index.html">IR<span>O</span></a>
      <ul>
        <li><a class="link" href="index.html">Home</a></li>
        <li><a class="link" href="report.html">Report an Issue</a></li>
        <li><a class="link" href="track.html">Track Report</a></li>
        <li><a class="link active" href="admin.html">Admin</a></li>
      </ul>
    </nav>
  </header>

  <main>
    <!-- Login -->
    <div class="card" id="loginCard" style="max-width:420px;margin:0 auto">
      <h2>IRO Desk Login</h2>
      <form id="loginForm">
        <label for="passcode">Passcode</label>
        <input type="password" id="passcode" required>
        <p class="error" id="loginError"></p>
        <button class="btn" type="submit">Log in</button>
      </form>
      <p class="opt"><small>Demo passcode: <code>iro2026</code></small></p>
    </div>

    <!-- Dashboard -->
    <div id="dashboard" class="hidden">
      <div style="display:flex;justify-content:space-between;align-items:ce
nter;flex-wrap:wrap;gap:10px">
        <h2 style="margin:0">Issue Management Desk</h2>
        <button class="btn small secondary" id="logoutBtn">Log out</button>
      </div>

      <section class="grid" style="margin:16px 0">
        <div class="card"><div class="stat" id="statTotal">0</div>Total rep
orts</div>
        <div class="card"><div class="stat" id="statOpen">0</div>Open</div>
        <div class="card"><div class="stat" id="statEmergency" style="colo
r:var(--danger)">0</div>Active emergencies</div>
        <div class="card"><div class="stat" id="statResolved">0</div>Resolv
ed</div>
      </section>

      <div class="toolbar">
        <input id="search" placeholder="Search ticket, title or location">
        <select id="filterStatus"></select>
        <select id="filterCategory"></select>
        <select id="filterReporter">
          <option value="">All reporters</option>
          <option>Student</option>
          <option>Indigene</option>
          <option>Other</option>
        </select>
      </div>

      <div class="table-wrap">
        <table>
          <thead>
```

```
            <tr><th>Ticket</th><th>Issue</th><th>Reporter</th><th>Severity</th><th>Status</th><th>Action</th></tr>
          </thead>
          <tbody id="issueRows"></tbody>
        </table>
      </div>
      <p id="emptyMsg" class="hidden">No reports match the current filters.</p>

      <!-- Detail / update panel -->
      <div class="card hidden" id="detailCard" style="margin-top:16px">
        <h3 id="dTitle"></h3>
        <p id="dMeta"></p>
        <p id="dReporter"></p>
        <p id="dDesc" style="white-space:pre-wrap"></p>
        <h4>History</h4>
        <ul class="timeline" id="dHistory"></ul>
        <h4>Update status</h4>
        <form id="updateForm" class="row">
          <div>
            <label for="newStatus">New status</label>
            <select id="newStatus"></select>
          </div>
          <div>
            <label for="note">Note to reporter</label>
            <input id="note" placeholder="e.g. Forwarded to Students' Affairs">
          </div>
          <div style="align-self:end">
            <button class="btn" type="submit">Save update</button>
            <button class="btn small" type="button" id="deleteBtn" style="background:var(--danger);color:#fff">Delete</button>
          </div>
        </form>
      </div>
    </div>
  </main>

  <footer>IRO &copy; 2026 · CSC426 Weekly Dev · Adekunle Ajasin University, Akungba-Akoko</footer>

  <script src="js/store.js"></script>
  <script src="js/admin.js"></script>
</body>
</html>
```

app/css/style.css (154 lines)

```
/* IRO – Issues Reporting Outlet : shared stylesheet */
:root {
  --green: #0b6e4f;
  --green-dark: #08513a;
  --gold: #f2a900;
  --bg: #f4f7f5;
  --card: #ffffff;
  --text: #1d2a24;
  --muted: #5c6b64;
  --border: #d6e0db;
  --danger: #b3261e;
  --radius: 10px;
}

* { box-sizing: border-box; }

body {
  margin: 0;
```

```
  font-family: "Segoe UI", Roboto, Arial, sans-serif;
  background: var(--bg);
  color: var(--text);
  line-height: 1.5;
}

a { color: var(--green); }

/* ---------- Header / navigation ---------- */
header {
  background: var(--green);
  color: #fff;
}
.nav {
  max-width: 1000px;
  margin: 0 auto;
  padding: 14px 16px;
  display: flex;
  align-items: center;
  justify-content: space-between;
  flex-wrap: wrap;
  gap: 10px;
}
.brand { font-size: 1.4rem; font-weight: 700; color: #fff; text-decoration: none; }
.brand span { color: var(--gold); }
.nav ul { list-style: none; margin: 0; padding: 0; display: flex; gap: 6px; flex-wrap: wrap; }
.nav a.link {
  color: #fff;
  text-decoration: none;
  padding: 6px 12px;
  border-radius: 6px;
}
.nav a.link:hover, .nav a.link.active { background: var(--green-dark); }

/* ---------- Layout ---------- */
main { max-width: 1000px; margin: 0 auto; padding: 24px 16px 48px; }

.hero {
  background: linear-gradient(135deg, var(--green), var(--green-dark));
  color: #fff;
  border-radius: var(--radius);
  padding: 36px 28px;
  margin-bottom: 24px;
}
.hero h1 { margin: 0 0 8px; font-size: 1.9rem; }
.hero p { margin: 0 0 18px; max-width: 640px; opacity: .95; }

.grid { display: grid; gap: 16px; grid-template-columns: repeat(auto-fit, minmax(220px, 1fr)); }

.card {
  background: var(--card);
  border: 1px solid var(--border);
  border-radius: var(--radius);
  padding: 20px;
}
.card h2, .card h3 { margin-top: 0; color: var(--green-dark); }

/* ---------- Forms ---------- */
form h3 { margin: 24px 0 0; }
form .row { display: grid; gap: 14px; grid-template-columns: repeat(auto-fit, minmax(240px, 1fr)); }
label { display: block; font-weight: 600; margin: 12px 0 4px; }
.opt { font-weight: 400; color: var(--muted); font-size: .85rem; }
input, select, textarea {
```

```
  width: 100%;
  padding: 10px;
  border: 1px solid var(--border);
  border-radius: 6px;
  font: inherit;
  background: #fff;
}
textarea { min-height: 120px; resize: vertical; }
input:focus, select:focus, textarea:focus { outline: 2px solid var(--gold); border-color: var(--gold); }
.check { display: flex; align-items: center; gap: 8px; font-weight: 400; }
.check input { width: auto; }
.hidden { display: none !important; }

.btn {
  display: inline-block;
  background: var(--gold);
  color: #1d2a24;
  border: none;
  padding: 10px 20px;
  border-radius: 6px;
  font-weight: 700;
  cursor: pointer;
  text-decoration: none;
  font-size: 1rem;
}
.btn:hover { filter: brightness(.95); }
.btn.secondary { background: var(--green); color: #fff; }
.btn.small { padding: 5px 10px; font-size: .85rem; }

.error { color: var(--danger); font-size: .9rem; margin-top: 4px; }

.notice {
  background: #e7f4ee;
  border-left: 4px solid var(--green);
  padding: 14px 16px;
  border-radius: 6px;
  margin: 16px 0;
}
.ticket { font-family: monospace; font-size: 1.4rem; font-weight: 700; letter-spacing: 1px; }

/* ---------- Status badges & timeline ---------- */
.badge {
  display: inline-block;
  padding: 2px 10px;
  border-radius: 999px;
  font-size: .8rem;
  font-weight: 700;
  white-space: nowrap;
}
.badge.Submitted   { background: #e3e8ff; color: #2b3a99; }
.badge.Under-Review{ background: #fff3cd; color: #7a5a00; }
.badge.Escalated   { background: #fde2e1; color: #8c1d18; }
.badge.Resolved    { background: #d9f2e4; color: #0b6e4f; }
.badge.Closed      { background: #e4e4e4; color: #444; }

.timeline { list-style: none; padding: 0; margin: 0; border-left: 3px solid var(--border); }
.timeline li { padding: 0 0 14px 16px; position: relative; }
.timeline li::before {
  content: ""; position: absolute; left: -8px; top: 5px;
  width: 13px; height: 13px; border-radius: 50%; background: var(--green);
}
.timeline small { color: var(--muted); display: block; }

/* ---------- Admin table ---------- */
```

```
.toolbar { display: flex; gap: 10px; flex-wrap: wrap; margin-bottom: 12px; }
.toolbar > * { flex: 1 1 160px; }
.table-wrap { overflow-x: auto; }
table { width: 100%; border-collapse: collapse; background: #fff; }
th, td { padding: 10px; border-bottom: 1px solid var(--border); text-align: left; vertical-align: top; font-size: .92rem; }
th { background: #eef3f0; }
.stat { font-size: 1.8rem; font-weight: 700; color: var(--green); }

footer { text-align: center; color: var(--muted); font-size: .85rem; padding: 20px 16px; }
```

app/js/store.js (160 lines)

```
/*
 * IRO – Issues Reporting Outlet
 * store.js : data layer (IssueStore object).
 *
 * The mini version keeps all reports in the browser's localStorage so the
 * app runs with no server. Every other script talks to data ONLY through
 * IssueStore, so swapping localStorage for a real backend API later only
 * means rewriting this file.
 */

const IRO = {
  STORAGE_KEY: "iro_issues",
  ADMIN_PASSCODE: "iro2026", // demo only – a real deployment authenticates on a server

  CATEGORIES: [
    "Security / Safety",
    "Accommodation & Rent",
    "Land & Property",
    "Harassment / Assault",
    "Cultural & Festival Conflicts",
    "Sanitation & Environment",
    "Water, Power & Utilities",
    "Transport & Okada",
    "Market & Pricing",
    "Other"
  ],

  COMMUNITIES: ["Akungba", "Iwaro", "Etioro", "Ayegunle", "Oke-Oka", "Other"],

  STATUSES: ["Submitted", "Under Review", "Escalated", "Resolved", "Closed"],

  SEVERITIES: ["Low", "Medium", "High", "Emergency"]
};

const IssueStore = {
  /** Return every saved issue (newest first). */
  getAll() {
    try {
      const raw = localStorage.getItem(IRO.STORAGE_KEY);
      const list = raw ? JSON.parse(raw) : [];
      return list.sort((a, b) => b.createdAt.localeCompare(a.createdAt));
    } catch (e) {
      return [];
    }
  },

  /** Persist the full list. */
  saveAll(list) {
```

```
    localStorage.setItem(IRO.STORAGE_KEY, JSON.stringify(list));
  },

  /** Create a unique, human-friendly ticket ID such as IRO-26-4F7K2. */
  generateId() {
    const chars = "ABCDEFGHJKLMNPQRSTUVWXYZ23456789"; // no 0/O/1/I to avoid confusion
    const year = String(new Date().getFullYear()).slice(-2);
    let id;
    do {
      let code = "";
      for (let i = 0; i < 5; i++) code += chars[Math.floor(Math.random() * chars.length)];
      id = `IRO-${year}-${code}`;
    } while (this.findById(id));
    return id;
  },

  /** Add a new issue and return it. */
  create(data) {
    const now = new Date().toISOString();
    const issue = {
      id: this.generateId(),
      reporterType: data.reporterType,          // "Student" | "Indigene" | "Other"
      anonymous: !!data.anonymous,
      name: data.anonymous ? "" : data.name.trim(),
      contact: data.anonymous ? "" : data.contact.trim(),
      matricNo: data.matricNo ? data.matricNo.trim() : "",
      community: data.community || "",
      category: data.category,
      severity: data.severity,
      location: data.location.trim(),
      incidentDate: data.incidentDate,
      title: data.title.trim(),
      description: data.description.trim(),
      status: "Submitted",
      createdAt: now,
      history: [{ status: "Submitted", note: "Report received by IRO.", at: now }]
    };
    const list = this.getAll();
    list.push(issue);
    this.saveAll(list);
    return issue;
  },

  /** Find one issue by its ticket ID (case-insensitive). */
  findById(id) {
    if (!id) return null;
    const key = id.trim().toUpperCase();
    return this.getAll().find(i => i.id === key) || null;
  },

  /** Change an issue's status and log the change in its history. */
  updateStatus(id, status, note) {
    const list = this.getAll();
    const issue = list.find(i => i.id === id);
    if (!issue) return null;
    issue.status = status;
    issue.history.push({ status, note: note || "", at: new Date().toISOString() });
    this.saveAll(list);
    return issue;
  },

  /** Remove an issue permanently (admin only). */
```

```
  remove(id) {
    this.saveAll(this.getAll().filter(i => i.id !== id));
  },

  /** Counts used by the admin dashboard. */
  stats() {
    const list = this.getAll();
    const byStatus = {};
    IRO.STATUSES.forEach(s => (byStatus[s] = 0));
    list.forEach(i => byStatus[i.status]++);
    return {
      total: list.length,
      open: list.length - byStatus["Resolved"] - byStatus["Closed"],
      emergency: list.filter(i => i.severity === "Emergency" && i.status !
= "Closed").length,
      byStatus
    };
  }
};

/* ---------- Small helpers shared by every page ---------- */

/** Escape text before inserting it into HTML (prevents script injection).
*/
function escapeHtml(str) {
  return String(str).replace(/[&<>"']/g, c => ({
    "&": "&amp;", "<": "&lt;", ">": "&gt;", '"': "&quot;", "'": "&#39;"
  })[c]);
}

/** Format an ISO date for display, e.g. 7 Jul 2026, 14:05. */
function formatDate(iso) {
  return new Date(iso).toLocaleString("en-GB", {
    day: "numeric", month: "short", year: "numeric", hour: "2-digit", minut
e: "2-digit"
  });
}

/** Status badge markup; CSS class uses a hyphen in place of spaces. */
function statusBadge(status) {
  return `<span class="badge ${status.replace(/\s/g, "-")}">${escapeHtml(st
atus)}</span>`;
}

/** Fill a <select> element with a list of options. */
function fillSelect(select, items, placeholder) {
  select.innerHTML = placeholder ? `<option value="">${placeholder}</option
>` : "";
  items.forEach(item => {
    const opt = document.createElement("option");
    opt.value = item;
    opt.textContent = item;
    select.appendChild(opt);
  });
}
```

app/js/report.js (81 lines)

```
/*
 * IRO – report.js : ReportForm object (controls report.html).
 */

const ReportForm = {
  form: document.getElementById("reportForm"),
  el: id => document.getElementById(id),

```

```
  init() {
    fillSelect(this.el("category"), IRO.CATEGORIES, "-- Select category --");
    fillSelect(this.el("severity"), IRO.SEVERITIES, "-- Select severity --");
    fillSelect(this.el("community"), IRO.COMMUNITIES, "-- Select community --");
    this.el("incidentDate").max = new Date().toISOString().slice(0, 10);

    this.el("reporterType").addEventListener("change", () => this.toggleReporterFields());
    this.el("anonymous").addEventListener("change", () => this.toggleIdentity());
    this.form.addEventListener("submit", e => this.submit(e));
  },

  /** Students may give a matric number; indigenes pick their community. */
  toggleReporterFields() {
    const type = this.el("reporterType").value;
    this.el("matricGroup").classList.toggle("hidden", type !== "Student");
    this.el("communityGroup").classList.toggle("hidden", type !== "Indigene");
  },

  toggleIdentity() {
    this.el("identityGroup").classList.toggle("hidden", this.el("anonymous").checked);
  },

  /** Read all fields into a plain object. */
  collect() {
    return {
      reporterType: this.el("reporterType").value,
      matricNo: this.el("matricNo").value,
      community: this.el("community").value,
      anonymous: this.el("anonymous").checked,
      name: this.el("name").value,
      contact: this.el("contact").value,
      category: this.el("category").value,
      severity: this.el("severity").value,
      location: this.el("location").value,
      incidentDate: this.el("incidentDate").value,
      title: this.el("title").value,
      description: this.el("description").value
    };
  },

  /** Return an error message, or "" when the data is valid. */
  validate(d) {
    if (!d.reporterType) return "Please tell us whether you are a student or an indigene.";
    if (d.reporterType === "Indigene" && !d.community) return "Please select your community.";
    if (!d.category) return "Please choose a category.";
    if (!d.severity) return "Please choose a severity.";
    if (!d.location.trim()) return "Please enter where the issue happened.";
    if (!d.incidentDate) return "Please enter the date of the incident.";
    if (d.incidentDate > new Date().toISOString().slice(0, 10)) return "The incident date cannot be in the future.";
    if (d.title.trim().length < 5) return "Please give a short title (at least 5 characters).";
    if (d.description.trim().length < 20) return "Please describe the issue in at least 20 characters.";
    if (!d.anonymous && d.contact.trim() && !/^(\+?\d{10,14}|[^@\s]+@[^@\s]+\.[^@\s]+)$/.test(d.contact.trim()))
      return "Contact must be a valid phone number or email address.";
```

```
    return "";
  },

  submit(e) {
    e.preventDefault();
    const data = this.collect();
    const error = this.validate(data);
    this.el("formError").textContent = error;
    if (error) return;

    const issue = IssueStore.create(data);
    this.el("ticketId").textContent = issue.id;
    this.el("trackLink").href = "track.html?id=" + encodeURIComponent(issue.id);
    this.el("formCard").classList.add("hidden");
    this.el("successCard").classList.remove("hidden");
    window.scrollTo(0, 0);
  }
};

ReportForm.init();
```

app/js/track.js (42 lines)

```
/*
 * IRO – track.js : Tracker object (controls track.html).
 * Shows only non-identifying details so a leaked ticket ID reveals nothing personal.
 */

const Tracker = {
  el: id => document.getElementById(id),

  init() {
    this.el("trackForm").addEventListener("submit", e => {
      e.preventDefault();
      this.show(this.el("ticketInput").value);
    });

    // Allow links such as track.html?id=IRO-26-4F7K2
    const id = new URLSearchParams(location.search).get("id");
    if (id) {
      this.el("ticketInput").value = id;
      this.show(id);
    }
  },

  show(id) {
    const issue = IssueStore.findById(id);
    this.el("resultCard").classList.toggle("hidden", !issue);
    this.el("trackError").textContent = issue ? "" : "No report found with that ticket ID. Check it and try again.";
    if (!issue) return;

    this.el("resTitle").textContent = issue.title;
    this.el("resMeta").textContent =
      `${issue.id} · ${issue.category} · ${issue.severity} severity · reported ${formatDate(issue.createdAt)}`;
    this.el("resStatus").innerHTML = statusBadge(issue.status);
    this.el("resHistory").innerHTML = issue.history.map(h => `
      <li>
        ${statusBadge(h.status)}
        <small>${formatDate(h.at)}</small>
        ${h.note ? `<div>${escapeHtml(h.note)}</div>` : ""}
      </li>`).join("");
  }
```

```
};

Tracker.init();
```

app/js/admin.js (122 lines)

```
/*
 * IRO – admin.js : AdminDesk object (controls admin.html).
 * Lets the IRO desk officer view, filter and update reports.
 */

const AdminDesk = {
  SESSION_KEY: "iro_admin",
  selectedId: null,
  el: id => document.getElementById(id),

  init() {
    fillSelect(this.el("filterStatus"), IRO.STATUSES, "All statuses");
    fillSelect(this.el("filterCategory"), IRO.CATEGORIES, "All categorie
s");
    fillSelect(this.el("newStatus"), IRO.STATUSES);

    this.el("loginForm").addEventListener("submit", e => this.login(e));
    this.el("logoutBtn").addEventListener("click", () => this.logout());
    ["search", "filterStatus", "filterCategory", "filterReporter"].forEach
(id =>
      this.el(id).addEventListener("input", () => this.render()));
    this.el("issueRows").addEventListener("click", e => {
      const btn = e.target.closest("button[data-id]");
      if (btn) this.openDetail(btn.dataset.id);
    });
    this.el("updateForm").addEventListener("submit", e => this.saveUpdate
(e));
    this.el("deleteBtn").addEventListener("click", () => this.deleteSelecte
d());

    if (sessionStorage.getItem(this.SESSION_KEY) === "1") this.showDashboar
d();
  },

  login(e) {
    e.preventDefault();
    if (this.el("passcode").value === IRO.ADMIN_PASSCODE) {
      sessionStorage.setItem(this.SESSION_KEY, "1");
      this.showDashboard();
    } else {
      this.el("loginError").textContent = "Incorrect passcode.";
    }
  },

  logout() {
    sessionStorage.removeItem(this.SESSION_KEY);
    location.reload();
  },

  showDashboard() {
    this.el("loginCard").classList.add("hidden");
    this.el("dashboard").classList.remove("hidden");
    this.render();
  },

  /** Issues that match the search box and the three filters. */
  filtered() {
    const q = this.el("search").value.trim().toLowerCase();
    const st = this.el("filterStatus").value;
    const cat = this.el("filterCategory").value;
```

```
    const rep = this.el("filterReporter").value;
    return IssueStore.getAll().filter(i =>
      (!st || i.status === st) &&
      (!cat || i.category === cat) &&
      (!rep || i.reporterType === rep) &&
      (!q || [i.id, i.title, i.location].some(f => f.toLowerCase().includes(q))));
  },

  render() {
    const s = IssueStore.stats();
    this.el("statTotal").textContent = s.total;
    this.el("statOpen").textContent = s.open;
    this.el("statEmergency").textContent = s.emergency;
    this.el("statResolved").textContent = s.byStatus["Resolved"];

    const rows = this.filtered();
    this.el("emptyMsg").classList.toggle("hidden", rows.length > 0);
    this.el("issueRows").innerHTML = rows.map(i => `
      <tr>
        <td><code>${i.id}</code><br><small>${formatDate(i.createdAt)}</small></td>
        <td><strong>${escapeHtml(i.title)}</strong><br><small>${escapeHtml(i.category)} · ${escapeHtml(i.location)}</small></td>
        <td>${i.reporterType}${i.community ? " (" + escapeHtml(i.community) + ")" : ""}</td>
        <td>${i.severity}</td>
        <td>${statusBadge(i.status)}</td>
        <td><button class="btn small secondary" data-id="${i.id}">Open</button></td>
      </tr>`).join("");
  },

  openDetail(id) {
    const i = IssueStore.findById(id);
    if (!i) return;
    this.selectedId = id;
    this.el("dTitle").textContent = `${i.id} – ${i.title}`;
    this.el("dMeta").textContent =
      `${i.category} · ${i.severity} · ${i.location} · incident on ${i.incidentDate}`;
    this.el("dReporter").textContent = i.anonymous
      ? `Reporter: Anonymous ${i.reporterType}`
      : `Reporter: ${i.name || "(no name)"} · ${i.contact || "(no contact)"} · ${i.reporterType}` +
        (i.matricNo ? ` · Matric ${i.matricNo}` : "") + (i.community ? ` · ${i.community}` : "");
    this.el("dDesc").textContent = i.description;
    this.el("dHistory").innerHTML = i.history.map(h =>
      `<li>${statusBadge(h.status)} <small>${formatDate(h.at)}</small>${h.note ? `<div>${escapeHtml(h.note)}</div>` : ""}</li>`
    ).join("");
    this.el("newStatus").value = i.status;
    this.el("note").value = "";
    this.el("detailCard").classList.remove("hidden");
    this.el("detailCard").scrollIntoView({ behavior: "smooth" });
  },

  saveUpdate(e) {
    e.preventDefault();
    if (!this.selectedId) return;
    IssueStore.updateStatus(this.selectedId, this.el("newStatus").value, this.el("note").value.trim());
    this.render();
    this.openDetail(this.selectedId);
  },

```

```
  deleteSelected() {
    if (!this.selectedId || !confirm("Delete this report permanently?")) re
turn;
    IssueStore.remove(this.selectedId);
    this.selectedId = null;
    this.el("detailCard").classList.add("hidden");
    this.render();
  }
};

AdminDesk.init();
```