

Divide and Conquer

Joshua Gilmon, JaeHong Park, Landon Williams
Georgia Southwestern State University
College of Business & Computing
Americus, Georgia
[jgilmon, jpark14, lwilli56]@radar.gsw.edu

Abstract—This project consists of creating a website where local schools will be able to register a team of students for GSW’s annual math tournament. There are two main pieces we will create: The front-end development, which is where the schools will interface with the site to register and edit teams, and backend development, which will consist of managing access and data for this site. The front end will consist of, but not limited to, information about the event, pages for sign in, account creation, team registration, payment processing, and team editing. The leader of the team will login with a previous account or make one when they first reach the page. Once logged in they can either create a team associated with their account or edit the current team associated with it. They will be able to view and edit all data including team members and predetermined data for each member. Once we have finished this project, we will have touched every corner of what we have learned through our time in the Computer Science department at Georgia Southwestern.

Index Terms—web development, security, sql

I. PROJECT MANAGEMENT

We chose to use the waterfall model of software engineering on this project.

A. Requirement Gathering

We found that we need to make a website for users to register for the GSW math tournament. To do this we need to have an intuitive front end and a fast and easy to understand backend. It needed to have user authentication. We need this so we can tell which users handle which schools and students. It needed to be secure because it would be taking credit card payments and storing user data. It needed to have a file that was outputted through the website that was from the database that worked with the existing systems in place.

B. Planning

- 1) *Project Size*: Overall it was a medium sized project.
- 2) *Cost*: Around \$7,000 with current prices for employees.
- 3) *Duration*: Around 4 months.
- 4) *Effort*: Decent amounts of effort will be needed to complete it on time.

C. Deployment

This project should be hosted on a Linux based server with ample space and networking capabilities.

II. OVERVIEW

When we discussed the project at first, we decided to go node.js as our back-end JavaScript server. Using this allowed us to connect and retrieve data from the database mentioned above. Node.js was not able to accomplish this alone, there are a couple of libraries that we had to use to achieve this. The first being Express.js. They gave us the ability handle routes that passed data from our frontend to our backend and vice versa with ease. The second framework we used was MySQL. This allowed us to create connections to our MySQL database and return the data for our end users to see. [1]

A. Node.js via 443

As for the Node.js we contained all its code within a single JavaScript document called App.js. We decided not to have skeleton for node.js because we did not have enough routes to justify the complexity. Once we had a few pages working on the localhost of our server we decided to tackle getting node.js to work over port 443 alongside the site so anyone could access the site and it work for them. The route requests come to the server over port 443, the reverse proxy translates it to port three thousand, the data leaves node.js over port three thousand and the Apache server sends the response back over port 443 to the client’s browser. [2]

B. GUI

The site itself is comprised of two main sections. The first being where the user lands when the user has never visited the site before. This page and its associated pages do not require you to be logged in. They are for information regarding the math tournament. That may be previous winners, location, requirements, rules, or upcoming events. From this page there is a login button. When pressed it will take you to the log in page that requires valid credentials to go any further. Once logged in the site is straight forward. You have school information that you can edit. This allows you to enter the school’s name, sponsor name, sponsor email address, phone number, and meal tickets. This information is saved and associated with the account logged in. Once your school information is entered, you can add and edit teams. You can add multiple teams as well as add up to eight students per team. The student information that you enter is straight forward. You simply enter the first and last name, and then the ID number for the students is based off the team and the other

students associated with the team. The team ID numbers are also generated based on the number of schools associated with the division that the school is in. For the overall look and feel of the site I leveraged the CSS library Bootstrap. This allowed for use to create a fluid and consistent site for our end users that is both appealing and effective. [2]

C. Event-driven programming / OOP

On these pages I use user driven events such as button presses to call routes to pass data. For instance, when a user presses the add team button. The route https://math.gswcm.net/JS/add_team is called and it adds a team to the associated school for the user that is logged in. The page is force refreshed and then the new team is displayed along with any other team that is associated. This is the same methodology used when a user makes any changes across the site. A good example of using OOP is saving team data. Based on the team data that the user enters I generate a student that has the values that the user enters. This data is formatted as JSON objects and pushed to the database via Node.js that parses through the object to get each individual student's data.

III. DATABASE

Database is necessary to store many data, search data and store data. There are several types of databases. There are different database management systems such as non-tabular databases like database management system and NoSQL which are non-relational databases. The one used for the project is relational database management system (DBMS). MySQL is DBMS in which entities have relationships with each other [3]. We chose to use DBeaver due to its cost-effectiveness, cross-platform compatibility, built-in SQL reformatting capabilities, and automatic updates to entity-relationship diagrams [3].

A. DBMS

The reason we chose DBMS (Database Management System) is because it ensures data safety through multiple security layers, including authorization codes, so that even if the program crashes, data should be stored securely. The database is replicated, enabling fault tolerance, and allowing concurrent access. Therefore, if there is a sudden power failure or system shutdown, data replication saves the day [4] [5]. Data is stored in tabular form with rows and columns, making it easy to access, retrieve, and manipulate. It can easily scale to handle large data quantities, and indexes help sort data and improve performance. RDBMS also enables the creation of virtual tables for storing sensitive data. Multiple users can access data simultaneously in RDBMS. It is user-friendly and supplies a well-organized structure for managing data [6].


B. ACID

Atomicity is a property that ensures that a transaction's complete set of operations is either processed entirely or not at all. If the transaction cannot be completed, it must be rolled back. Consistency is a property that ensures all transactions adhere to integrity constraints. Isolation is a property that

ensures that two transactions cannot affect each other. This means that while one transaction is being executed, the other must not be able to access it. Durability is a property that ensures that after a transaction has been completed, its results are permanently stored in the database, even if a system failure.

C. Entity Relationship Diagram (ERD)

Entity relationship diagram helps users to understand the database easily. Each table will have one primary key. The primary key from a table will be a foreign key for another table to make a relationship between tables. From the ERD below, Division table has DivisionPK which is a primary key of the table. The primary key is a foreign key in School table, Team table and Students table. Here is another reason ERD is used. There are lines connecting two different tables. There are different shapes at each end of the lines. Two straight lines means one and one straight line with trident shape means many. For example, Division table and School table, the line stands for "one division have many school" Which could also be "many schools are in one division." Likewise, UserAuth table and School table, the line stands for "One user can have one school" which also means "One school can be owned by one user."



D. Primary keys

DivisionPK, TeamPK, and StudentPK, all of which are of data type int unsigned with auto-increment. DivisionID is of data type int (1) unsigned, TeamID is of data type int (2) unsigned, and StudentID is of data type int (1) unsigned. Based on these data types, it can be inferred that there will be less than 10 divisions with a maximum of 9, less than 100 teams per tournament with a maximum of 99, and less than 10 students per team with a maximum of 8.

E. Database Summarization

The database is designed to accommodate tournaments with multiple divisions, each of which has less than 100 teams. Each team can have up to 8 students, and the database is perfected to handle tournaments with less than 10 divisions. On the website, we implemented the ability to add up to 8 students for each team. This means that for each team, a maximum of 8 students can be registered. We made this adjustment to ensure that the database can handle tournaments with teams consisting of a maximum of 8 students per team.

F. SQL Scripts

The website is implemented with some buttons with SQL scripts for easier use for the management. There are scripts for the manager to fetch the top scorers, to reset the database and to output the text file to implement an application for grading. For resetting the database, TRUNCATE function is used many times, but the database had many relationships between tables and the relationships which prohibited using TRUNCATE function so used DELETE function instead. Below are the scripts implemented.

1) Fetching Top Scores: [7]

```
SELECT
    Division.DivisionID ,
    Team.TeamID ,
    Student.StudentID ,
    Student.StudentFName ,
    Student.StudentLName ,
    Student.TotalScore
FROM Division
LEFT JOIN School ON School.Division_FK = Division.DivisionPK
LEFT JOIN Team ON Team.School_FK = School.SchoolPK
LEFT JOIN Student ON Student.Team_FK = Team.TeamPK
ORDER BY Student.TotalScore DESC ;
```

2) Reseting Database: [8] [9]

```
DELETE FROM Student ;
DELETE FROM School ;
DELETE FROM Team ;
DELETE FROM Division ;
```

3) Database Output File: [10]

```
SELECT
    CONCAT(COUNT(s2.SchoolID), ' ', t.Division_FK, ' ',
    s2.SchoolID, ' ', s2.SchoolName) as TeamInfo,
    GROUP_CONCAT(CONCAT(StudentFName, ' ', StudentLName))
AS StudentNames
FROM
    Student s
JOIN
    Team t ON t.TeamPK = s.Team_FK
JOIN
    School s2 ON t.School_FK = s2.SchoolPK
GROUP BY t.Division_FK, s2.SchoolID, s2.SchoolName;
```

IV. SECURITY

A. Password Hashing

There are many issues with storing passwords, we need to ensure that if the passwords are ever stolen, they aren't usable to the attacker. To do this we need to encrypt the password. I have chosen the BCrypt encryption algorithm. Hashing is a "one-way" encryption method which means that you can only crack this password by guessing many and many times

until you find a password that will supply the same hash [11]. We can make this harder to do by using salt. A salt is done through "adding random data to the input of a hash function to guarantee a unique output" [12]. So, using this method even if an attacker already had common password hashes it would be impractical for them because each password is unique no matter if the actual password is or is not.

B. Multi-factor Authentication (MFA)

Multifactor Authentication gives us another line of defense against attackers. According to the Cybersecurity and Infrastructure Security Agency MFA is "a strong authentication method. It requires two or more factors to gain access to the system. Each factor must come from a different category above (e.g., something you know and something you have)" [13]. Google conducted a study on the significance of MFA and found that "using MFA blocked 100 percent of automated bots, 99 percent of bulk phishing attacks, and 66 percent of targeted attacks on users' Google accounts" [13]. This added protection allows us to be confident that if the service was attacked with a brute force attack on the login page it will not allow them to enter unless they break through two layers. For this we used two packages: Speakeasy [14] and QRCode [15].

C. Request Verification

We must verify user requests and we have chosen reCAPTCHA to do this for us. There are many versions of reCAPTCHA, and we decided to use version two due to the ability to challenge a request to verify if they are a valid request [16]. Instead of version three which will assign a score to them based on their behavior [16]. There is an issue with using version two, it seems that many people were able to use software to solve the challenges for the bots which defeats the whole purpose of using reCAPTCHA [17]. With this discovery I would recommend in the future changing to the new reCAPTCHA version three or to a different system overall.

V. LIST OF TOOLS WE USED

A. Apache

We used Apache's HTTP Server to host our server and transport data back and forth from the user to the server. We did this transport over port 443 which is the port for HTTPS (Hypertext Transfer Protocol Secure). We did this to ensure all data that gets sent will be secure when going over the network. It also acts as a proxy for port 3000, used in Express.js, which we will talk about next [18].

B. Express.js

We used Express.js as our request handler from the HTTP server to our app.js backend. This is to allow us to have communication from our front end to our back end. All our backend request handlers are hardcoded to avoid insertion attacks [19].

C. MySQL

We used MySQL as our database. We chose this because it is easier for us to set up and manage and having an easily understandable structure that JaeHong “Joseph” built we were able to easily create queries and add and remove data as we needed to. As well as MySQL allowed us to connect to Node.js easier than an alternative database like MongoDB [20].

D. Node.js

We used Node.js as our runtime environment. We chose this due to its easy-to-use nature and the fact that it is open source. We also enjoyed the fact that it came with NPM (Node Package Manager) that allowed us to install packages easily [1].

E. Process Manager 2 (PM2)

Process Manager 2 (PM2) was our process manager for our JavaScript backend. PM2 allowed us to have easy and quick reboots as well as logs that allowed us to track down issues with our app.js. It also supplies a monitoring dashboard that we can use to view the status of the server and any issues that have occurred [21].

VI. FUTURE WORK

A. Further Documentation

This project is somewhat difficult to understand from an outsider perspective. It will require extensive documentation to ensure that it can be maintained throughout its life expectancy.

B. Cleaning up Front end

The front end could be more intuitive and visually appealing to the eye.

C. Switching to web tokens for authentication

Instead of using a random 30-character long screen to determine who is signed in we should use web tokens, so it is harder to brute force into the system.

D. Docker

We should use Docker to make the webserver easier to scale and maintain not requiring extensive setup when scaling up or down.

REFERENCES

- [1] OpenJS Foundation. Node.js.
- [2] Bootstrap. Bootstrap. [Online]. Available: <https://getbootstrap.com/docs/5.0/getting-started/introduction/>
- [3] J. Letkowski, “Doing database design with mysql,” *Journal of Technology Research*, vol. Volume 6, 01 2015.
- [4] R. Bachala. DBeaver vs MySQL workbench vs POP SQL vs VSC. [Online]. Available: <https://richiebachala.medium.com/dbeaver-vs-mysql-workbench-vs-pop-sql-vs-vsc-837bbfcca826>
- [5] What is RDBMS? top advantages and disadvantages of RDBMS. [Online]. Available: <https://webandcrafts.com/blog/advantages-disadvantages-rdbms/>
- [6] K. I. Satoto, R. R. Isnanto, R. Kridalukmana, and K. T. Martono, “Optimizing MySQL database system on information systems research, publications and community service,” in *2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)*. IEEE, pp. 1–5. [Online]. Available: <http://ieeexplore.ieee.org/document/7892476/>
- [7] MySQL. Counting rows. [Online]. Available: <https://dev.mysql.com/doc/refman/8.0/en/counting-rows.html>
- [8] —. TRUNCATE TABLE statement. [Online]. Available: <https://dev.mysql.com/doc/refman/8.0/en/truncate-table.html>
- [9] —. DELETE statement. [Online]. Available: <https://dev.mysql.com/doc/refman/8.0/en/truncate-table.html>
- [10] —. Aggregate function descriptions. [Online]. Available: https://dev.mysql.com/doc/refman/8.0/en/aggregate-functions.html#function_group-concat
- [11] P. Sriramya and R. Karthika, “PROVIDING PASSWORD SECURITY BY SALTED PASSWORD HASHING USING BCrypt ALGORITHM,” *ARPJ Journal of Engineering and Applied Sciences*, vol. 10, no. 13, pp. 5551 – 5556, 2015.
- [12] Auth0. Adding salt to hashing: A better way to store passwords.
- [13] Cybersecurity and Infrastructure Security Agency. Implementing strong authentication.
- [14] Speakeasyjs. Speakeasy.
- [15] Soldair. QRCode.
- [16] Google Developers. reCAPTCHA v2.
- [17] S. Sivakorn, J. Polakis, and A. Keromytis, “I’m not a human: Breaking the google reCAPTCHA.”
- [18] Apache. The apache HTTP server project.
- [19] Express. Express - node.js web application framework.
- [20] Oracle. MySQL.
- [21] Keymetrics Inc. Process manager 2.

APPENDIX

1	app.js	5
2	custom.css	11
3	about.html	11
4	admin.html	12
5	createuser.html	14
6	edit-school.html	16
7	edit-team.html	19
8	forgotpass.html	22
9	header.html	23
10	index.html	24
11	other.html	25
12	passwordreset.html	26
13	past.html	28
14	payment.html	29
15	school.html	30
16	user_home.html	32
17	verifyemail.html	33
18	view_team.html	34
19	view_teams.html	36

For a better viewing experience please visit our GitHub page. <https://github.com/JoshuaGilmon/Divide-Conquer>

File 1. app.js

```
1  const express = require('express')
2  const cors = require('cors')
3  const bodyParser = require('body-parser');
4  const app = express()
5  const port = 3000
6
7  app.use(cors())
8
9  app.use(bodyParser.json());
10
11
12  const mysql = require('mysql');
13  const bcrypt = require('bcrypt');
14  var randomstring = require("randomstring");
15  var nodemailer = require('nodemailer');
16  var Speakeasy = require('speakeasy');
17  const shell = require('shelljs');
18  var QRCode = require('qrcode');
19  const { json, urlencoded } = require('body-parser');
20
21  const connection = mysql.createConnection({
22    host: "localhost",
23    user: "",
24    password: "",
25    database: "regdata",
26  });
27
28  const newconnection = mysql.createConnection({
29    host: "localhost",
30    user: "",
31    password: "",
32    database: "registrationData",
33  });
34
35  connection.connect();
36
37  // Here, 'results' is an array of rows returned by the query
38  // You can pass this data to the web browser in a JSON file
39
40  // Route to handle form submission
41
42  // define a route for the POST method
43
44  app.post('/update_team', (req, res) => {
45
46    const formData = req.body; // Assuming you're using a middleware like body-parser to parse the request body
47
48    // Loop through the form data and insert it into the MySQL table
49    formData.forEach((data) => {
50
51      const sql = 'UPDATE Student SET StudentLName = '${data.field2}', StudentFName = '${data.field3}', StudentID = '${data.field}' Where StudentPK = '${data.field1}'';
52
53      newconnection.query(sql, (err, result) => {
54        if (err) throw err;
55        console.log('Inserted ${result.affectedRows} row(s)');
56      });
57    });
58
59    res.send('Form data inserted into MySQL table');
60  });
61
62
63  app.post('/update_school/:id', (req, res) => {
```

```

64     const id = req.params.id;
65     const name = req.body.name;
66     const DivisionID = req.body.DivisionID;
67     const MealTicket = req.body.MealTicket;
68     const SponsorName = req.body.SponsorName;
69     const SponsorEmail = req.body.SponsorEmail;
70     const SponsorPhone = req.body.SponsorPhone;
71
72     // update the user in the MySQL database
73     const sql = 'UPDATE School SET MealTicket = '${MealTicket}', SchoolName = '${name}', Division_FK = '${DivisionID}', SponsorName = '${SponsorName}', SponsorEmail = '${SponsorEmail}', SponsorNumber = '${SponsorPhone}' WHERE SchoolPK = '${id}';';
74     newconnection.query(sql,(err , result) => {
75         if (err) throw err;
76         console.log('User updated');
77         res.send('User updated');
78     });
79 });
80
81 app.post('/add_team/:id', (req , res) => {
82     const id = req.params.id;
83
84     const sql2 = 'SELECT
85     CASE
86     WHEN count(TeamID) is null then 1
87     ELSE count(TeamID) + 1
88     END as "teamid",
89     Division_FK as "division"
90 FROM
91     Team
92 WHERE
93     Division_FK = (SELECT Division_FK FROM School WHERE SchoolPK = '${id}');'
94 GROUP BY Division_FK';
95     newconnection.query(sql2,(err , result) => {
96         if (err) throw err;
97         console.log('User updated');
98
99         try{
100             value = parseInt(result[0].teamid)
101         }
102         catch{
103             value = 0 + 1
104         }
105
106         const sql2 = 'SELECT Division_FK FROM School WHERE SchoolPK = '${id}';';
107         newconnection.query(sql2,(err , result1) => {
108             if (err) throw err;
109
110             const sql = 'Insert Team Set TeamID = ${value}, School_FK = '${id}', Division_FK = '${result1[0].Division_FK}';';
111             newconnection.query(sql,(err , result) => {
112                 if (err) throw err;
113                 console.log('User updated');
114                 res.send('User updated');
115             });
116         });
117     });
118 });
119
120 app.post('/add_student', (req , res) => {
121     const { school , team} = req.body;
122
123     const sql2 = 'SELECT
124     Division_FK as "division"
125 FROM
126     School
127 WHERE
128     SchoolPK = '${school}'
129     ';
130     const Schoolinfo1 = newconnection.query(sql2,(err , result1) => {
131         if (err) throw err;
132         console.log('User updated');
133         const div1 = result1[0].division
134
135
136         const sql1 = 'SELECT
137         CASE
138         WHEN count(StudentID) is null then 1
139         ELSE count(StudentID) + 1
140         END as "studentid"
141 FROM
142     Student
143 WHERE
144     Team_FK = '${team}'
145     and
146     School_FK = '${school}'
147     ';
148         const Schoolinfo = newconnection.query(sql1,(err , result1) => {
149             if (err) throw err;
150             console.log('User updated');
151             const studID = result1[0].studentid
152
153             if(studID <= 8){
154
155                 const sql = 'Insert Student Set Team_FK = '${team}', StudentID = '${studID}', StudentFName ='First Name', StudentLName ='Last Name', Division_FK = '${div1}', School_FK = '${school}';';
156                 newconnection.query(sql,(err , result) => {
157                     if (err) throw err;
158                     console.log('User updated');
159                     res.send('User updated');
160                 });
161             }
162         }
163         else{
164             res.send('overeight ');
165         }
166     });
167 });
168 });
169
170
171 app.post('/delete_student', (req , res) => {

```

```

173 const { studentPK } = req.body;
174 const sql = 'DELETE FROM Student Where StudentPK = '${studentPK}'';
175 newconnection.query(sql,(err, result) => {
176   if (err) throw err;
177   console.log('Team Deleted');
178   res.send('Team Deleted');
179 });
180 });
181
182 app.post('/delete_team', (req, res) => {
183   const { school, team } = req.body;
184
185   const sql = 'DELETE FROM Team Where School_FK= '${school}' AND TeamPK = '${team}'';
186   newconnection.query(sql,(err, result) => {
187     if (err) throw err;
188     console.log('Team Deleted');
189     res.send('Team Deleted');
190   });
191   // const sql1 = 'DELETE FROM Team Where School_FK= '${school}' AND Team = '${team}'';
192   // newconnection.query(sql,(err, result) => {
193   //   if (err) throw err;
194   // });
195 });
196
197 app.post('/top-scores', (req, res) => {
198   const id = req.body.ID;
199   const sql = 'SELECT Admin FROM UserAuth WHERE UserID = '${id}'';
200   newconnection.query(sql,(err, result) => {
201     if (err) throw err;
202     if (result[0].Admin == 1){
203       shell.exec('sh /var/www/html/filesSql/Scripts/TopTotalScore.sh')
204       res.send("Success");
205     }
206     else{
207       res.send("Failure");
208     }
209   });
210 });
211
212 app.post('/reset-database', (req, res) => {
213   const id = req.body.ID;
214   const sql = 'SELECT Admin FROM UserAuth WHERE UserID = '${id}'';
215   newconnection.query(sql,(err, result) => {
216     if (err) throw err;
217     if (result[0].Admin == 1){
218       shell.exec('sh /var/www/html/filesSql/Scripts/PermDel.sh')
219       res.send("Success");
220     }
221     else{
222       res.send("Failure");
223     }
224   });
225 });
226
227 app.post('/payment', (req, res) => {
228   const id = req.body.ID;
229   const paid = req.body.Pay;
230   const sql = 'UPDATE School SET Payment = '${paid}' WHERE UserID = '${id}'';
231   newconnection.query(sql,(err, result) => {
232     if (err) throw err;
233     res.send("Success");
234   })
235 });
236
237 app.post('/update_user', (req, res) => {
238   const random = randomstring.generate(30);
239   const randomConf = randomstring.generate(30);
240   const email = req.body.Email;
241   const password = req.body.Password;
242   const password2 = req.body.Password2;
243   //Check for already used email.
244   const sql = 'SELECT EMAIL as "emailData" FROM UserAuth WHERE EMAIL = '${email}'';
245   newconnection.query(sql,(err, result) => {
246     try{
247       console.log(result[0].emailData)
248       res.send("same-email-error")
249     }
250     catch{
251       if(password == password2){
252         if(password.length >= 8){
253           const date = new Date().toISOString().slice(0, 19).replace('T', ' ');
254           var mfa = Speakeasy.generateSecret({
255             name: 'DIVIDEANDCONQUER'
256           })
257           bcrypt.genSalt(12, function(err, salt) {
258             bcrypt.hash(password, salt, function(err, hash) {
259               const hashed = hash
260               const sql = 'INSERT UserAuth SET UserID = '${random}', Email = '${email}', Password = '${hashed}', Conf = '${randomConf}', Date = '${date}', Admin =
261               '0', MFA = '${mfa.ascii}'';
262               newconnection.query(sql,(err, result) => {
263                 if (err) throw err;
264                 console.log('User created');
265                 const sql = 'INSERT School SET Payment = '0', UserID = '${random}'';
266                 newconnection.query(sql,(err, result) => {
267                   if (err) throw err;
268                   console.log('School created');
269                 });
270                 QRCode.toDataURL(mfa.otpauth_url, function(err, data){
271                   res.send(data);
272                 })
273               });
274             });
275             });
276             });
277             //EMAIL

```

```

281     var transporter = nodemailer.createTransport({
282         service: 'outlook',
283         auth: {
284             user: 'gswdivideandconquer@outlook.com',
285             pass: ''
286         }
287     });
288
289     const url = 'https://math.gswcm.net/verifyemail.html?ID=${randomConf}';
290     var mailOptions = {
291         from: 'gswdivideandconquer@outlook.com',
292         to: email,
293         subject: 'Confirm Email for Divide and Conquer',
294         text: 'Please follow this link to confirm your email: ' + url
295     };
296
297     transporter.sendMail(mailOptions, function(error, info){
298         if (error) {
299             console.log(error);
300         } else {
301             console.log('Email sent: ' + info.response);
302         }
303     });
304 }
305 else{
306     res.send('password-less-than-min');
307 }
308 }
309 else{
310     res.send('password-match-error');
311 }
312 })
313 }
314 });
315
316
317 app.post('/verifyemail', (req, res) => {
318     const id = req.body.ID;
319     const sql = 'UPDATE UserAuth SET Conf = NULL WHERE Conf = '${id}';';
320     newconnection.query(sql, (err, result) => {
321         if (err) throw err;
322         console.log('Email verified. ');
323         res.send("Success");
324     });
325 });
326
327 app.post('/login_user', (req, res) => {
328     const email = req.body.Email;
329     const passwordplain = req.body.Password;
330     const token = req.body.Token;
331     const sql = 'SELECT USERID as "usid", PASSWORD as "hash", Conf as "emailConf", MFA as "mfa" FROM UserAuth WHERE EMAIL = '${email}';';
332     newconnection.query(sql, (err, result) => {
333         try{
334             const usid = (result[0].usid)
335             const emailConf = (result[0].emailConf)
336             const mfa = (result[0].mfa)
337             if (emailConf != null){
338
339                 res.send('email-conf-error')
340             }
341             else{
342                 mfaVerifyValue = MFAVerify(token, mfa)
343                 console.log(mfaVerifyValue)
344                 if (mfaVerifyValue == true){
345                     bcrypt.compare(passwordplain, result[0].hash, function(err, result) {
346                         if (result) {
347                             res.send(usid);
348                         }
349                         else {
350                             res.send('Failure');
351                         }
352                     });
353                 }
354                 else{
355                     res.send('mfa-conf-error')
356                 }
357             }
358             catch{
359                 res.send('Failure');
360                 return false;
361             }
362         });
363     });
364
365     app.post('/passwordreset', (req, res) => {
366         const id = req.body.ID;
367         const password = req.body.Password;
368         const password2 = req.body.Password2;
369         if (password == password2){
370             if (password.length >= 8){
371                 bcrypt.genSalt(12, function(err, salt) {
372                     bcrypt.hash(password, salt, function(err, hash) {
373                         const hashed = hash
374                         const sql = 'UPDATE UserAuth SET Password = '${hashed}', ResetRandom = NULL WHERE ResetRandom = '${id}';'; //URL id.
375                         newconnection.query(sql, (err, result) => {
376                             if (err) throw err;
377                             console.log('User pass updated');
378                             res.send("Success");
379                         });
380                     });
381                 });
382             }
383             else{
384                 res.send('password-less-than-min');
385             }
386         }
387         else{
388             res.send('password-match-error');
389         }
390     })

```



```

391
392 app.post('/forgot_user', (req, res) => {
393     const email = req.body.Email;
394
395     const sql = 'SELECT EMAIL as "email", USERID as "usid" FROM UserAuth WHERE EMAIL = '${email}'';
396     newconnection.query(sql, (err, result) => {
397         try {
398             const usid = (result[0].usid);
399             const emaildb = (result[0].email);
400             res.send('Sent');
401
402             const random = randomstring.generate(30);
403
404             const sql2 = 'UPDATE UserAuth SET ResetRandom = '${random}' WHERE USERID = '${usid}'';
405             newconnection.query(sql2, (err, result) => {console.log("Updated")});
406
407             if(email == emaildb){
408                 var transporter = nodemailer.createTransport({
409                     service: 'outlook',
410                     auth: {
411                         user: 'gswdivideandconquer@outlook.com',
412                         pass: ''
413                     }
414                 });
415
416                 const url = 'https://math.gswcm.net/passwordreset.html?ID=${random}';
417                 var mailOptions = {
418                     from: 'gswdivideandconquer@outlook.com',
419                     to: emaildb,
420                     subject: 'Reset Password for Divide and Conquer',
421                     text: 'Please follow this link to reset your password: ' + url
422                 };
423
424                 transporter.sendMail(mailOptions, function(error, info){
425                     if (error) {
426                         console.log(error);
427                     } else {
428                         console.log('Email sent: ' + info.response);
429                     }
430                 });
431             } else {
432                 console.log("Unknown_email")
433             }
434         } catch {
435             console.log("Unknown_email")
436             res.send("Failure")
437         }
438     });
439 });
440 });
441
442 app.get('/data_noas', (req, res) => {
443     // Query the database
444     const myVariable = req.query.variable;
445     const sql = 'SELECT
446     SchoolName,
447     Division_FK,
448     SponsorName,
449     SponsorNumber,
450     SponsorEmail,
451     CASE
452         WHEN Payment = 1 THEN 'Paid'
453         ELSE 'Not Paid'
454     END,
455     MealTicket
456 FROM
457     School WHERE SchoolPK = '${myVariable}'';
458
459     console.log(myVariable)
460
461     newconnection.query(sql, function(error, results, fields) {
462         if (error) throw error;
463
464         res.setHeader('Content-Type', 'application/json');
465         res.send(JSON.stringify(results));
466     });
467 });
468
469 app.get('/data', (req, res) => {
470     // Query the database
471     const myVariable = req.query.variable;
472     const sql = 'SELECT
473     SchoolName as "School_Name",
474     Division_FK as "Division",
475     SponsorName as "Sponsor_Name",
476     SponsorNumber as "Sponsor_Number",
477     SponsorEmail as "Sponsor_Email",
478     CASE
479         WHEN Payment = 1 THEN 'Paid'
480         ELSE 'Not Paid'
481     END as "Payment",
482     MealTicket as "Meal_Tickets_Requested"
483 FROM
484     School WHERE SchoolPK = '${myVariable}'';
485
486     console.log(myVariable)
487
488     newconnection.query(sql, function(error, results, fields) {
489         if (error) throw error;
490
491         res.setHeader('Content-Type', 'application/json');
492         res.send(JSON.stringify(results));
493     });
494 });
495
496 app.get('/get_school', (req, res) => {
497     // Query the database
498     const myVariable = req.query.variable;
499     console.log(myVariable)
500     const sql = 'SELECT * FROM School WHERE UserID = '${myVariable}'';

```

```

501     newconnection.query(sql, function(error, results, fields) {
502         if (error) throw error;
503     });
504     res.setHeader('Content-Type', 'application/json');
505     res.send(JSON.stringify(results));
506 });
507 });
508 });
509
510 app.get('/team', (req, res) => {
511     // Query the database
512     const myVariable = req.query.variable;
513     const team = req.query.team;
514     const sql = 'SELECT * FROM Student WHERE School_FK = '${myVariable}' AND Team_FK = '${team}'';
515
516     newconnection.query(sql, function(error, results, fields) {
517         if (error) throw error;
518     });
519     res.setHeader('Content-Type', 'application/json');
520     res.send(JSON.stringify(results));
521 });
522 });
523
524 app.get('/team2', (req, res) => {
525     // Query the database
526     const myVariable = req.query.variable;
527     const team = req.query.team;
528     const sql = 'SELECT Team_FK as "Team_ID", StudentID as "Student_ID", StudentFName as "Student_First_Name", StudentLName as "Student_Last_Name" FROM Student WHERE School_FK = '${myVariable}' AND Team_FK = '${team}'';
529
530     newconnection.query(sql, function(error, results, fields) {
531         if (error) throw error;
532     });
533     res.setHeader('Content-Type', 'application/json');
534     res.send(JSON.stringify(results));
535 });
536 });
537
538 app.get('/team_data', (req, res) => {
539     // Query the database
540     const myVariable = req.query.variable;
541     const sql = 'SELECT * FROM Team WHERE School_FK = '${myVariable}'';
542
543     newconnection.query(sql, function(error, results, fields) {
544         if (error) throw error;
545     });
546     console.log(results);
547
548     res.setHeader('Content-Type', 'application/json');
549     res.send(JSON.stringify(results));
550 });
551 });
552
553 app.get('/logindata', (req, res) => {
554     // Query the database
555     const myVariable = req.query.variable;
556     const sql = 'SELECT Password FROM UserAuth WHERE email = '${myVariable}'';
557
558     console.log(myVariable);
559
560     connection.query(sql, function(error, results, fields) {
561         if (error) throw error;
562     });
563     res.setHeader('Content-Type', 'application/json');
564     res.send(JSON.stringify(results));
565 });
566 });
567
568 app.get('/data2', (req, res) => {
569     // Get a connection from the connection pool
570     pool.getConnection((err, connection) => {
571         if (err) {
572             console.error(err);
573             res.status(500).send('Server Error');
574             return;
575         }
576
577         // Run the SQL query
578         const sql = 'SELECT * FROM School';
579         connection.query(sql, (err, results, fields) => {
580             // Release the connection back to the pool
581             connection.release();
582
583             if (err) {
584                 console.error(err);
585                 res.status(500).send('Server Error');
586                 return;
587             }
588
589             // Convert the result to a string and return it
590             const resultString = JSON.stringify(results);
591             res.send(resultString);
592         });
593     });
594 });
595
596 function MFAVerify(token, mfa) {
597     return SpeakEasy.totp.verify({
598         secret: `${mfa}`,
599         encoding: 'ascii',
600         token: `${token}`
601     })
602 }
603
604 app.get('/', (req, res) => {
605     res.sendFile(path.join(__dirname, '../user_home.html'));
606 });
607
608 app.get('/datas', (req, res) => {
609     const data = { foo: 'bar2' };

```

```

610     res.json(data);
611   });
612
613   app.listen(port, () => {
614     console.log('Divide-Conquer is open on port ${port}')
615   })

```

File 2. custom.css

```

1  .gsw-primary{
2    background-color: #00205b;
3  }
4
5  .gsw-secondary{
6    background-color: #C69214;
7  }
8
9  .gsw-text-primary{
10   color: #00205b;
11 }
12
13 .gsw-text-secondary{
14   color: #C69214;
15 }
16
17 .flexContainer {
18   display: flex;
19   justify-content: center;
20 }
21
22 .g-recaptcha div {
23   margin-left: auto; margin-right: auto;
24 }

```

File 3. about.html

```

1  <!DOCTYPE html>
2  <html lang="en">
3
4  <head>
5    <meta charset="utf-8">
6    <title>GSW Math Tournament</title>
7    <meta content="width=device-width,initial-scale=1.0" name="viewport">
8    <meta content="" name="keywords">
9    <meta content="" name="description">
10
11    <!-- Favicon -->
12    <!--<link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon" -->-->
13
14    <!-- Google Web Fonts -->
15    <link rel="preconnect" href="https://fonts.googleapis.com">
16    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17    <link
18      href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap"
19      rel="stylesheet">
20
21    <!-- Icon Font Stylesheet -->
22    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@5.10.0/css/all.min.css" rel="stylesheet">
23    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
24
25    <!-- Libraries Stylesheet -->
26    <link rel="stylesheet"
27      href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
28
29    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet"
30      integrity="sha384-EVSTQN3/azprG1Anm3QDgp1Lm9Nao0Yz1tcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">
31    <link href="CSS/custom.css" rel="stylesheet">
32  </head>
33
34  <body>
35    <!-- Topbar Start -->
36    <div class="container-fluid gsw-primary-p-0" style="z-index: 500;">
37      <div class="row gx-0 d-none d-lg-flex">
38        <div class="col-lg-7 px-5 text-start">
39          <div class="h-100 d-inline-flex align-items-center me-4">
40            <small class="fa fa-map-marker-alt gsw-text-secondary me-2"></small>
41            <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
42          </div>
43          <div class="h-100 d-inline-flex align-items-center">
44            <small class="far fa-clock gsw-text-secondary me-2"></small>
45            <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
46          </div>
47        </div>
48        <div class="col-lg-5 px-5 text-end">
49          <div class="h-100 d-inline-flex align-items-center me-4">
50            <small class="fa fa-phone-alt gsw-text-secondary me-2"></small>
51            <small class="text-white">877-871-4594</small>
52          </div>
53          <div class="h-100 d-inline-flex align-items-center mx-n2">
54            <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary"
55              href="https://www.facebook.com/GorgiaSouthwestern/"><i class="fab fa-facebook-f"></i></a>
56            <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary"
57              href="https://twitter.com/GaSouthwestern"><i class="fab fa-twitter"></i></a>
58            <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary"
59              href="https://www.linkedin.com/school/georgia-southwestern-state-university/"><i
60                class="fab fa-linkedin-in"></i></a>
61            <a class="btn btn-square btn-link rounded-0 gsw-text-secondary"
62              href="http://www.instagram.com/georgiasouthwestern"><i class="fab fa-instagram"></i></a>
63          </div>
64        </div>
65      </div>
66    </div>
67    <!-- Topbar End -->
68
69    <!-- Navbar Start -->
70    <nav class="container-fluid navbar navbar-expand-lg navbar-light sticky-top p-0"
71      style="background-color: #e3e3e3; z-index: 500;">

```

```

72 <a href="index.html" class="nav-bar-brand _mr-auto _d-flex _align-items-center _border-end _px-4 _px-lg-5">
73 <h2 class="m-0 _gsw-text-primary">Divide-Conquer</h2>
74 </a>
75 <button type="button" class="nav-bar-toggler _me-2" data-bs-toggle="collapse" data-bs-target="#navBarCollapse">
76 <span class="nav-bar-toggler-icon"></span>
77 </button>
78 <div class="collapse _nav-bar-collapse" id="navBarCollapse">
79 <div class="nav-bar-nav _ms-auto _p-2 _p-lg-0">
80 <!-- <a href="Home.cfm" class="nav-item _nav-link">Home</a> -->
81 <div class="nav-item _dropdown">
82 <a href="#" class="nav-link _dropdown-toggle" style="padding-right: 40px;"
83 data-bs-toggle="dropdown">Info</a>
84 <div class="dropdown-menu _bg-light _m-0">
85 <a href="about.html" class="dropdown-item">About</a>
86 <a href="past.html" class="dropdown-item">Past Tournnaents</a>
87 <a href="other.html" class="dropdown-item">Other</a>
88 </div>
89 </div>
90 </div>
91 <a href="login.html"
92 class="btn _btn-primary _btn-outline-light _gsw-secondary _gsw-text-primary _rounded-0 _py-4 _px-lg-5 _d-lg-block">Login<i
93 class="fa _fa-arrow-right _ms-3"></i></a>
94 </div>
95 </nav>
96 <!-- Navbar End -->
97 <div class="container">
98 <h1 class="gsw-text-primary" style="text-align: center; padding: 20px;">
99 About
100 </h1>
101 <p>
102 Every year since 1974, the Department of Mathematics at Georgia Southwestern has hosted a tournament for
103 high school students from throughout the state. This tournament has brought hundreds of students to the
104 campus in the early spring each year to compete with one another. The longest running math tournament in
105 Georgia, the annual GSW competition has served as a model for a host of imitators. Teachers from across the
106 state would select a minimum of four and a maximum of eight outstanding mathematics students from each
107 school to participate. (Extra students are welcome to participate and enjoy the tournament, but only the
108 team-of-eight will contribute to the official score for the school's team.)
109 Individuals who are home schooled are also welcome to compete in the individual part of the tournament.
110 Parents of interested home schooled students may contact <a href="mailto:kailash.ghimire@gsu.edu">kailash.ghimire@gsu.edu</a> to register for the
111 tournament.
112 </p>
113 </div>
114
115 <!-- JavaScript Libraries -->
116 <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
117 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
118 integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWlXVXM"
119 crossorigin="anonymous"></script>
120 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
121 </body>
122
123 </html>

```

File 4. admin.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="utf-8">
6 <title>GSW Math Tournament</title>
7 <meta content="width=device-width, _initial-scale=1.0" name="viewport">
8 <meta content="" name="keywords">
9 <meta content="" name="description">
10
11 <!-- Favicon -->
12 <!-- <link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon" -->
13
14 <!-- Google Web Fonts -->
15 <link rel="preconnect" href="https://fonts.googleapis.com">
16 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17 <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
18
19 <!-- Icon Font Stylesheet -->
20 <link href="https://cdn.jsdelivr.net/npm/@fortawesome/fontawesome-free@5.10.0/css/all.min.css" rel="stylesheet">
21 <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23 <!-- Libraries Stylesheet -->
24 <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/
27 azpG1Ann3QDgplJl9Nao0Yz1tcQTWfSpd3yD65VohhpuuComLASjC" crossorigin="anonymous">
28 <link href="CSS/custom.css" rel="stylesheet">
29 </head>
30
31 <body>
32 <!-- Topbar Start -->
33 <div class="container-fluid _gsw-primary _p-0" style="z-index: 500;">
34 <div class="row _gx-0 _d-none _d-lg-flex">
35 <div class="col-lg-7 _px-5 _text-start">
36 <div class="h-100 _d-inline-flex _align-items-center _me-4">
37 <small class="fa _fa-map-marker-alt _gsw-text-secondary _me-2"></small>
38 <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
39 </div>
40 <div class="h-100 _d-inline-flex _align-items-center">
41 <small class="far _fa-clock _gsw-text-secondary _me-2"></small>
42 <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
43 </div>
44 </div>
45 <div class="col-lg-5 _px-5 _text-end">
46 <div class="h-100 _d-inline-flex _align-items-center _me-4">
47 <small class="fa _fa-phone-alt _gsw-text-secondary _me-2"></small>
48 <small class="text-white">877-871-4594</small>
49 </div>
50 <div class="h-100 _d-inline-flex _align-items-center _mx-n2">
51 <a class="btn _btn-square _btn-link _rounded-0 _border-0 _border-end _border-secondary _gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern/">
52 <i class="fab _fa-facebook-f"></i></a>
53 <a class="btn _btn-square _btn-link _rounded-0 _border-0 _border-end _border-secondary _gsw-text-secondary" href="https://twitter.com/GaSouthwestern">i class="
54 fab _fa-twitter"></i></a>

```

```

52         <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://www.linkedin.com/school/georgia-
53             southwestern-state-university/" i class="fab fa-linkedin-in" i/a>
54         <a class="btn btn-square btn-link rounded-0 gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern" i class="fab fa-instagram" i/a>
55     </div>
56 </div>
57 </div>
58 <!-- Topbar End -->
59
60 <!-- Navbar Start -->
61 <nav class="container-fluid navbar navbar-expand-lg navbar-light sticky-top p-0" style="background-color: #e3e3e3; z-index: 500;">
62     <a href="index.html" class="navbar-brand mr-auto d-flex align-items-center border-end px-4 px-lg-5">
63         <h2 class="m-0 gsw-text-primary">Divide-Conquer</h2>
64     </a>
65     <button type="button" class="navbar-toggler me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
66         <span class="navbar-toggler-icon"></span>
67     </button>
68     <div class="collapse navbar-collapse" id="navbarCollapse">
69         <div class="navbar-nav ms-auto p-2 p-lg-0">
70             <div class="nav-item dropdown">
71                 <a href="#" class="nav-link dropdown-toggle" style="padding-right: 40px;" data-bs-toggle="dropdown">Info</a>
72                 <div class="dropdown-menu bg-light m-0">
73                     <a href="about.html" class="dropdown-item">About</a>
74                     <a href="#" class="dropdown-item">Past Tounrnaments</a>
75                     <a href="#" class="dropdown-item">Other</a>
76                 </div>
77             </div>
78             <div>
79                 <a href="login.html" class="btn btn-primary btn-outline-light gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block">Login< i class="fa fa-arrow-right _
80                     ms-3"> i/a>
81             </div>
82 </nav>
83 <!-- Navbar End -->
84
85
86 <div class="container">
87     <a id="Top-Scores" class="btn btn-primary btn-outline-light mx-auto gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block" style="padding: 20px; width: 300
88         px;">TopScoresDocument</a>
89     <a id="Reset-Database" class="btn btn-primary btn-outline-light mx-auto gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block" style="padding: 20px; width:
90         300px;">Reset Database</a>
91 </div>
92
93
94 <!-- JavaScript Libraries -->
95 <!-- <script src="/JS/login.js" -->
96 <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
97 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLa8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/
98         tWlaxVXM" crossorigin="anonymous"></script>
99 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
100 <script>
101     document.getElementById("Top-Scores").addEventListener("click", (event) => {
102
103         const queryString = window.location.search;
104         const urlParams = new URLSearchParams(queryString);
105         const ID = urlParams.get('ID')
106
107         const data = {
108             ID: ID,
109         };
110         fetch('https://math.gswcm.net:443/JS/top-scores', {
111             method: 'POST',
112             headers: {
113                 'Content-Type': 'application/json'
114             },
115             body: JSON.stringify(data)
116         })
117         .then(response => response.text())
118         .then(data => {
119             if(data == 'Success'){
120                 const url = 'https://math.gswcm.net/files$ql/TopTotalScore.txt'
121                 window.location.replace(url);
122             }
123             else{
124                 alert("There was an issue. Please try again.")
125             }
126         })
127         .catch(error => {
128             console.error(error);
129         });
130     })
131 </script>
132 <script>
133     document.getElementById("Reset-Database").addEventListener("click", (event) => {
134
135         const queryString = window.location.search;
136         const urlParams = new URLSearchParams(queryString);
137         const ID = urlParams.get('ID')
138
139         const data = {
140             ID: ID,
141         };
142         if(window.confirm("Are you sure? This will delete all data in the database.") == false){}
143         else{
144             fetch('https://math.gswcm.net:443/JS/reset-database', {
145                 method: 'POST',
146                 headers: {
147                     'Content-Type': 'application/json'
148                 },
149                 body: JSON.stringify(data)
150             })
151             .then(response => response.text())
152             .then(data => {
153                 if(data == 'Success'){
154                     alert("Your request was successful.")
155                 }
156                 else{
157                     alert("There was an issue. Please try again.")

```

```

157     }
158   })
159   .catch(error => {
160     console.error(error);
161   });
162 }
163 })
164 </script>
165 </body>
166
167 </html>

```

File 5. createuser.html

```

1  <!DOCTYPE html>
2  <html lang="en">
3
4    <head>
5      <meta charset="utf-8">
6      <title>GSW Math Tournament</title>
7      <meta content="width=device-width, _initial-scale=1.0" name="viewport">
8      <meta content="" name="keywords">
9      <meta content="" name="description">
10
11      <!-- Favicon -->
12      <!--<link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon" -->
13
14      <!-- Google Web Fonts -->
15      <link rel="preconnect" href="https://fonts.googleapis.com">
16      <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17      <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
18
19      <!-- Icon Font Stylesheet -->
20      <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
21      <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23      <!-- Libraries Stylesheet -->
24      <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/
27      azprGIAAnn3QDgplLm9Nao0YzlztcQTwFsd3yD65VohhpuuComLASjC" crossorigin="anonymous">
28      <link href="CSS/custom.css" rel="stylesheet">
29    </head>
30
31    <body>
32      <!-- Topbar Start -->
33      <div class="container-fluid gsw-primary p-0" style="z-index: _500;">
34        <div class="row gx-0 d-none d-lg-flex">
35          <div class="col-lg-7 px-5 text-start">
36            <div class="h-100 d-inline-flex align-items-center me-4">
37              <small class="fa fa-map-marker-alt gsw-text-secondary me-2"></small>
38              <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
39            </div>
40            <div class="h-100 d-inline-flex align-items-center">
41              <small class="far fa-clock gsw-text-secondary me-2"></small>
42              <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
43            </div>
44          <div class="col-lg-5 px-5 text-end">
45            <div class="h-100 d-inline-flex align-items-center me-4">
46              <small class="fa fa-phone-alt gsw-text-secondary me-2"></small>
47              <small class="text-white">877-871-4594</small>
48            </div>
49            <div class="h-100 d-inline-flex align-items-center mx-n2">
50              <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern/">
51                <i class="fab fa-facebook-f"></i></a>
52              <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://twitter.com/GaSouthwestern">
53                <i class="fab fa-twitter"></i></a>
54              <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://www.linkedin.com/school/georgia-southwestern-state-university/">
55                <i class="fab fa-linkedin-in"></i></a>
56              <a class="btn btn-square btn-link rounded-0 gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern">
57                <i class="fab fa-instagram"></i></a>
58            </div>
59          </div>
60        </div>
61      <!-- Topbar End -->
62
63      <!-- Navbar Start -->
64      <nav class="container-fluid navbar navbar-expand-lg navbar-light sticky-top p-0" style="background-color: _#e3e3e3; z-index: _500;">
65        <a href="index.html" class="navbar-brand mr-auto d-flex align-items-center border-end px-4 px-lg-5">
66          <h2 class="m-0 gsw-text-primary">Divide-Conquer</h2>
67        </a>
68        <button type="button" class="navbar-toggler me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
69          <span class="navbar-toggler-icon"></span>
70        </button>
71        <div class="collapse navbar-collapse" id="navbarCollapse">
72          <div class="navbar-nav ms-auto p-2 p-lg-0">
73            <div class="nav-item dropdown">
74              <a href="#" class="nav-link dropdown-toggle" style="padding-right: _40px;" data-bs-toggle="dropdown">Info</a>
75              <div class="dropdown-menu bg-light m-0">
76                <a href="about.html" class="dropdown-item">About</a>
77                <a href="#" class="dropdown-item">Past Tounrnaents</a>
78                <a href="#" class="dropdown-item">Other</a>
79              </div>
80            </div>
81          </div>
82          <a href="login.html" class="btn btn-primary btn-outline-light gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block">Login<i class="fa fa-arrow-right ms-3"></i></a>
83        </div>
84      </nav>
85      <!-- Navbar End -->
86
87      <div class="container" id="createUser">
88        <h1 class="gsw-text-primary" style="text-align: center; padding: _20px;">
89          Create New Account
90        </h1>
91        <form style="text-align: center;" class="login" action="testinglogin.html" method="POST" id="create-user">

```

```

91     <input style="text-align: center; padding: 20px;" type="text" name="" placeholder="Enter your email." id="email">
92     <input style="text-align: center; padding: 20px;" type="password" name="" placeholder="Enter your password." id="password">
93     <input style="text-align: center; padding: 20px;" type="password" name="" placeholder="Reenter your password." id="password2">
94     <br>
95     <div style="display: inline-block; padding-top: 10px;" id="html_element"></div>
96     </div>
97     <input class="btn btn-primary btn-outline-light mx-auto gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block" style="padding: 20px; width: 300px;"
          type="submit" name="" value="Create Account">
98   </form>
99   <a href="https://math.gswcm.net/login.html" class="btn btn-primary btn-outline-light mx-auto gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block" style="
        padding: 20px; width: 300px;">Already have an account?</a>
100   <!-- <a href="newuser.html" class="btn btn-primary btn-outline-light mx-auto gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block" style="padding: 20px;
        width: 300px;">New Account<i class="fa fa-arrow-right ms-3"></i></a> -->
101   <!-- <a href="newuser.html" class="btn btn-primary btn-outline-light mx-auto gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block" style="padding: 20px;
        width: 300px;">Forgot Password<i class="fa fa-arrow-right ms-3"></i></a> -->
102 </div>
103
104 <div id="QRCode" style="text-align: center; visibility: hidden;">
105   <h1 class="gsw-text-primary" style="text-align: center; padding: 20px;">
106     Please scan QRCode in Google Authenticator
107   </h1>
108   <a class="btn btn-primary btn-outline-light mx-auto gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block" style="padding: 20px; width: 300px;" id="
        QRSubmit">Click when done</a>
109 </div>
110
111
112
113
114 <!-- JavaScript Libraries -->
115 <!-- <script src="/JS/login.js" -->
116 <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
117 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlczL8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/
        tWlaxVXM" crossorigin="anonymous"></script>
118 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
119 <script src="https://www.google.com/recaptcha/api.js?onload=onloadCallback&render=explicit" async defer></script>
120 <script type="text/javascript">
121   var onloadCallback = function() {
122     grecaptcha.render('html_element', {
123       'sitekey' : '6Lcj91HIAAAALQVutpKbz6MhbUtkwp5YXvVr_jN'
124     });
125   };
126 </script>
127 <script>
128   const form1 = document.getElementById('create-user');
129
130   form1.addEventListener('submit', (event) => {
131     event.preventDefault();
132
133
134     var email = document.getElementById("email").value;
135     var savedPass = document.getElementById("password").value;
136     var password2 = document.getElementById("password2").value;
137     var captcha = grecaptcha.getResponse();
138
139     if(captcha.length == 0){
140       alert("You must complete the captcha.");
141     }
142     else{
143       const data = {
144         Email: email,
145         Password: savedPass,
146         Password2: password2,
147       };
148       // console.log(data)
149       fetch('https://math.gswcm.net:443/JS/update_user', {
150         method: 'POST',
151         headers: {
152           'Content-Type': 'application/json'
153         },
154         body: JSON.stringify(data)
155       })
156       .then(response => response.text())
157       .then(data => {
158         //console.log(data); // outputs "User updated"
159         if (data == "password-match-error"){
160           alert("The password that you entered did not match.")
161         }
162         else if (data == "same-email-error"){
163           alert("The email that you entered already exists.")
164         }
165         else if (data == "password-less-than-min"){
166           alert("The password that you entered did not meet or exceed 8 characters.")
167         }
168         else if (data.includes("base64")){
169           console.log(data)
170           const division = document.getElementById('QRCode')
171           const image = document.createElement('img')
172           image.src = data;
173           division.appendChild(image)
174           const createdivision = document.getElementById('createUser')
175           createdivision.style.display = 'none';
176           division.style.visibility = 'visible';
177         }
178         else{
179           alert("There was an error. Please try again later.")
180         }
181       })
182       .catch(error => {
183         console.error(error);
184       });
185     }
186   })
187
188 </script>
189 <script>
190   const QRButton = document.querySelector('#QRSubmit');
191   QRButton.addEventListener('click', continuetonextpage);
192
193   function continuetonextpage() {
194

```

```

195         alert("Please_check_your_email_for_your_confirmation.")
196         const url = 'https://math.gswcm.net/login.html'
197         window.location.replace(url);
198     }
199 </script>
200 </body>
201
202 </html>

```

File 6. edit-school.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5     <meta charset="utf-8">
6     <title>GSW Math Tournament</title>
7     <meta content="width=device-width, _initial-scale=1.0" name="viewport">
8     <meta content="" name="keywords">
9     <meta content="" name="description">
10
11     <!-- Favicon -->
12     <!--<link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon" --> -->
13
14     <!-- Google Web Fonts -->
15     <link rel="preconnect" href="https://fonts.googleapis.com">
16     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17     <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
18
19     <!-- Icon Font Stylesheet -->
20     <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
21     <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23     <!-- Libraries Stylesheet -->
24     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26     <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprGIAAnm3QDgp1Ll9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOMmLASJc" crossorigin="anonymous">
27     <link href="CSS/custom.css" rel="stylesheet">
28 </head>
29
30 <body>
31     <!-- Topbar Start -->
32     <div class="container-fluid_gsw-primary_p-0" style="z-index:_500;">
33         <div class="row_gx-0_d-none_d-lg-flex">
34             <div class="col-lg-7_px-5_text-start">
35                 <div class="h-100_d-inline-flex_align-items-center_me-4">
36                     <small class="fa_fa-map-marker-alt_gsw-text-secondary_me-2"></small>
37                     <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
38                 </div>
39                 <div class="h-100_d-inline-flex_align-items-center">
40                     <small class="far_fa-clock_gsw-text-secondary_me-2"></small>
41                     <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
42                 </div>
43             </div>
44             <div class="col-lg-5_px-5_text-end">
45                 <div class="h-100_d-inline-flex_align-items-center_me-4">
46                     <small class="fa_fa-phone-alt_gsw-text-secondary_me-2"></small>
47                     <small class="text-white">877-871-4594</small>
48                 </div>
49                 <div class="h-100_d-inline-flex_align-items-center_mx-n2">
50                     <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary_gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern">
51                         <i class="fab_fa-facebook-f"></i></a>
52                     <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary_gsw-text-secondary" href="https://twitter.com/GaSouthwestern">
53                         <i class="fab_fa-twitter"></i></a>
54                     <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary_gsw-text-secondary" href="https://www.linkedin.com/school/georgia-southwestern-state-university/">
55                         <i class="fab_fa-linkedin-in"></i></a>
56                     <a class="btn btn-square btn-link rounded-0_gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern">
57                         <i class="fab_fa-instagram"></i></a>
58                     </div>
59                 </div>
60             </div>
61         </div>
62     <!-- Topbar End -->
63
64     <!-- Navbar Start -->
65     <nav class="container-fluid_navbar_navbar-expand-lg_navbar-light_sticky-top_p-0" style="background-color:_#e3e3e3;_z-index:_500;">
66         <a href="index.html" class="navbar-brand_mr-auto_d-flex_align-items-center_border-end_px-4_px-lg-5">
67             <h2 class="m-0_gsw-text-primary">Divide-Conquer</h2>
68         </a>
69         <button type="button" class="navbar-toggler_me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
70             <span class="navbar-toggler-icon"></span>
71         </button>
72         <div class="collapse_navbar-collapse" id="navbarCollapse">
73             <div class="navbar-nav_ms-auto_p-2_p-lg-0">
74                 <div class="nav-item_dropdown">
75                     <a href="#" class="nav-link_dropdown-toggle" style="padding-right:_150px;" data-bs-toggle="dropdown">Manage</a>
76                     <div class="dropdown-menu_bg-light_m-0">
77                         <button href="#" id="myButton2" class="dropdown-item">Team</button>
78                         <button href="#" id="myButton1" class="dropdown-item" style="padding-right:_150px;">School</button>
79                     </div>
80                 </div>
81             </div>
82         </div>
83     </nav>
84     <!-- Navbar End -->
85     <div class="container">
86         <h1 class="gsw-text-primary" style="text-align:_center;_padding:_20px;">
87             Edit School Information
88         </h1>
89     </div>
90     <div class="text-center">
91         <form id="update-record-form">
92             <div class="text-center">
93                 <br>
94                 <br>
95             </div>
96             <div class="text-center" style="margin-top:_20px;">
97                 <button class="btn btn-primary btn-outline-light_gsw-secondary_gsw-text-primary rounded-0_py-4_px-lg-5" type="submit">
98                     Submit
99                 </button>
100             </div>
101         </form>
102     </div>

```



```

95     </form>
96
97     <!-- JavaScript code -->
98     <script>
99         var queryString = window.location.search;
100         var urlParams = new URLSearchParams(queryString);
101         var id = urlParams.get('ID');
102
103         const myButton2 = document.getElementById('myButton2');
104         const myButton1 = document.getElementById('myButton1');
105
106         myButton2.onclick = function() {
107             window.location.href = '/view_teams.html?ID=${id}';
108         };
109
110         myButton1.onclick = function() {
111             window.location.href = '/school.html?ID=${id}';
112         };
113
114         const url2 = 'https://math.gswcm.net:443/JS/get_school?variable=${id}';
115         fetch(url2)
116             .then(response => response.json())
117             .then(data => {
118                 const url = 'https://math.gswcm.net:443/JS/data_noas?variable=${data[0].SchoolPK}';
119
120                 const myVariable = data[0].SchoolPK;
121
122                 console.log(myVariable)
123
124                 fetch(url)
125                     .then(response => response.json())
126                     .then(data => {
127                         // 5. Parse the JSON response and use the data to generate the form dynamically
128                         const form = document.getElementById('update-record-form');
129                         console.log(data)
130                         data.forEach(item => {
131
132                             const label2 = document.createElement('label')
133                             label2.textContent = 'Division '
134                             form.appendChild(label2)
135
136                             const br9 = document.createElement('br');
137                             form.appendChild(br9)
138
139                             const select = document.createElement('select')
140                             const option1 = document.createElement('option')
141                             option1.value = '1'
142                             option1.textContent = 'A'
143                             select.appendChild(option1)
144                             const option2 = document.createElement('option')
145                             option2.value = '2'
146                             option2.textContent = 'AA'
147                             select.appendChild(option2)
148                             const option3 = document.createElement('option')
149                             option3.value = '3'
150                             option3.textContent = 'AAA'
151                             select.appendChild(option3)
152                             const option4 = document.createElement('option')
153                             option4.value = '4'
154                             option4.textContent = 'AAAA'
155                             select.appendChild(option4)
156                             const option5 = document.createElement('option')
157                             option5.value = '5'
158                             option5.textContent = 'AAAAA'
159                             select.appendChild(option5)
160                             const option6 = document.createElement('option')
161                             option6.value = '6'
162                             option6.textContent = 'AAAAAA'
163                             select.appendChild(option6)
164                             const option7 = document.createElement('option')
165                             option7.value = '7'
166                             option7.textContent = 'AAAAAAA'
167                             select.appendChild(option7)
168                             const option8 = document.createElement('option')
169                             option8.value = '8'
170                             option8.textContent = 'AAAAAAA'
171                             select.appendChild(option8)
172                             const option9 = document.createElement('option')
173                             option9.value = '9'
174                             option9.textContent = 'Other'
175                             select.appendChild(option9)
176
177                             select.value = item.Division_FK
178                             select.name = 'field2'
179                             form.appendChild(select)
180
181                             const br1 = document.createElement('br');
182                             form.appendChild(br1)
183
184                             const label3 = document.createElement('label')
185                             label3.textContent = 'Meal Tickets'
186                             form.appendChild(label3)
187
188                             const br10 = document.createElement('br');
189                             form.appendChild(br10)
190
191                             const field3 = document.createElement('input');
192                             field3.type = 'text';
193                             field3.name = 'field3';
194                             field3.value = item.MealTicket;
195                             form.appendChild(field3);
196
197                             const br2 = document.createElement('br');
198                             form.appendChild(br2)
199
200                             const label4 = document.createElement('label')
201                             label4.textContent = 'Sponsor Name'
202                             form.appendChild(label4)
203
204                             const br11 = document.createElement('br');

```

```

205     form.appendChild(br11)
206
207     const field4 = document.createElement('input');
208     field4.type = 'text';
209     field4.name = 'field4';
210     field4.value = item.SponsorName;
211     form.appendChild(field4);
212
213     const br3 = document.createElement('br');
214     form.appendChild(br3)
215
216     const label5 = document.createElement('label')
217     label5.textContent = 'Sponsor Email'
218     form.appendChild(label5)
219
220     const br12 = document.createElement('br');
221     form.appendChild(br12)
222
223     const field5 = document.createElement('input');
224     field5.type = 'text';
225     field5.name = 'field5';
226     field5.value = item.SponsorEmail;
227     form.appendChild(field5);
228
229     const br4 = document.createElement('br');
230     form.appendChild(br4)
231
232     const label6 = document.createElement('label')
233     label6.textContent = 'Sponsor Number'
234     form.appendChild(label6)
235
236     const br13 = document.createElement('br');
237     form.appendChild(br13)
238
239     const field6 = document.createElement('input');
240     field6.type = 'text';
241     field6.name = 'field6';
242     field6.value = item.SponsorNumber;
243     form.appendChild(field6);
244
245     const br5 = document.createElement('br');
246     form.appendChild(br5)
247
248     const label7 = document.createElement('label')
249     label7.textContent = 'School Name'
250     form.appendChild(label7)
251
252     const br14 = document.createElement('br');
253     form.appendChild(br14)
254
255     const field7 = document.createElement('input');
256     field7.type = 'text';
257     field7.name = 'field7';
258     field7.id = 'field7'
259     field7.value = item.SchoolName;
260     form.appendChild(field7);
261 });
262 })
263 .catch(error => console.error(error));
264
265 const form1 = document.getElementById('update-record-form');
266
267 form1.addEventListener('submit', (event) => {
268     event.preventDefault(); // prevent the default form submission behavior
269
270     const data = {
271         DivisionID: form1.field2.value,
272         MealTicket: form1.field3.value,
273         SponsorName: form1.field4.value,
274         SponsorEmail: form1.field5.value,
275         SponsorPhone: form1.field6.value,
276         name: form1.field7.value,
277     };
278
279
280
281
282     const schoolid = myVariable; // replace with the actual ID of the user to update
283     const foward = 'https://math.gswcm.net/school.html?ID=${id}';
284     const name = form1.field7.value;
285
286     console.log(data)
287
288     fetch('https://math.gswcm.net:443/JS/update_school/${schoolid}', {
289         method: 'POST',
290         headers: {
291             'Content-Type': 'application/json'
292         },
293         body: JSON.stringify(data)
294     })
295     .then(response => response.text())
296     .then(data => {
297         console.log(data); // outputs "User_updated"
298     })
299     .catch(error => {
300         console.error(error);
301     });
302     // location.reload(true);
303     alert('Updated')
304     window.location.replace(foward)
305 });
306
307 })
308
309 </script>
310
311
312 <!-- JavaScript Libraries -->
313 <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
314

```

```

315 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYIzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/
      (WIdaxVXMM" crossorigin="anonymous"></script>
316 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
317 </body>
318 </html>
319 </html>

```

File 7. edit-team.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="utf-8">
6 <title>GSW Math Tournament</title>
7 <meta content="width=device-width,initial-scale=1.0" name="viewport">
8 <meta content="" name="keywords">
9 <meta content="" name="description">
10
11 <!-- Favicon -->
12 <!--<link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon" -->-->
13
14 <!-- Google Web Fonts -->
15 <link rel="preconnect" href="https://fonts.googleapis.com">
16 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17 <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
18
19 <!-- Icon Font Stylesheet -->
20 <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
21 <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23 <!-- Libraries Stylesheet -->
24 <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/
      azprGIAAnm3QDgplLm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOMLAsJC" crossorigin="anonymous">
27 <link href="CSS/custom.css" rel="stylesheet">
28 </head>
29
30 <body>
31 <!-- Topbar Start -->
32 <div class="container-fluid gsw-primary p-0" style="z-index: 500;">
33 <div class="row gx-0 d-none d-lg-flex">
34 <div class="col-lg-7 px-5 text-start">
35 <div class="h-100 d-inline-flex align-items-center me-4">
36 <small class="fa fa-map-marker-alt gsw-text-secondary me-2"></small>
37 <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
38 </div>
39 <div class="h-100 d-inline-flex align-items-center">
40 <small class="far fa-clock gsw-text-secondary me-2"></small>
41 <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
42 </div>
43 </div>
44 <div class="col-lg-5 px-5 text-end">
45 <div class="h-100 d-inline-flex align-items-center me-4">
46 <small class="fa fa-phone-alt gsw-text-secondary me-2"></small>
47 <small class="text-white">877-871-4594</small>
48 </div>
49 <div class="h-100 d-inline-flex align-items-center mx-n2">
50 <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern">
51 <i class="fab fa-facebook-f"></i></a>
52 <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://twitter.com/GaSouthwestern">
53 <i class="fab fa-twitter"></i></a>
54 <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://www.linkedin.com/school/georgia-
55 southwestern-state-university/">
56 <i class="fab fa-linkedin-in"></i></a>
57 <a class="btn btn-square btn-link rounded-0 gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern">
58 <i class="fab fa-instagram"></i></a>
59 </div>
60 </div>
61 <!-- Topbar End -->
62
63 <!-- Navbar Start -->
64 <nav class="container-fluid navbar navbar-expand-lg navbar-light sticky-top p-0" style="background-color: #e3e3e3; z-index: 500;">
65 <a href="index.html" class="navbar-brand mr-auto d-flex align-items-center border-end px-4 px-lg-5">
66 <h2 class="m-0 gsw-text-primary">Divide-Conquer</h2>
67 </a>
68 <button type="button" class="navbar-toggler me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
69 <span class="navbar-toggler-icon"></span>
70 </button>
71 <div class="collapse navbar-collapse" id="navbarCollapse">
72 <div class="navbar-nav ms-auto p-2 p-lg-0">
73 <div class="nav-item dropdown">
74 <a href="#" class="nav-link dropdown-toggle" style="padding-right: 150px;" data-bs-toggle="dropdown">Manage</a>
75 <div class="dropdown-menu bg-light m-0">
76 <button href="#" id="myButton2" class="dropdown-item">Team</button>
77 <button href="#" id="myButton1" class="dropdown-item" style="padding-right: 150px;">School</button>
78 </div>
79 </div>
80 </div>
81 <!-- Navbar End -->
82 <div class="container">
83 <h1 class="gsw-text-primary" style="text-align: center; padding: 20px;">
84 Edit Team Information
85 </h1>
86 </div>
87 <div class="container text-center">
88 <form id="update-record-form">
89 <button type="submit" class="btn btn-primary btn-outline-light gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5" style="margin-bottom: 20px;">
90 Submit
91 </button>
92 <br>
93 <label style="margin-right: 100px;">
94 Student ID
95 </label>
96 <label style="margin-right: 100px;">
97 Last Name
98 </label>
99 <label>
100 </label>

```

```

97         First Name
98     </label>
99     <br>
100
101 </form>
102
103 <button id="fetch-button" class="btn btn-primary btn-outline-light gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5" style="margin-top: 20px;">Add Student</i class="
104     fa fa-arrow-right ms-3" /></button>
105
106 <button id="delete-button" class="btn btn-primary btn-outline-light gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5" style="margin-top: 20px;">Delete Team</i class="
107     fa fa-arrow-right ms-3" /></button>
108
109 </div>
110 <!-- JavaScript code -->
111 <script>
112     var queryString = window.location.search;
113     var urlParams = new URLSearchParams(queryString);
114     var id = urlParams.get('ID1');
115     var id2 = urlParams.get('ID');
116
117     const myButton2 = document.getElementById('myButton2');
118     const myButton1 = document.getElementById('myButton1');
119     const addStudent = document.getElementById('fetch-data');
120
121     myButton2.onclick = function() {
122         window.location.href = '/view_teams.html?ID=${id}';
123     };
124
125     myButton1.onclick = function() {
126         window.location.href = '/school.html?ID=${id}';
127     };
128
129     const url2 = 'https://math.gswcm.net:443/JS/get_school?variable=${id}&ID=${id2}';
130     fetch(url2)
131     .then(response => response.json())
132     .then(data => {
133         const PK = data[0].SchoolPK
134
135         const fetchButton = document.querySelector('#fetch-button');
136         fetchButton.addEventListener('click', fetchData);
137
138         function fetchData() {
139             const formData = new FormData(form1);
140             const formEntries = formData.entries();
141
142             const result = [];
143             let currentObj = {};
144             for (const [key, value] of formEntries) {
145                 if (key === 'field') {
146                     // Start a new object
147                     currentObj = {};
148                     result.push(currentObj);
149                 }
150                 currentObj[key] = value;
151             }
152
153             const jsonString = JSON.stringify(result);
154             console.log(jsonString);
155             location.reload(true);
156
157             fetch('https://math.gswcm.net:443/JS/update_team', {
158                 method: 'POST',
159                 headers: {
160                     'Content-Type': 'application/json'
161                 },
162                 body: jsonString
163             })
164             .then(response => response.text())
165
166             .then(data => {
167                 console.log(data); // outputs "User_updated"
168
169             })
170
171             .catch(error => {
172                 console.error(error);
173             });
174
175             fetch('https://math.gswcm.net:443/JS/add_student', {
176                 method: 'POST',
177                 headers: {
178                     'Content-Type': 'application/json'
179                 },
180                 body: JSON.stringify({
181                     school: PK,
182                     team: id2
183                 })
184             })
185             .then(response => response.text())
186             .then(data => {
187                 if (data === "overeight"){
188                     alert("You can not have more than 8 students in a team. Please make a new team.")
189                 }else{
190                     console.log(data); // outputs "User_updated"
191                     location.reload(true);
192                 }
193             })
194             .catch(error => {
195                 console.error(error);
196             })
197         }
198
199         const deleteButton = document.querySelector('#delete-button');
200         deleteButton.addEventListener('click', deleteTeam);
201
202         function deleteTeam() {
203             console.log(PK)
204

```

```

205     fetch('https://math.gswcm.net:443/JS/delete_team', {
206       method: 'POST',
207       headers: {
208         'Content-Type': 'application/json'
209       },
210       body: JSON.stringify({
211         school: PK,
212         team: id2
213       })
214     })
215     .then(response => response.text())
216     .then(data => {
217       console.log(data); // outputs "User_updated"
218     })
219     .catch(error => {
220       console.error(error);
221     });
222     window.location.href = '/view_teams.html?ID=${id}'
223   }
224
225   const myVariable = data[0].SchoolPK;
226   const url = 'https://math.gswcm.net:443/JS/team?variable=${myVariable}&team=${id2}';
227
228   const url2 = 'https://math.gswcm.net:443/JS/update_team?variable=${myVariable}&team=${id2}';
229
230   fetch(url)
231     .then(response => response.json())
232     .then(data => {
233       // 5. Parse the JSON response and use the data to generate the form dynamically
234       const form = document.getElementById('update-record-form');
235       var i = 0
236       data.forEach(item => {
237         i = i + 1
238
239         const field = document.createElement('input');
240         field.type = 'text';
241         field.name = 'field';
242         field.value = i;
243         form.appendChild(field);
244         field.readOnly = true;
245
246         const field1 = document.createElement('input');
247         field1.type = 'text';
248         field1.name = 'field1';
249         field1.value = item.StudentPK;
250         form.appendChild(field1);
251         field1.readOnly = true;
252
253         const field2 = document.createElement('input');
254         field2.type = 'text';
255         field2.name = 'field2';
256         field2.value = item.StudentLName;
257         form.appendChild(field2);
258
259         const field3 = document.createElement('input');
260         field3.type = 'text';
261         field3.name = 'field3';
262         field3.value = item.StudentFName;
263         form.appendChild(field3);
264
265         const deleteButton1 = document.createElement('a');
266         deleteButton1.type = 'button';
267         deleteButton1.classList.add('btn', 'btn-primary', 'btn-outline-light', 'gsw-secondary', 'gsw-text-primary', 'rounded-0');
268         deleteButton1.textContent = 'Delete';
269         deleteButton1.addEventListener('click', () => {
270           const studentPK = item.StudentPK
271
272           // Send data to server
273           fetch('https://math.gswcm.net:443/JS/delete_student', {
274             method: 'POST',
275             body: JSON.stringify({ studentPK }),
276             headers: { 'Content-Type': 'application/json' }
277           })
278             .then(response => {
279               })
280             .catch(error => {
281               console.error('Error:', error);
282             });
283             location.reload(true);
284           });
285           form.appendChild(deleteButton1)
286
287           const lineBreak = document.createElement('br');
288           form.appendChild(lineBreak);
289         });
290       })
291     .catch(error => console.error(error));
292
293   const form1 = document.getElementById('update-record-form');
294
295   form1.addEventListener('submit', (event) => {
296     event.preventDefault(); // prevent the default form submission behavior
297     const formData = new FormData(form1);
298     const formEntries = formData.entries();
299
300     const result = [];
301     let currentObj = {};
302     for (const [key, value] of formEntries) {
303       if (key === 'field') {
304         // Start a new object
305         currentObj = {};
306         result.push(currentObj);
307       }
308       currentObj[key] = value;
309     }
310   })
311
312   console.log(result)
313
314

```

```

315 const jsonString = JSON.stringify(result);
316 console.log(jsonString);
317 location.reload(true);
318 alert('Updated')
319
320 // replace with the actual ID of the user to update
321 fetch('https://math.gswcm.net:443/JS/update_team', {
322   method: 'POST',
323   headers: {
324     'Content-Type': 'application/json'
325   },
326   body: jsonString
327 })
328   .then(response => response.text())
329
330   .then(data => {
331     console.log(data); // outputs "User_updated"
332
333   })
334   .catch(error => {
335     console.error(error);
336   });
337 const foward = 'https://math.gswcm.net/view_team.html?ID1=${id2}&ID=${id}';
338 window.location.replace(foward)
339 });
340 })
341
342 </script>
343
344
345 <!-- JavaScript Libraries -->
346 <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
347 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/
348   tWlaxVXM" crossorigin="anonymous"></script>
349 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
350 </body>
351
352 </html>

```

File 8. forgotpass.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="utf-8">
6   <title>GSW Math Tournament</title>
7   <meta content="width=device-width,initial-scale=1.0" name="viewport">
8   <meta content="" name="keywords">
9   <meta content="" name="description">
10
11   <!-- Favicon -->
12   <!-- <link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon" --> -->
13
14   <!-- Google Web Fonts -->
15   <link rel="preconnect" href="https://fonts.googleapis.com">
16   <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17   <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
18
19   <!-- Icon Font Stylesheet -->
20   <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
21   <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23   <!-- Libraries Stylesheet -->
24   <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/
27   azpGIAAm3QDgplIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC" crossorigin="anonymous">
28   <link href="CSS/custom.css" rel="stylesheet">
29
30 </head>
31
32 <body>
33   <!-- Topbar Start -->
34   <div class="container-fluid gsw-primary p-0" style="z-index: 500;">
35     <div class="row gx-0 d-none d-lg-flex">
36       <div class="col-lg-7 px-5 text-start">
37         <div class="h-100 d-inline-flex align-items-center me-4">
38           <small class="fa fa-map-marker-alt gsw-text-secondary me-2"></small>
39           <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
40         </div>
41         <div class="h-100 d-inline-flex align-items-center">
42           <small class="far fa-clock gsw-text-secondary me-2"></small>
43           <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
44         </div>
45       </div>
46       <div class="col-lg-5 px-5 text-end">
47         <div class="h-100 d-inline-flex align-items-center me-4">
48           <small class="fa fa-phone-alt gsw-text-secondary me-2"></small>
49           <small class="text-white">877-871-4594</small>
50         </div>
51         <div class="h-100 d-inline-flex align-items-center mx-n2">
52           <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern/">
53             <i class="fab fa-facebook-f"></i></a>
54           <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://twitter.com/GaSouthwestern">
55             <i class="fab fa-twitter"></i></a>
56           <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://www.linkedin.com/school/georgia-southwestern-state-university/">
57             <i class="fab fa-linkedin-in"></i></a>
58           <a class="btn btn-square btn-link rounded-0 gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern">
59             <i class="fab fa-instagram"></i></a>
60         </div>
61       </div>
62     </div>
63   </div>
64   <!-- Topbar End -->
65
66   <!-- Navbar Start -->
67   <nav class="container-fluid navbar navbar-expand-lg navbar-light sticky-top p-0" style="background-color: #e3e3e3; z-index: 500;">
68     <a href="index.html" class="navbar-brand m-r-auto d-flex align-items-center border-end px-4 px-lg-5">

```

```

64         <h2 class="m-0-gsw-text-primary">Divide-Conquer</h2>
65     </a>
66     <button type="button" class="navbar-toggler-me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
67         <span class="navbar-toggler-icon"></span>
68     </button>
69     <div class="collapse navbar-collapse" id="navbarCollapse">
70         <div class="navbar-nav ms-auto p-2-p-lg-0">
71             <div class="nav-item dropdown">
72                 <a href="#" class="nav-link dropdown-toggle" style="padding-right: 40px;" data-bs-toggle="dropdown">Info</a>
73                 <div class="dropdown-menu bg-light m-0">
74                     <a href="about.html" class="dropdown-item">About</a>
75                     <a href="#" class="dropdown-item">Past Tournnaents</a>
76                     <a href="#" class="dropdown-item">Other</a>
77                 </div>
78             </div>
79         </div>
80         <a href="login.html" class="btn btn-primary btn-outline-light gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block">Login<i class="fa fa-arrow-right ms-3"></i>
81     </div>
82 </nav>
83 <!-- Navbar End -->
84
85
86
87 <div class="container">
88     <h1 class="gsw-text-primary" style="text-align: center; padding: 20px;">
89         Reset Password
90     </h1>
91     <form style="text-align: center;" class="login" action="" method="POST" id="forgot-user">
92         <input style="text-align: center; padding: 20px;" type="text" name="" placeholder="Email" id="email">
93         <br>
94         <div style="display: inline-block; padding-top: 10px;" id="html_element"></div>
95     </div>
96     <input class="btn btn-primary btn-outline-light mx-auto gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block" style="padding: 20px; width: 300px;"
97         type="submit" name="" value="Send Email">
98     </form>
99     <a href="https://math.gswcm.net/login.html" class="btn btn-primary btn-outline-light mx-auto gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block" style="padding: 20px; width: 300px;">Remember your account?</a>
100     <!-- <a href="newuser.html" class="btn btn-primary btn-outline-light mx-auto gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block" style="padding: 20px; width: 300px;">Forgot Password</a -->
101 </div>
102
103
104
105 <!-- JavaScript Libraries -->
106 <!-- <script src="/JS/login.js" -->
107 <script src="https://www.google.com/recaptcha/api.js?onload=onloadCallback&render=explicit" async defer></script>
108 <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
109 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWlaxVXM" crossorigin="anonymous"></script>
110 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
111 <script type="text/javascript">
112     var onloadCallback = function() {
113         grecaptcha.render('html_element', {
114             'sitekey' : '6Lcj91IIAAAAALQVutpKbz6MhbUtkwp5YXvVr_jN'
115         });
116     };
117 </script>
118 <script>
119     const form1 = document.getElementById('forgot-user');
120
121     form1.addEventListener('submit', (event) => {
122         event.preventDefault();
123
124
125         var email = document.getElementById("email").value;
126         var captcha = grecaptcha.getResponse();
127
128         if(captcha.length == 0){
129             alert("You must complete the captcha.");
130         }
131         else{
132             const data = {
133                 Email: email,
134             };
135             console.log(data)
136             fetch('https://math.gswcm.net:443/JS/forgot_user', {
137                 method: 'POST',
138                 headers: {
139                     'Content-Type': 'application/json'
140                 },
141                 body: JSON.stringify(data)
142             })
143                 .then(response => response.text())
144                 .then(data => {
145                     //console.log(data); // outputs "User updated"
146                     if(data == 'Sent'){
147                         alert("Email has been sent.")
148                         const url = 'https://math.gswcm.net/login.html'
149                         window.location.replace(url);
150                     }
151                     else if (data == "Failure"){
152                         alert("The email you have entered does not exist.")
153                     }
154                     else if (data == "password-less-than-min"){
155                         alert("The password that you entered did not meet or exceed 8 characters.")
156                     }
157                 })
158                 .catch(error => {
159                     console.error(error);
160                 });
161             }
162         })
163     </script>
164 </body>
165
166 </html>

```

File 9. header.html

```

1 <head>
2   <meta charset="utf-8">
3   <title>Test</title>
4   <meta content="width=device-width,initial-scale=1.0" name="viewport">
5   <meta content="" name="keywords">
6   <meta content="" name="description">
7
8   <!-- Favicon -->
9   <!--<link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon" --> -->
10
11   <!-- Google Web Fonts -->
12   <link rel="preconnect" href="https://fonts.googleapis.com">
13   <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
14   <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
15
16   <!-- Icon Font Stylesheet -->
17   <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
18   <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
19
20   <!-- Libraries Stylesheet -->
21   <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
22
23   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuComLAsjC" crossorigin="anonymous">
24   <link href="CSS/custom.css" rel="stylesheet">
25 </head>

```

File 10. index.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4   <head>
5     <meta charset="utf-8">
6     <title>GSW Math Tournament</title>
7     <meta content="width=device-width,initial-scale=1.0" name="viewport">
8     <meta content="" name="keywords">
9     <meta content="" name="description">
10
11     <!-- Favicon -->
12     <!--<link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon" --> -->
13
14     <link rel="apple-touch-icon" sizes="180x180" href="/apple-touch-icon.png">
15     <link rel="icon" type="image/png" sizes="32x32" href="/favicon-32x32.png">
16     <link rel="icon" type="image/png" sizes="16x16" href="/favicon-16x16.png">
17     <link rel="manifest" href="/site.webmanifest">
18
19     <!-- Google Web Fonts -->
20     <link rel="preconnect" href="https://fonts.googleapis.com">
21     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
22     <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
23
24     <!-- Icon Font Stylesheet -->
25     <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
26     <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
27
28     <!-- Libraries Stylesheet -->
29     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
30
31     <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuComLAsjC" crossorigin="anonymous">
32     <link href="CSS/custom.css" rel="stylesheet">
33   </head>
34
35   <body>
36     <!-- Topbar Start -->
37     <div class="container-fluid gsw-primary p-0" style="z-index: 500;">
38       <div class="row gx-0 d-none d-lg-flex">
39         <div class="col-lg-7 px-5 text-start">
40           <div class="h-100 d-inline-flex align-items-center me-4">
41             <small class="fa fa-map-marker-alt gsw-text-secondary me-2"></small>
42             <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
43           </div>
44           <div class="h-100 d-inline-flex align-items-center">
45             <small class="far fa-clock gsw-text-secondary me-2"></small>
46             <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
47           </div>
48         </div>
49         <div class="col-lg-5 px-5 text-end">
50           <div class="h-100 d-inline-flex align-items-center me-4">
51             <small class="fa fa-phone-alt gsw-text-secondary me-2"></small>
52             <small class="text-white">877-871-4594</small>
53           </div>
54           <div class="h-100 d-inline-flex align-items-center mx-n2">
55             <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern/">
56               <i class="fab fa-facebook-f"></i></a>
57             <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://twitter.com/GaSouthwestern">
58               <i class="fab fa-twitter"></i></a>
59             <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://www.linkedin.com/school/georgia-southwestern-state-university/">
60               <i class="fab fa-linkedin-in"></i></a>
61             <a class="btn btn-square btn-link rounded-0 gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern">
62               <i class="fab fa-instagram"></i></a>
63           </div>
64         </div>
65       </div>
66     </div>
67     <!-- Topbar End -->
68
69     <!-- Navbar Start -->
70     <div class="container-fluid navbar navbar-expand-lg navbar-light sticky-top p-0" style="background-color: #e3e3e3; z-index: 500;">
71       <a href="index.html" class="navbar-brand mr-auto d-flex align-items-center border-end px-4 px-lg-5">
72         <h2 class="m-0 gsw-text-primary">Divide-Conquer</h2>
73       </a>
74       <button type="button" class="navbar-toggler me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
75         <span class="navbar-toggler-icon"></span>
76       </button>
77       <div class="collapse navbar-collapse" id="navbarCollapse">
78         <div class="navbar-nav ms-auto p-2 p-lg-0">
79           <div class="nav-item dropdown">

```



```

76         <a href="" class="nav-link dropdown-toggle" style="padding-right: 40px;" data-bs-toggle="dropdown">Info</a>
77     <div class="dropdown-menu bg-light m-0">
78         <a href="about.html" class="dropdown-item">About</a>
79         <a href="past.html" class="dropdown-item">Past Tournnaents</a>
80         <a href="other.html" class="dropdown-item">Other</a>
81     </div>
82 </div>
83 </div>
84 <a href="login.html" class="btn btn-primary btn-outline-light gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block">Login<i class="fa fa-arrow-right ms-3"></i></a>
85 </div>
86 </nav>
87 <!-- Navbar End -->
88 <div class="container">
89     <h1 class="gsw-text-primary" style="text-align: center; padding: 20px;>
90         Upcoming Events
91     </h1>
92 </div>
93
94 <div class="container">
95     <div id="gsw" class="carousel slide" data-bs-ride="carousel">
96
97         <!-- Indicators/dots -->
98         <div class="carousel-indicators">
99             <button type="button" data-bs-target="#gsw" data-bs-slide-to="0" class="active"></button>
100             <button type="button" data-bs-target="#gsw" data-bs-slide-to="1"></button>
101             <button type="button" data-bs-target="#gsw" data-bs-slide-to="2"></button>
102         </div>
103
104         <!-- The slideshow/carousel -->
105         <div class="carousel-inner">
106             <div class="carousel-item active" style="height: 600px;>
107                 
108                 <div class="carousel-caption">
109                     <h1>Next Event</h1>
110                     <p>MM/DD/YYYY</p>
111                 </div>
112             </div>
113             <div class="carousel-item" style="height: 600px;>
114                 
115                 <div class="carousel-caption">
116                     <h1>Email For More Information</h1>
117                     <p>GSW@GSW.com</p>
118                 </div>
119             </div>
120             <div class="carousel-item" style="height: 600px;>
121                 
122                 <div class="carousel-caption">
123                     <h3>text</h3>
124                     <p>text</p>
125                 </div>
126             </div>
127         </div>
128         <button class="carousel-control-prev" type="button" data-bs-target="#gsw" data-bs-slide="prev">
129             <span class="carousel-control-prev-icon"></span>
130         </button>
131         <button class="carousel-control-next" type="button" data-bs-target="#gsw" data-bs-slide="next">
132             <span class="carousel-control-next-icon"></span>
133         </button>
134     </div>
135
136     <!-- JavaScript Libraries -->
137     <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
138     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWlaxVXM" crossorigin="anonymous"></script>
139     <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
140 </body>
141
142 </html>

```

File 11. other.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4     <head>
5         <meta charset="utf-8">
6         <title>GSW Math Tournament</title>
7         <meta content="width=device-width, initial-scale=1.0" name="viewport">
8         <meta content="" name="keywords">
9         <meta content="" name="description">
10
11         <!-- Favicon -->
12         <!-- <link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon"> -->
13
14         <!-- Google Web Fonts -->
15         <link rel="preconnect" href="https://fonts.googleapis.com">
16         <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17         <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
18
19         <!-- Icon Font Stylesheet -->
20         <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
21         <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23         <!-- Libraries Stylesheet -->
24         <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26         <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgp1Lm9Na00YzlztQTW" FspD3yD65VohhpuuCOMLASjC" crossorigin="anonymous">
27         <link href="CSS/custom.css" rel="stylesheet">
28     </head>
29
30 <body>
31     <!-- Topbar Start -->
32     <div class="container-fluid gsw-primary p-0" style="z-index: 500;>
33         <div class="row gx-0 d-none d-lg-flex">
34             <div class="col-lg-7 px-5 text-start">
35                 <div class="h-100 d-inline-flex align-items-center me-4">
36                     <small class="fa fa-map-marker-alt gsw-text-secondary me-2"></small>

```

```

37         <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
38     </div>
39     <div class="h-100 d-inline-flex align-items-center">
40         <small class="far fa-clock gsw-text-secondary me-2"></small>
41         <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
42     </div>
43 </div>
44 <div class="col-lg-5 px-5 text-end">
45     <div class="h-100 d-inline-flex align-items-center me-4">
46         <small class="fa fa-phone-alt gsw-text-secondary me-2"></small>
47         <small class="text-white">877-871-4594</small>
48     </div>
49     <div class="h-100 d-inline-flex align-items-center mx-n2">
50         <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern/">
51             <i class="fab fa-facebook-f"></i></a>
52             <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://twitter.com/GaSouthwestern"><i class="fab fa-twitter"></i></a>
53             <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://www.linkedin.com/school/georgia-southwestern-state-university/"><i class="fab fa-linkedin-in"></i></a>
54             <a class="btn btn-square btn-link rounded-0 gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern"><i class="fab fa-instagram"></i></a>
55         </div>
56     </div>
57 </div>
58 <!-- Topbar End -->
59
60 <!-- Navbar Start -->
61 <nav class="container-fluid navbar navbar-expand-lg navbar-light sticky-top p-0" style="background-color: #e3e3e3; z-index: 500;">
62     <a href="index.html" class="navbar-brand mr-auto d-flex align-items-center border-end px-4 px-lg-5">
63         <h2 class="m-0 gsw-text-primary">Divide-Conquer</h2>
64     </a>
65     <button type="button" class="navbar-toggler me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
66         <span class="navbar-toggler-icon"></span>
67     </button>
68     <div class="collapse navbar-collapse" id="navbarCollapse">
69         <div class="navbar-nav ms-auto p-2 p-lg-0">
70             <!-- <a href="Home.cfm" class="nav-item nav-link">Home</a> -->
71             <div class="nav-item dropdown">
72                 <a href="#" class="nav-link dropdown-toggle" style="padding-right: 40px;" data-bs-toggle="dropdown">Info</a>
73                 <div class="dropdown-menu bg-light m-0">
74                     <a href="about.html" class="dropdown-item">About</a>
75                     <a href="past.html" class="dropdown-item">Past Tournnaents</a>
76                     <a href="other.html" class="dropdown-item">Other</a>
77                 </div>
78             </div>
79         </div>
80         <a href="login.html" class="btn btn-primary btn-outline-light gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block">Login<i class="fa fa-arrow-right ms-3"></i></a>
81     </div>
82 </nav>
83 <!-- Navbar End -->
84 <div class="container">
85     <h1 class="gsw-text-primary" style="text-align: center; padding: 20px;">
86         Other Information
87     </h1>
88 </div>
89
90
91
92
93 <!-- JavaScript code -->
94 </script>
95
96 <!-- JavaScript Libraries -->
97 <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
98 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWlaxVXM" crossorigin="anonymous"></script>
99 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
100 </body>
101
102 </html>

```

File 12. passwordreset.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4     <head>
5         <meta charset="utf-8">
6         <title>GSW Math Tournament</title>
7         <meta content="width=device-width, initial-scale=1.0" name="viewport">
8         <meta content="" name="keywords">
9         <meta content="" name="description">
10
11         <!-- Favicon -->
12         <!-- <link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon"> -->
13
14         <!-- Google Web Fonts -->
15         <link rel="preconnect" href="https://fonts.googleapis.com">
16         <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17         <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
18
19         <!-- Icon Font Stylesheet -->
20         <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
21         <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23         <!-- Libraries Stylesheet -->
24         <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26         <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">
27         <link href="CSS/custom.css" rel="stylesheet">
28     </head>
29
30 <body>
31     <!-- Topbar Start -->
32     <div class="container-fluid gsw-primary p-0" style="z-index: 500;">
33         <div class="row gx-0 d-none d-lg-flex">
34             <div class="col-lg-7 px-5 text-start">

```

```

35         <div class="h-100_d-inline-flex_align-items-center_me-4">
36             <small class="fa_fa-map-marker-alt_gsw-text-secondary_me-2"></small>
37             <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
38         </div>
39         <div class="h-100_d-inline-flex_align-items-center">
40             <small class="far_fa-clock_gsw-text-secondary_me-2"></small>
41             <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
42         </div>
43     </div>
44     <div class="col-lg-5_px-5_text-end">
45         <div class="h-100_d-inline-flex_align-items-center_me-4">
46             <small class="fa_fa-phone-alt_gsw-text-secondary_me-2"></small>
47             <small class="text-white">877-871-4594</small>
48         </div>
49         <div class="h-100_d-inline-flex_align-items-center_mx-n2">
50             <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary_gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern/">
51                 <i class="fab_fa-facebook-f"></i></a>
52             <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary_gsw-text-secondary" href="https://twitter.com/GaSouthwestern"><i class="fab_fa-twitter"></i></a>
53             <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary_gsw-text-secondary" href="https://www.linkedin.com/school/georgia-southwestern-state-university/"><i class="fab_fa-linkedin-in"></i></a>
54             <a class="btn btn-square btn-link rounded-0_gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern"><i class="fab_fa-instagram"></i></a>
55         </div>
56     </div>
57 </div>
58 <!-- Topbar End -->
59
60 <!-- Navbar Start -->
61 <nav class="container-fluid_navbar_navbar-expand-lg_navbar-light_sticky-top_p-0" style="background-color: #e3e3e3; z-index: .500;">
62     <a href="index.html" class="navbar-brand_mr-auto_d-flex_align-items-center_border-end_px-4_px-lg-5">
63         <h2 class="m-0_gsw-text-primary">Divide-Conquer</h2>
64     </a>
65     <button type="button" class="navbar-toggler_me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
66         <span class="navbar-toggler-icon"></span>
67     </button>
68     <div class="collapse_navbar-collapse" id="navbarCollapse">
69         <div class="navbar-nav_ms-auto_p-2_p-lg-0">
70             <div class="nav-item_dropdown">
71                 <a href="#" class="nav-link_dropdown-toggle" style="padding-right: .40px;" data-bs-toggle="dropdown">Info</a>
72                 <div class="dropdown-menu_bg-light_m-0">
73                     <a href="about.html" class="dropdown-item">About</a>
74                     <a href="#" class="dropdown-item">Past Tounrnaents</a>
75                     <a href="#" class="dropdown-item">Other</a>
76                 </div>
77             </div>
78         </div>
79         <a href="login.html" class="btn btn-primary btn-outline-light_gsw-secondary_gsw-text-primary_rounded-0_py-4_px-lg-5_d-lg-block">Login<i class="fa_fa-arrow-right_ms-3"></i></a>
80     </div>
81 </nav>
82 <!-- Navbar End -->
83
84
85
86 <div class="container">
87     <h1 class="gsw-text-primary" style="text-align: center; padding: .20px;">
88         Reset Password
89     </h1>
90     <form style="text-align: center;" class="login" action="testinglogin.html" method="POST" id="password-reset">
91         <input style="text-align: center; padding: .20px;" type="password" name="" placeholder="Enter Password" id="password">
92         <input style="text-align: center; padding: .20px;" type="password" name="" placeholder="Enter Password Again" id="password2">
93         <p></p>
94         <input class="btn btn-primary btn-outline-light_mx-auto_gsw-secondary_gsw-text-primary_rounded-0_py-4_px-lg-5_d-lg-block" style="padding: .20px; width: .300px;" type="submit" name="" value="Reset Password">
95     </form>
96     <!-- <a href="https://math.gswcm.net/login.html" class="btn btn-primary btn-outline-light_mx-auto_gsw-secondary_gsw-text-primary_rounded-0_py-4_px-lg-5_d-lg-block" style="padding: .20px; width: .300px;">Remember your account?</a> -->
97     <!-- <a href="newuser.html" class="btn btn-primary btn-outline-light_mx-auto_gsw-secondary_gsw-text-primary_rounded-0_py-4_px-lg-5_d-lg-block" style="padding: .20px; width: .300px;">Forgot Password</a> -->
98 </div>
99
100
101
102
103 <!-- JavaScript Libraries -->
104 <!-- <script src="/JS/login.js" -->
105 <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
106 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWlaxVXM" crossorigin="anonymous"></script>
107 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
108 </script>
109     const form1 = document.getElementById( 'password-reset ' );
110
111     form1.addEventListener( 'submit ', ( event ) => {
112         event.preventDefault();
113
114         const queryString = window.location.search;
115         const urlParams = new URLSearchParams( queryString );
116         const ID = urlParams.get( 'ID' )
117
118         var password = document.getElementById( "password" ).value;
119         var password2 = document.getElementById( "password2" ).value;
120
121         const data = {
122             ID: ID,
123             Password: password,
124             Password2: password2,
125         };
126         console.log( data )
127         fetch( 'https://math.gswcm.net:443/JS/passwordreset ', {
128             method: 'POST',
129             headers: {
130                 'Content-Type': 'application/json'
131             },
132             body: JSON.stringify( data )
133         })
134         .then( response => response.text() )
135         .then( data => {
136             //console.log( data ); // outputs "User_updated"

```

```

137         if(data == 'Success'){
138             alert("Password_has_been_reset.")
139             const url = 'https://math.gswcm.net/login.html'
140             window.location.replace(url);
141         }
142         else if(data == "password-match-error"){
143             alert("The_password_that_you_entered_did_not_match._Please_try_again.")
144         }
145         else{
146             alert("There_was_an_issue._Please_try_again.")
147         }
148     })
149     .catch(error => {
150         console.error(error);
151     });
152 })
153 </script>
154 </body>
155
156 </html>

```

File 13. past.html

```

1  <!DOCTYPE html>
2  <html lang="en">
3
4      <head>
5          <meta charset="utf-8">
6          <title>GSW Math Tournament</title>
7          <meta content="width=device-width, _initial-scale=1.0" name="viewport">
8          <meta content="" name="keywords">
9          <meta content="" name="description">
10
11          <!-- Favicon -->
12          <!--<link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon" --> -->
13
14          <!-- Google Web Fonts -->
15          <link rel="preconnect" href="https://fonts.googleapis.com">
16          <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17          <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
18
19          <!-- Icon Font Stylesheet -->
20          <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.10.0/dist/css/all.min.css" rel="stylesheet">
21          <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23          <!-- Libraries Stylesheet -->
24          <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26          <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/azprGIAAnm3QDgp1Lm9Na0YzlzctQTwFsp3yD65VohhpuuCOMLASjC" crossorigin="anonymous">
27          <link href="CSS/custom.css" rel="stylesheet">
28      </head>
29
30      <body>
31          <!-- Topbar Start -->
32          <div class="container-fluid_gsw-primary_p-0" style="z-index:_:500;">
33              <div class="row_gx-0_d-none_d-lg-flex">
34                  <div class="col-lg-7_px-5_text-start">
35                      <div class="h-100_d-inline-flex_align-items-center_me-4">
36                          <small class="fa_fa-map-marker-alt_gsw-text-secondary_me-2"></small>
37                          <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
38                      </div>
39                      <div class="h-100_d-inline-flex_align-items-center">
40                          <small class="far_fa-clock_gsw-text-secondary_me-2"></small>
41                          <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
42                      </div>
43                  </div>
44                  <div class="col-lg-5_px-5_text-end">
45                      <div class="h-100_d-inline-flex_align-items-center_me-4">
46                          <small class="fa_fa-phone-alt_gsw-text-secondary_me-2"></small>
47                          <small class="text-white">877-871-4594</small>
48                      </div>
49                      <div class="h-100_d-inline-flex_align-items-center_mx-n2">
50                          <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary_gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern/">
51                              <i class="fab_fa-facebook-f"></i></a>
52                          <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary_gsw-text-secondary" href="https://twitter.com/GaSouthwestern"><i class="fab_fa-twitter"></i></a>
53                          <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary_gsw-text-secondary" href="https://www.linkedin.com/school/georgia-southwestern-state-university/"><i class="fab_fa-linkedin-in"></i></a>
54                          <a class="btn btn-square btn-link rounded-0_gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern"><i class="fab_fa-instagram"></i></a>
55                      </div>
56                  </div>
57              </div>
58          <!-- Topbar End -->
59
60          <!-- Navbar Start -->
61          <nav class="container-fluid_navbar_navbar-expand-lg_navbar-light_sticky-top_p-0" style="background-color:_:#e3e3e3;_z-index:_:500;">
62              <a href="index.html" class="navbar-brand_mr-auto_d-flex_align-items-center_border-end_px-4_px-lg-5">
63                  <h2 class="m-0_gsw-text-primary">Divide-Conquer</h2>
64              </a>
65              <button type="button" class="navbar-toggler_me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
66                  <span class="navbar-toggler-icon"></span>
67              </button>
68              <div class="collapse_navbar-collapse" id="navbarCollapse">
69                  <div class="navbar-nav_ms-auto_p-2_p-lg-0">
70                      <!--<a href="Home.cfm" class="nav-item_nav-link">Home</a> -->
71                      <div class="nav-item_dropdown">
72                          <a href="" class="nav-link_dropdown-toggle" style="padding-right:_:40px;" data-bs-toggle="dropdown">Info</a>
73                          <div class="dropdown-menu_bg-light_m-0">
74                              <a href="about.html" class="dropdown-item">About</a>
75                              <a href="past.html" class="dropdown-item">Past Tounrnaents</a>
76                              <a href="other.html" class="dropdown-item">Other</a>
77                          </div>
78                      </div>
79                  </div>
80                  <a href="login.html" class="btn btn-primary btn-outline-light_gsw-secondary_gsw-text-primary_rounded-0_py-4_px-lg-5_d-lg-block">Login<i class="fa_fa-arrow-right_ms-3"></i></a>
81              </div>

```

```

82 </nav>
83 <!-- Navbar End -->
84 <div class="container">
85   <h1 class="gsw-text-primary" style="text-align:center;padding:20px;">
86     Past Tournaments
87   </h1>
88
89   <h2 class="gsw-text-primary" style="text-align:center;padding:20px;">
90     2022 Winners
91   </h2>
92   
93
94   <h2 class="gsw-text-primary" style="text-align:center;padding:20px;">
95     2021 Winners
96   </h2>
97   
98 </div>
99
100 <!-- JavaScript Libraries -->
101 <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
102 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYzclA8NI+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/
103   tWlatVXMX" crossorigin="anonymous"></script>
104 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
105 </body>
106 </html>

```

File 14. payment.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="utf-8">
6   <title>GSW Math Tournament</title>
7   <meta content="width=device-width,initial-scale=1.0" name="viewport">
8   <meta content="" name="keywords">
9   <meta content="" name="description">
10
11   <!-- Favicon -->
12   <!--<link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon">-->
13
14   <!-- Google Web Fonts -->
15   <link rel="preconnect" href="https://fonts.googleapis.com">
16   <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17   <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@400;500;700;900&display=swap" rel="stylesheet">
18
19   <!-- Icon Font Stylesheet -->
20   <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
21   <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23   <!-- Libraries Stylesheet -->
24   <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/
27   azprGIAAm3QDgnJLim9Nao0YzIztQTWfSpd3yD65VohhpUComLASjC" crossorigin="anonymous">
28   <link href="CSS/custom.css" rel="stylesheet">
29 </head>
30
31 <body>
32   <!-- Topbar Start -->
33   <div class="container-fluid-gsw-primary-p-0" style="z-index:500;">
34     <div class="row-gx-0-d-none-d-lg-flex">
35       <div class="col-lg-7-px-5-text-start">
36         <div class="h-100-d-inline-flex-align-items-center-me-4">
37           <small class="fa fa-map-marker-alt-gsw-text-secondary-me-2"></small>
38           <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
39         </div>
40         <div class="h-100-d-inline-flex-align-items-center">
41           <small class="far fa-clock-gsw-text-secondary-me-2"></small>
42           <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
43         </div>
44       </div>
45       <div class="col-lg-5-px-5-text-end">
46         <div class="h-100-d-inline-flex-align-items-center-me-4">
47           <small class="fa fa-phone-alt-gsw-text-secondary-me-2"></small>
48           <small class="text-white">877-871-4594</small>
49         </div>
50         <div class="h-100-d-inline-flex-align-items-center-mx-n2">
51           <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary-gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern/">
52             <i class="fab fa-facebook-f"></i></a>
53           <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary-gsw-text-secondary" href="https://twitter.com/GaSouthwestern">
54             <i class="fab fa-twitter"></i></a>
55           <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary-gsw-text-secondary" href="https://www.linkedin.com/school/georgia-southwestern-state-university/">
56             <i class="fab fa-linkedin-in"></i></a>
57           <a class="btn btn-square btn-link rounded-0-gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern">
58             <i class="fab fa-instagram"></i></a>
59         </div>
60       </div>
61     </div>
62   </div>
63   <!-- Topbar End -->
64
65   <!-- Navbar Start -->
66   <nav class="container-fluid-navabar-navabar-expand-lg-navabar-light-sticky-top-p-0" style="background-color:#e3e3e3;z-index:500;">
67     <a href="index.html" class="navabar-brand-mr-auto-d-flex-align-items-center-border-end-px-4-px-lg-5">
68       <h2 class="m-0-gsw-text-primary">Divide-Conquer</h2>
69     </a>
70     <button type="button" class="navabar-toggler-me-2" data-bs-toggle="collapse" data-bs-target="#navabarCollapse">
71       <span class="navabar-toggler-icon"></span>
72     </button>
73     <div class="collapse-navabar-collapse" id="navabarCollapse">
74       <div class="navabar-nav-ams-auto-p-2-p-lg-0">
75         <div class="nav-item-dropdown">
76           <a href="#" class="nav-link-dropdown-toggle" style="padding-right:150px;" data-bs-toggle="dropdown">Manage</a>
77           <div class="dropdown-menu-bg-light-m-0">
78             <button href="#" id="myButton2" class="dropdown-item">Teams</button>
79             <button href="#" id="myButton1" class="dropdown-item" style="padding-right:150px;">School</button>
80           </div>
81         </div>
82       </div>
83     </div>
84   </nav>

```

```

77 <!-- Navbar End -->
78
79
80
81 <div class="container">
82   <h1 class="gsw-text-primary" style="text-align:center;padding:20px;">
83     Payment
84   </h1>
85   <form style="text-align:center;" class="login" method="POST" id="pay">
86     <input type="checkbox" id="payment"> Paid
87     <input type="checkbox" id="payment"> Paid
88     <input class="btn btn-primary btn-outline-light mx-auto gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5 d-lg-block" style="padding:20px; width:300px;"
89       type="submit" name="" value="Submit Payment">
90   </form>
91 </div>
92
93
94
95 <!-- JavaScript Libraries -->
96 <!-- <script src="/JS/login.js" -->
97 <script src="https://code.jquery.com/jquery-3.4.1.min.js">/script>
98 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/
99   tWlatVXMX" crossorigin="anonymous">/script>
100 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js">/script>
101 <script>
102   const form1 = document.getElementById('pay');
103
104   form1.addEventListener('submit', (event) => {
105     event.preventDefault();
106
107     const queryString = window.location.search;
108     const urlParams = new URLSearchParams(queryString);
109     const ID = urlParams.get('ID')
110     var paid;
111     if (payment.checked == true){
112       paid = 1
113     }
114     else{
115       paid = 0
116     }
117
118     const data = {
119       ID: ID,
120       Pay: paid,
121     };
122     //console.log(data)
123     fetch('https://math.gswcm.net:443/JS/payment', {
124       method: 'POST',
125       headers: {
126         'Content-Type': 'application/json'
127       },
128       body: JSON.stringify(data)
129     })
130     .then(response => response.text())
131     .then(data => {
132       //console.log(data); // outputs "User updated"
133       if (data == "Success"){
134         if (paid == 1){
135           alert("You have paid. Thank you!")
136         }
137         else{
138           alert("You did not complete the payment.")
139         }
140         const url = 'https://math.gswcm.net/user_home.html?ID=${ID}'
141         window.location.replace(url);
142       }
143       else{
144         alert("There was an error. Please try again later.")
145       }
146     })
147     .catch(error => {
148       console.error(error);
149     });
150   });
151 </script>
152 </body>
153 </html>

```

File 15. school.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="utf-8">
6   <title>GSW Math Tournament</title>
7   <meta content="width=device-width,initial-scale=1.0" name="viewport">
8   <meta content="" name="keywords">
9   <meta content="" name="description">
10
11 <!-- Favicon -->
12 <!-- <link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon" -->
13
14 <!-- Google Web Fonts -->
15 <link rel="preconnect" href="https://fonts.googleapis.com">
16 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17 <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
18
19 <!-- Icon Font Stylesheet -->
20 <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
21 <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23 <!-- Libraries Stylesheet -->
24 <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/
  azpG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOMLAsJc" crossorigin="anonymous">

```

```

28 <link href="CSS/custom.css" rel="stylesheet">
29 </head>
30 <body>
31 <!-- Topbar Start -->
32 <div class="container-fluid _gsw-primary _p-0" style="z-index: _500;">
33 <div class="row _gx-0 _d-none _d-lg-flex">
34 <div class="col-lg-7 _px-5 _text-start">
35 <div class="h-100 _d-inline-flex _align-items-center _me-4">
36 <small class="fa _fa-map-marker-alt _gsw-text-secondary _me-2"></small>
37 <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
38 </div>
39 <div class="h-100 _d-inline-flex _align-items-center">
40 <small class="far _fa-clock _gsw-text-secondary _me-2"></small>
41 <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
42 </div>
43 </div>
44 <div class="col-lg-5 _px-5 _text-end">
45 <div class="h-100 _d-inline-flex _align-items-center _me-4">
46 <small class="fa _fa-phone-alt _gsw-text-secondary _me-2"></small>
47 <small class="text-white">877-871-4594</small>
48 </div>
49 <div class="h-100 _d-inline-flex _align-items-center _mx-n2">
50 <a class="btn _btn-square _btn-link _rounded-0 _border-end _border-secondary _gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern/">
51 <i class="fab _fa-facebook-f"></i></a>
52 <a class="btn _btn-square _btn-link _rounded-0 _border-end _border-secondary _gsw-text-secondary" href="https://twitter.com/GaSouthwestern">
53 <i class="fab _fa-twitter"></i></a>
54 <a class="btn _btn-square _btn-link _rounded-0 _border-end _border-secondary _gsw-text-secondary" href="https://www.linkedin.com/school/georgia-southwestern-state-university/">
55 <i class="fab _fa-linkedin-in"></i></a>
56 <a class="btn _btn-square _btn-link _rounded-0 _gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern">
57 <i class="fab _fa-instagram"></i></a>
58 </div>
59 </div>
60 <!-- Topbar End -->
61 <!-- Navbar Start -->
62 <nav class="container-fluid _navbar _navbar-expand-lg _navbar-light _sticky-top _p-0" style="background-color: _#e3e3e3; _z-index: _500;">
63 <a href="index.html" class="navbar-brand _mr-auto _d-flex _align-items-center _border-end _px-4 _px-lg-5">
64 <h2 class="m-0 _gsw-text-primary">Divide-Conquer</h2>
65 <button type="button" class="navbar-toggler _me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
66 <span class="navbar-toggler-icon"></span>
67 </button>
68 <div class="collapse _navbar-collapse">
69 <div class="navbar-nav _ms-auto _p-2 _p-lg-0">
70 <div class="nav-item _dropdown">
71 <a href="#" class="nav-link _dropdown-toggle" style="padding-right: _150px;" data-bs-toggle="dropdown">Manage</a>
72 <div class="dropdown-menu _bg-light _m-0">
73 <button href="#" id="myButton2" class="dropdown-item">Teams</button>
74 <button href="#" id="myButton1" class="dropdown-item" style="padding-right: _150px;">School</button>
75 </div>
76 </div>
77 <!-- Navbar End -->
78 <div class="container _text-center">
79 <h1 class="gsw-text-primary" style="text-align: _center; _padding: _20px;">
80 School Information
81 </h1>
82 <div class="text-center">
83 <button href="#" id="myButton" class="btn _btn-primary _btn-outline-light _gsw-text-primary _rounded-0 _py-4 _px-lg-5">Edit<i class="fa _fa-arrow-right _ms-3"></i>
84 </div>
85 <table id="mytable" style="text-align: _center; _padding: _20px;">
86 </table>
87 </div>
88
89 <!-- JavaScript code -->
90 <script>
91 var queryString = window.location.search;
92 var urlParams = new URLSearchParams(queryString);
93 var id = urlParams.get('ID');
94
95 const myButton2 = document.getElementById('myButton2');
96 const myButton1 = document.getElementById('myButton1');
97
98 myButton2.onclick = function() {
99 window.location.href = '/view_teams.html?ID=${id}';
100 };
101
102 myButton1.onclick = function() {
103 window.location.href = '/school.html?ID=${id}';
104 };
105
106 myButton.onclick = function() {
107 window.location.href = '/edit-school.html?ID=${id}';
108 };
109 const url2 = 'https://math.gswcm.net:443/JS/get_school?variable=${id}';
110 fetch(url2)
111 .then(response => response.json())
112 .then(data => {
113 const url = 'https://math.gswcm.net:443/JS/data?variable=${data[0].SchoolPK}';
114 // Fetch the data from the server and create a table in the HTML document
115 fetch(url)
116 .then(response => response.json())
117 .then(data => {
118 const table = document.getElementById('mytable');
119
120 // Add a header row
121 const headerRow = document.createElement('tr');
122 for (const column in data[0]) {
123 const headerCell = document.createElement('th');
124 headerCell.textContent = column;
125 headerRow.appendChild(headerCell);
126 }
127 table.appendChild(headerRow);
128
129 // Add data rows
130 for (const row of data) {
131 const dataRow = document.createElement('tr');
132 for (const column in row) {

```

```

133         const dataCell = document.createElement('td');
134         dataCell.textContent = row[column];
135         dataRow.appendChild(dataCell);
136     }
137     table.appendChild(dataRow);
138 }
139
140 // Add the table to the HTML document
141
142 document.body.appendChild(table);
143
144 table.classList.add('table', 'table-success');
145 })
146 .catch(error => console.error(error));
147 })
148 </script>
149
150
151 <!-- JavaScript Libraries -->
152 <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
153 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYIzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/
154 tWlatVXMX" crossorigin="anonymous"></script>
155 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
156 </body>
157 </html>

```

File 16. user_home.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="utf-8">
6 <title>GSW Math Tournament</title>
7 <meta content="width=device-width, _initial-scale=1.0" name="viewport">
8 <meta content="" name="keywords">
9 <meta content="" name="description">
10
11 <!-- Favicon -->
12 <!--<link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon"> -->
13
14 <!-- Google Web Fonts -->
15 <link rel="preconnect" href="https://fonts.googleapis.com">
16 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17 <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
18
19 <!-- Icon Font Stylesheet -->
20 <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
21 <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23 <!-- Libraries Stylesheet -->
24 <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/
27 azprGIAAnm3QDgplJLim9Nao0Yz1ztcQTWfSpd3yD65VohhpucComLASjC" crossorigin="anonymous">
28 <link href="CSS/custom.css" rel="stylesheet">
29 </head>
30
31 <body>
32 <!-- Topbar Start -->
33 <div class="container-fluid_gsw-primary_p-0" style="z-index:_:500;">
34 <div class="row_gx-0_d-none_d-lg-flex">
35 <div class="col-lg-7_px-5_text-start">
36 <div class="h-100_d-inline-flex_align-items-center_me-4">
37 <small class="fa_fa-map-marker-alt_gsw-text-secondary_me-2"></small>
38 <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
39 </div>
40 <div class="h-100_d-inline-flex_align-items-center">
41 <small class="far_fa-clock_gsw-text-secondary_me-2"></small>
42 <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
43 </div>
44 <div class="col-lg-5_px-5_text-end">
45 <div class="h-100_d-inline-flex_align-items-center_me-4">
46 <small class="fa_fa-phone-alt_gsw-text-secondary_me-2"></small>
47 <small class="text-white">877-871-4594</small>
48 </div>
49 <div class="h-100_d-inline-flex_align-items-center_mx-n2">
50 <a class="btn btn-square_btn-link_rounded-0_border-0_border-end_border-secondary_gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern/">
51 <i class="fab_fa-facebook-f"></i></a>
52 <a class="btn btn-square_btn-link_rounded-0_border-0_border-end_border-secondary_gsw-text-secondary" href="https://twitter.com/GaSouthwestern">
53 <i class="fab_fa-twitter"></i></a>
54 <a class="btn btn-square_btn-link_rounded-0_border-0_border-end_border-secondary_gsw-text-secondary" href="https://www.linkedin.com/school/georgia-southwestern-state-university/">
55 <i class="fab_fa-linkedin-in"></i></a>
56 <a class="btn btn-square_btn-link_rounded-0_gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern">
57 <i class="fab_fa-instagram"></i></a>
58 </div>
59 </div>
60 <!-- Topbar End -->
61
62 <!-- Navbar Start -->
63 <nav class="container-fluid_navbar_navbar-expand-lg_navbar-light_sticky-top_p-0" style="background-color:_:#e3e3e3;_z-index:_:500;">
64 <a href="index.html" class="navbar-brand_mmr-auto_d-flex_align-items-center_border-end_px-4_px-lg-5">
65 <h2 class="m-0_gsw-text-primary">Divide-Conquer</h2>
66 </a>
67 <button type="button" class="navbar-toggler_me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
68 <span class="navbar-toggler-icon"></span>
69 </button>
70 <div class="collapse_navbar-collapse" id="navbarCollapse">
71 <div class="navbar-nav_ms-auto_p-2_p-lg-0">
72 <div class="nav-item_dropdown">
73 <a href="#" class="nav-link_dropdown-toggle" style="padding-right:_:150px;" data-bs-toggle="dropdown">Manage</a>
74 <div class="dropdown-menu_bg-light_m-0">
75 <button href="#" id="myButton" class="dropdown-item">Teams</button>
76 <button href="#" id="myButton1" class="dropdown-item" style="padding-right:_:150px;">School</button>
77 </div>
78 </div>
79 </nav>

```



```

77 <!-- Navbar End -->
78 <div class="container">
79 <h1 class="gsw-text-primary" style="text-align:center;padding:20px;">
80 GSW Math Tournament Home
81 </h1>
82 
83 </div>
84
85 <script>
86 var queryString = window.location.search;
87 var urlParams = new URLSearchParams(queryString);
88 var id = urlParams.get('ID');
89 console.log(id)
90
91 const myVariable1 = id;
92 const myButton = document.getElementById('myButton');
93 const myButton1 = document.getElementById('myButton1');
94
95 myButton.onclick = function() {
96 window.location.href = '/view_teams.html?ID=${myVariable1}';
97 };
98
99 myButton1.onclick = function() {
100 window.location.href = '/school.html?ID=${myVariable1}';
101 };
102
103 const myVariable = id;
104 const url = 'https://math.gswcm.net:443/JS/get_school?variable=${myVariable}';
105
106
107 // Fetch the data from the server and create a table in the HTML document
108 fetch(url)
109 .then(response => response.json())
110 .then(data => {
111 console.log(data[0].SchoolPK)
112
113 })
114 .catch(error => console.error(error));
115 </script>
116
117 <!-- JavaScript Libraries -->
118 <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
119 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/
120 tWdaxVXM" crossorigin="anonymous"></script>
121 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
122 <script>
123 window.addEventListener('load', (event) => {
124 event.preventDefault();
125
126 const queryString = window.location.search;
127 const urlParams = new URLSearchParams(queryString);
128 const ID = urlParams.get('ID')
129
130 if (ID == null){
131 alert("You are not logged in.")
132 const url = 'https://math.gswcm.net/login.html'
133 window.location.replace(url);
134 }
135 </script>
136 </body>
137
138 </html>

```

File 17. verifyemail.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5 <meta charset="utf-8">
6 <title>GSW Math Tournament</title>
7 <meta content="width=device-width,initial-scale=1.0" name="viewport">
8 <meta content="" name="keywords">
9 <meta content="" name="description">
10
11 <!-- Favicon -->
12 <!-- <link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon"> -->
13
14 <!-- Google Web Fonts -->
15 <link rel="preconnect" href="https://fonts.googleapis.com">
16 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17 <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
18
19 <!-- Icon Font Stylesheet -->
20 <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
21 <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23 <!-- Libraries Stylesheet -->
24 <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/
27 azpGIAAm3QDgpPLImNg9o8Yz1tcQtTwFsp3yD65VohhpuuComLASjC" crossorigin="anonymous">
28 </head>
29
30 <body>
31 <!-- Topbar Start -->
32 <div class="container-fluid gsw-primary-p-0" style="z-index:500;">
33 <div class="row gx-0 d-none d-lg-flex">
34 <div class="col-lg-7 px-5 text-start">
35 <div class="h-100 d-inline-flex align-items-center me-4">
36 <small class="fa fa-map-marker-alt gsw-text-secondary me-2"></small>
37 <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
38 </div>
39 <div class="h-100 d-inline-flex align-items-center">
40 <small class="far fa-clock gsw-text-secondary me-2"></small>
41 <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
42 </div>

```

```

43     </div>
44     <div class="col-lg-5px-5_text-end">
45         <div class="h-100_d-inline-flex_align-items-center_me-4">
46             <small class="fa_fa-phone-alt_gsw-text-secondary_me-2"></small>
47             <small class="text-white">877-871-4594</small>
48         </div>
49         <div class="h-100_d-inline-flex_align-items-center_mx-n2">
50             <a class="btn btn-square btn-link rounded-0_border-0_border-end_border-secondary_gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern/">
51                 <i class="fab_fa-facebook-f"></i></a>
52             <a class="btn btn-square btn-link rounded-0_border-0_border-end_border-secondary_gsw-text-secondary" href="https://twitter.com/GaSouthwestern"><i class="fab_fa-twitter"></i></a>
53             <a class="btn btn-square btn-link rounded-0_border-0_border-end_border-secondary_gsw-text-secondary" href="https://www.linkedin.com/school/georgia-southwestern-state-university/"><i class="fab_fa-linkedin-in"></i></a>
54             <a class="btn btn-square btn-link rounded-0_gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern"><i class="fab_fa-instagram"></i></a>
55         </div>
56     </div>
57 </div>
58 <!-- Topbar End -->
59
60 <!-- Navbar Start -->
61 <nav class="container-fluid_navbar_navbar-expand-lg_navbar-light_sticky-top-p-0" style="background-color: #e3e3e3; z-index: 500;">
62     <a href="index.html" class="navbar-brand_m-r-auto_d-flex_align-items-center_border-end-px-4-px-lg-5">
63         <h2 class="m-0_gsw-text-primary">Divide-Conquer</h2>
64     </a>
65     <button type="button" class="navbar-toggler_me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
66         <span class="navbar-toggler-icon"></span>
67     </button>
68     <div class="collapse_navbar-collapse" id="navbarCollapse">
69         <div class="navbar-nav_ms-auto_p-2-p-lg-0">
70             <div class="nav-item_dropdown">
71                 <a href="#" class="nav-link_dropdown-toggle" style="padding-right: 40px;" data-bs-toggle="dropdown">Info</a>
72                 <div class="dropdown-menu_bg-light_m-0">
73                     <a href="about.html" class="dropdown-item">About</a>
74                     <a href="#" class="dropdown-item">Past Tournnaents</a>
75                     <a href="#" class="dropdown-item">Other</a>
76                 </div>
77             </div>
78             <div>
79                 <a href="login.html" class="btn btn-primary_btn-outline-light_gsw-secondary_gsw-text-primary_rounded-0_py-4-px-lg-5_d-lg-block">Login<i class="fa_fa-arrow-right_ms-3"></i></a>
80             </div>
81         </nav>
82     <!-- Navbar End -->
83
84
85
86 <div class="container">
87     <h1 class="gsw-text-primary" style="text-align: center; padding: 20px;">
88         Reset Password
89     </h1>
90 </div>
91
92
93
94
95 <!-- JavaScript Libraries -->
96 <!-- <script src="/JS/login.js" -->
97 <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
98 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWlaxVXM" crossorigin="anonymous"></script>
99 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
100 <script>
101     window.addEventListener('load', (event) => {
102         event.preventDefault();
103
104         const queryString = window.location.search;
105         const urlParams = new URLSearchParams(queryString);
106         const ID = urlParams.get('ID');
107
108         const data = {
109             ID: ID,
110         };
111         console.log(data)
112         fetch('https://math.gswcm.net:443/JS/verifyemail', {
113             method: 'POST',
114             headers: {
115                 'Content-Type': 'application/json'
116             },
117             body: JSON.stringify(data)
118         })
119         .then(response => response.text())
120         .then(data => {
121             //console.log(data); // outputs "User_updated"
122             if(data == 'Success'){
123                 alert("Your_email_has_been_verified.")
124                 const url = 'https://math.gswcm.net/login.html'
125                 window.location.replace(url);
126             }
127             else{
128                 alert("There_was_an_issue..Please_try_again.")
129             }
130         })
131         .catch(error => {
132             console.error(error);
133         });
134     })
135 </script>
136 </body>
137
138 </html>

```

File 18. view_team.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5     <meta charset="utf-8">

```

```

6      <title>GSW Math Tournament</title>
7      <meta content="width=device-width,initial-scale=1.0" name="viewport">
8      <meta content="" name="keywords">
9      <meta content="" name="description">
10
11      <!-- Favicon -->
12      <!-- <link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon"> -->
13
14      <!-- Google Web Fonts -->
15      <link rel="preconnect" href="https://fonts.googleapis.com">
16      <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17      <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
18
19      <!-- Icon Font Stylesheet -->
20      <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
21      <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23      <!-- Libraries Stylesheet -->
24      <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/
27      azprGIAm3QDgpJLLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC" crossorigin="anonymous">
28      </head>
29
30      <body>
31      <!-- Topbar Start -->
32      <div class="container-fluid gsw-primary p-0" style="z-index: 500;">
33      <div class="row gx-0 d-none d-lg-flex">
34      <div class="col-lg-7 px-5 text-start">
35      <div class="h-100 d-inline-flex align-items-center me-4">
36      <small class="fa fa-map-marker-alt gsw-text-secondary me-2"></small>
37      <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
38      </div>
39      <div class="h-100 d-inline-flex align-items-center">
40      <small class="far fa-clock gsw-text-secondary me-2"></small>
41      <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>
42      </div>
43      </div>
44      <div class="col-lg-5 px-5 text-end">
45      <div class="h-100 d-inline-flex align-items-center me-4">
46      <small class="fa fa-phone-alt gsw-text-secondary me-2"></small>
47      <small class="text-white">877-871-4594</small>
48      </div>
49      <div class="h-100 d-inline-flex align-items-center mx-n2">
50      <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern/">
51      <i class="fab fa-facebook-f"></i></a>
52      <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://twitter.com/GaSouthwestern">
53      <i class="fab fa-twitter"></i></a>
54      <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary gsw-text-secondary" href="https://www.linkedin.com/school/georgia-southwestern-state-university/">
55      <i class="fab fa-linkedin-in"></i></a>
56      <a class="btn btn-square btn-link rounded-0 gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern">
57      <i class="fab fa-instagram"></i></a>
58      </div>
59      </div>
60      </div>
61      <!-- Topbar End -->
62
63      <!-- Navbar Start -->
64      <nav class="container-fluid navbar navbar-expand-lg navbar-light sticky-top p-0" style="background-color: #e3e3e3; z-index: 500;">
65      <a href="index.html" class="navbar-brand mr-auto d-flex align-items-center border-end px-4 px-lg-5">
66      <h2 class="m-0 gsw-text-primary">Divide-Conquer</h2>
67      </a>
68      <button type="button" class="navbar-toggler me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
69      <span class="navbar-toggler-icon"></span>
70      </button>
71      <div class="collapse navbar-collapse" id="navbarCollapse">
72      <div class="navbar-nav ms-auto p-2 p-lg-0">
73      <div class="nav-item dropdown">
74      <a href="#" class="nav-link dropdown-toggle" style="padding-right: 150px;" data-bs-toggle="dropdown">Manage</a>
75      <div class="dropdown-menu bg-light m-0">
76      <button href="#" id="myButton2" class="dropdown-item">Team</button>
77      <button href="#" id="myButton1" class="dropdown-item" style="padding-right: 150px;">School</button>
78      </div>
79      </div>
80      </div>
81      </nav>
82      <!-- Navbar End -->
83
84      <div class="text-center">
85      <button id="myButton" class="btn btn-primary btn-outline-light gsw-secondary gsw-text-primary rounded-0 py-4 px-lg-5" style="margin-top: 20px;">Edit Team<i class="fa fa-arrow
86      -right ms-3"></i></button>
87      </div>
88
89      <div class="container">
90      <h1 id="Team" class="gsw-text-primary" style="text-align: center; padding: 20px;">
91
92      </h1>
93      </div>
94
95      <script>
96      var queryString = window.location.search;
97      var urlParams = new URLSearchParams(queryString);
98      var id = urlParams.get('ID1');
99      var id2 = urlParams.get('ID');
100      const myButton = document.getElementById('myButton');
101
102      myButton.onclick = function () {
103      window.location.href = '/edit-team.html?ID1=${id2}&ID=${id}';
104      };
105
106      const myButton2 = document.getElementById('myButton2');
107      const myButton1 = document.getElementById('myButton1');
108
109      myButton2.onclick = function () {
110      window.location.href = '/view_teams.html?ID=${id2}';
111      };
112
113      myButton1.onclick = function () {
114      window.location.href = '/school.html?ID=${id2}';
115      };
116
117      var team = document.getElementById("Team");

```

```

111 team.textContent += 'Team ' + id;
112
113 console.log(id)
114 console.log(id2)
115
116 const url2 = 'https://math.gswcm.net:443/JS/get_school?variable=${id2}&ID=${id}';
117 fetch(url2)
118   .then(response => response.json())
119   .then(data => {
120
121     const myVariable = data[0].SchoolPK;
122     console.log(myVariable)
123     const id1 = id
124
125     const url = 'https://math.gswcm.net:443/JS/team2?variable=${myVariable}&team=${id1}';
126
127
128     // Fetch the data from the server and create a table in the HTML document
129     fetch(url)
130       .then(response => response.json())
131       .then(data => {
132         const table = document.createElement('table');
133
134         // Add a header row
135         const headerRow = document.createElement('tr');
136         for (const column in data[0]) {
137           const headerCell = document.createElement('th');
138           headerCell.textContent = column;
139           headerRow.appendChild(headerCell);
140         }
141         table.appendChild(headerRow);
142
143         // Add data rows
144         for (const row of data) {
145           const dataRow = document.createElement('tr');
146           for (const column in row) {
147             const dataCell = document.createElement('td');
148             dataCell.textContent = row[column];
149             dataRow.appendChild(dataCell);
150           }
151           table.appendChild(dataRow);
152         }
153
154         // Add the table to the HTML document
155
156         document.body.appendChild(table);
157
158         table.classList.add('table', 'table-success');
159       })
160       .catch(error => console.error(error));
161     })
162   }
163 </script>
164
165 </script>
166
167 <!-- JavaScript Libraries -->
168 <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
169 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/
170 tWlaxVXM" crossorigin="anonymous"></script>
171 <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
172 </body>
173 </html>

```

File 19. view_teams.html

```

1 <!DOCTYPE html>
2 <html lang="en">
3
4 <head>
5   <meta charset="utf-8">
6   <title>GSW Math Tournament</title>
7   <meta content="width=device-width, initial-scale=1.0" name="viewport">
8   <meta content="" name="keywords">
9   <meta content="" name="description">
10
11   <!-- Favicon -->
12   <!-- <link href="/css/Templates/solartec-1.0.0/img/favicon.ico" rel="icon" -->
13
14   <!-- Google Web Fonts -->
15   <link rel="preconnect" href="https://fonts.googleapis.com">
16   <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
17   <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet">
18
19   <!-- Icon Font Stylesheet -->
20   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/all.min.css" rel="stylesheet">
21   <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
22
23   <!-- Libraries Stylesheet -->
24   <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/css/bootstrap-select.min.css">
25
26   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-EVSTQN3/
27   azpGIAAnm3QDgplJLm9Nao0Yz1ztQTwFspD3yD65VohhpuuComLASjC" crossorigin="anonymous">
28   <link href="CSS/custom.css" rel="stylesheet">
29 </head>
30
31 <body>
32   <!-- Topbar Start -->
33   <div class="container-fluid gsw-primary p-0" style="z-index: 500;">
34     <div class="row gx-0 d-none d-lg-flex">
35       <div class="col-lg-7 px-5 text-start">
36         <div class="h-100 d-inline-flex align-items-center me-4">
37           <small class="fa fa-map-marker-alt gsw-text-secondary me-2"></small>
38           <small class="text-white">800 Georgia Southwestern State University Dr, Americus, GA 31709</small>
39         </div>
40         <div class="h-100 d-inline-flex align-items-center">
41           <small class="far fa-clock gsw-text-secondary me-2"></small>
42           <small class="text-white">Mon - Fri : 08:00 AM - 05:00 PM</small>

```

```

42     </div>
43 </div>
44 <div class="col-lg-5-px-5-text-end">
45     <div class="h-100_d-inline-flex_align-items-center_me-4">
46         <small class="fa_fa-phone-alt_gsw-text-secondary_me-2"></small>
47         <small class="text-white">877-871-4594</small>
48     </div>
49     <div class="h-100_d-inline-flex_align-items-center_mx-n2">
50         <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary_gsw-text-secondary" href="https://www.facebook.com/GeorgiaSouthwestern/">
51             <i class="fab_fa-facebook-f"></i></a>
52         <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary_gsw-text-secondary" href="https://twitter.com/GaSouthwestern"><i class="fab_fa-twitter"></i></a>
53         <a class="btn btn-square btn-link rounded-0 border-0 border-end border-secondary_gsw-text-secondary" href="https://www.linkedin.com/school/georgia-southwestern-state-university/"><i class="fab_fa-linkedin-in"></i></a>
54         <a class="btn btn-square btn-link rounded-0_gsw-text-secondary" href="http://www.instagram.com/georgiasouthwestern"><i class="fab_fa-instagram"></i></a>
55     </div>
56 </div>
57 </div>
58 <!-- Topbar End -->
59
60 <!-- Navbar Start -->
61 <nav class="container-fluid_navbar_navbar-expand-lg_navbar-light_sticky-top_p-0" style="background-color: #e3e3e3; z-index: .500;">
62     <a href="index.html" class="navbar-brand_mr-auto_d-flex_align-items-center_border-end_px-4_px-lg-5">
63         <h2 class="m-0_gsw-text-primary">Divide-Conquer</h2>
64     </a>
65     <button type="button" class="navbar-toggler_me-2" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
66         <span class="navbar-toggler-icon"></span>
67     </button>
68     <div class="collapse_navbar-collapse" id="navbarCollapse">
69         <div class="navbar-nav_ms-auto_p-2_p-lg-0">
70             <div class="nav-item_dropdown">
71                 <a href="#" class="nav-link_dropdown-toggle" style="padding-right: .150px;" data-bs-toggle="dropdown">Manage</a>
72                 <div class="dropdown-menu_bg-light_m-0">
73                     <button href="#" id="myButton2" class="dropdown-item">Team</button>
74                     <button href="#" id="myButton1" class="dropdown-item" style="padding-right: .150px;">School</button>
75                 </div>
76             </div>
77         </nav>
78     <!-- Navbar End -->
79     <div class="container" id="button-container">
80         <h1 class="gsw-text-primary" style="text-align: center; padding: .20px;">
81             Teams
82         </h1>
83     </div>
84     <div class="text-center">
85         <button id="fetch-button" class="btn btn-primary btn-outline-light_gsw-secondary_gsw-text-primary rounded-0_py-4_px-lg-5" style="margin-top: .20px;">Add Team<i class="fa_fa-arrow-right_ms-3"></i></button>
86     </div>
87
88
89 <script>
90     var queryString = window.location.search;
91     var urlParams = new URLSearchParams(queryString);
92     var id = urlParams.get('ID');
93
94     const myButton2 = document.getElementById('myButton2');
95     const myButton1 = document.getElementById('myButton1');
96
97     myButton2.onclick = function() {
98         window.location.href = '/view_teams.html?ID=${id}';
99     };
100
101     myButton1.onclick = function() {
102         window.location.href = '/school.html?ID=${id}';
103     };
104
105     const myVariable = id;
106
107     const url2 = 'https://math.gswcm.net:443/JS/get_school?variable=${myVariable}';
108
109
110     // Fetch the data from the server and create a table in the HTML document
111     fetch(url2)
112         .then(response => response.json())
113         .then(data => {
114             const fetchButton = document.querySelector('#fetch-button');
115             fetchButton.addEventListener('click', fetchData);
116
117             function fetchData() {
118                 fetch('https://math.gswcm.net:443/JS/add_team/${data[0].SchoolPK}', {
119                     method: 'POST',
120                     headers: {
121                         'Content-Type': 'application/json'
122                     },
123                 })
124             }
125         })
126         .then(response => response.text())
127         .then(data => {
128             console.log(data); // outputs "User_updated"
129             window.location.reload();
130         })
131         .catch(error => {
132             console.error(error);
133         });
134     }
135     console.log(data[0].SchoolPK)
136     const url = 'https://math.gswcm.net:443/JS/team_data?variable=${data[0].SchoolPK}';
137     fetch(url)
138     .then(response => response.json())
139     .then(data => {
140         // Loop through the data and create a button for each item
141         data.forEach(item => {
142             // Create a button element
143             const button = document.createElement('a');
144             const ID = item.TeamID
145
146             const url2 = 'https://math.gswcm.net:443/view_team.html?ID1=${item.TeamPK}&ID=${id}'
147

```

```

148     button.classList.add('btn', 'btn-primary', 'btn-outline-light', 'gsw-secondary', 'gsw-text-primary', 'rounded-0', 'py-4', 'px-lg-5', 'd-lg-block');
149
150     button.setAttribute('href', url2);
151
152     // Set the button text and data attribute
153     button.setAttribute('type', 'button');
154     button.textContent = "Team" + item.TeamID;
155     button.setAttribute('data-id', item.TeamID);
156
157     // Append the button to the container element
158     document.getElementById('button-container').appendChild(button);
159 });
160
161 .catch(error => {
162     console.error('Error fetching data:', error);
163 });
164
165
166     })
167     .catch(error => console.error(error));
168
169
170     </script>
171
172     <!-- JavaScript Libraries -->
173     <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
174     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js" integrity="sha384-MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/
175         tWtlaxVXM" crossorigin="anonymous"></script>
176     <script src="https://cdn.jsdelivr.net/npm/bootstrap-select@1.14.0-beta2/dist/js/bootstrap-select.min.js"></script>
177 </body>
178 </html>

```