

MascotGO Atlas Database - Data Export

Export Date: 2025

Source Database: mascotgo-atlas

Export Location: [./data/](#)

Total Tables: 54

Total Records: ~15.8 million rows

This directory contains a complete export of the MascotGO Atlas database in CSV format. All data has been exported from Microsoft SQL Server using Entity Framework Core and is ready for analysis in Excel, R, Python, Tableau, or other analytical tools.

Table of Contents

- [Geographic Data](#) (6 tables)
 - [Administrative Data](#) (1 table)
 - [School Data](#) (3 tables)
 - [College Core Data](#) (5 tables)
 - [College Detailed Data](#) (26 tables)
 - [Peer College Data](#) (1 table)
 - [Classification Systems](#) (10 tables)
 - [System Tables](#) (2 tables)
-

Snowflake ID Format

Throughout this export, unique identifiers (IDs) are represented in Snowflake ID format. Snowflake IDs are 64-bit integers encoded as strings to ensure compatibility across systems. They can be used to uniquely identify records and establish relationships between tables.

Think of these as a more compact form of GUID, however, they actually have an interesting property to them in that they can be sorted chronologically within about a two-second accuracy. This is because the first 42 bits of a Snowflake ID represent a timestamp in milliseconds since a custom epoch (January 1, 2020). The remaining bits are used for machine identification and sequence numbers to ensure uniqueness.

Snowflakes are generated using a very specific distributed algorithm that ensures uniqueness across multiple machines without requiring a central authority. This makes them ideal for distributed systems where records may be created simultaneously on different servers.

For purposes herein, all you need to know is that they represent a unique identifier for records in the database and can be used to join tables together.

Geographic Data

Basic geographic reference data for regions, countries, states, cities, and postal codes. Note that the city, state and postal codes are limited herein to the United States, but we actually have this data for most of the world.

Regions

Rows: 6

World regions based on United Nations geoscheme classifications (e.g., Africa, Americas, Asia, Europe, Oceania).

SubRegions

Rows: 23

Sub-regions within major world regions providing more granular geographic classifications (e.g., Northern Africa, South America, Eastern Asia).

Countries

Rows: 250

Comprehensive country data including ISO codes, currency information, phone codes, geographic coordinates, population, and spatial geometry for mapping.

States

Rows: 66

State and province data for countries worldwide, including U.S. states, Canadian provinces, and other administrative divisions with geographic coordinates.

Cities

Rows: 45,892

Major cities worldwide with geographic coordinates, state/country associations, and spatial geometry for location-based queries and mapping.

PostalCodes

Rows: 4,141,109

Postal code data (ZIP codes in the U.S.) with associated cities, states, and precise geographic coordinates for address validation and geocoding.

Administrative Data

Many of the data sets published by the U.S. government uses an ANSI state code instead of some other more common method. This table simply maps those codes to state names.

AnsiStates

Rows: 57

ANSI (American National Standards Institute) state codes and names providing standardized two-letter abbreviations for U.S. states and territories.

High School Data

Data relating to high schools.

SchoolDistricts

Rows: 19,637

School district information from NCES including enrollment, staff counts (teachers, administrators, support staff), geographic location, and district type classifications.

PublicSchools

Rows: 106,135

Public K-12 school data from NCES including enrollment, grades offered, location, district affiliation, Title I status, and school characteristics (charter, magnet, virtual).

PrivateSchools

Rows: ~106,000

Private and religious school data from the Private School Survey (PSS) including enrollment, religious affiliation, school level, tuition, and demographic information.

College Core Data

This is the primary set of data that will matter to most products.

UrbanColleges is the starting point from the core IPEDS government data set. All other college-related tables will join to it via the **UnitId** column.

UrbanColleges

Rows: 6,163

Primary college and university directory from the Urban Institute's Education Data API containing institutional characteristics, contact information, Carnegie classifications, control type, and operational status.

HistoricalUrbanColleges

Do not use this table. It's simply very old historical data we captured.

Rows: ~2,747

Historical records of closed or merged colleges and universities (1980-2022) preserving institutional memory for longitudinal analysis.

CollegeAliases

Rows: ~1,000

Alternative names and abbreviations for colleges (e.g., "MIT" for Massachusetts Institute of Technology) with popularity scores for search optimization.

CollegeNamePreferences

These are the **good** college names. The names reported by many schools to IPEDS are often inconsistent or have strange formatting. This table provides a curated set of preferred names for display purposes.

This table was created by using LLMs to suggest the most common name for each school. Some schools may have multiple names and are represented multiple times here.

Rows: ~6,000

Curated, user-friendly display names for colleges that normalize institutional naming conventions for consistent presentation.

CollegeSlugPreferences

The **s**lug will be used for creating URL-friendly identifiers for colleges on our website. These were computed to be unique and representative of the school name where possible.

Rows: ~6,000

URL-friendly identifiers (slugs) for colleges ensuring unique, readable web addresses for institutional profiles.

College Detailed Data

UrbanCollegeCharacteristics

Rows: 6,049

Institutional characteristics including calendar system, degree offerings, housing options, student services, ROTC programs, library facilities, and NCAA membership.

UrbanCollegeAdmissions

Rows: 8,677

Admissions data by gender including number of applications, admissions, and enrollments (full-time and part-time) for fall cohorts.

UrbanCollegeRequirements

Rows: 6,068

Admission requirements and test score data including SAT/ACT percentiles (25th, 50th, 75th), open admissions policies, and required application materials.

UrbanCollegeTuition

Rows: 16,588

Tuition and fee data by academic level (undergraduate, graduate) and residency status (in-state, out-of-state) with year-over-year percentage increases.

UrbanCollegeTuitionProfessions

Rows: 1,498

Professional program tuition for specialized fields (law, medicine, dentistry, veterinary, etc.) by residency status.

UrbanCollegeTuitionVocations

Rows: 7,714

Vocational and certificate program tuition by CIP code including program length, required hours, and enrollment information.

UrbanCollegeRoomBoardAcademics

Rows: 10,166

Room and board costs for academic programs by living arrangement (on-campus, off-campus with family, off-campus not with family) and student level.

UrbanCollegeRoomBoardVocations

Rows: 4,118

Room and board costs for vocational programs by living arrangement with associated living expenses.

UrbanCollegeEnrollmentFtes

Rows: 17,937

Full-time equivalent (FTE) enrollment data calculated from credit hours and contact hours by academic level (undergraduate, graduate).

UrbanCollegeRetentions

Rows: 16,713

Student retention rates tracking first-time, full-time students who return for their second year by full-time/part-time status.

UrbanCollegeFinances

Rows: 5,696

Comprehensive financial data including revenues, expenditures, assets, liabilities, endowment values, and functional expense categories (instruction, research, student services).

UrbanCollegeStudentFacultyRatios

Rows: 5,571

Student-to-faculty ratios calculated as FTE students divided by FTE instructional staff for measuring teaching intensity.

UrbanCollegeFinancialAidLivings

Rows: 35,900

Financial aid statistics by living arrangement and aid type showing number of students receiving aid and participation rates.

UrbanCollegeFinancialAidTuitionTypes

Rows: 16,168

Financial aid data segmented by tuition type (in-state, out-of-state, in-district) and cohort characteristics.

UrbanCollegeFinancialAidUndergrads

Rows: 17,070

Undergraduate financial aid data by aid type (grants, loans, work-study) including average amounts and student counts.

UrbanCollegeFinancialAidFtfts

Rows: 59,763

First-time, full-time student financial aid data by degree-seeking status, class level, and aid type with average amounts awarded.

UrbanCollegeGraduation150s

Rows: 196,232

150% graduation rates (6 years for bachelor's, 3 years for associate's) by demographic characteristics (race, gender) and cohort adjustments.

UrbanCollegeGraduation200s

Rows: 4,741

200% graduation rates (8 years for bachelor's, 4 years for associate's) providing extended completion timeframes for non-traditional students.

UrbanCollegeGraduationAids

Rows: 37,036

Graduation rates segmented by federal aid receipt type (Pell Grant recipients, subsidized loan recipients) and institution level.

UrbanCollegeOutcomeMeasures

Rows: 88,421

Outcome measures tracking degree completion, transfer, and enrollment status at 4, 6, and 8 years by student entry characteristics.

UrbanCollegeCompleters

Rows: 237,880

Program completers (graduates) by demographic characteristics (race, gender) and cohort year for completion analysis.

UrbanCollegeAwardsCip2s

Rows: 4,149,840

Awards conferred (degrees/certificates) by 2-digit CIP code, award level, race, gender, and major number for broad program analysis.

UrbanCollegeAwardsCip6s

Rows: 9,011,490

Awards conferred (degrees/certificates) by 6-digit CIP code providing detailed program-level completions by demographic characteristics.

UrbanCollegeLibraries

Rows: 3,711

Library statistics including collections (physical and electronic books, serials, media), expenditures, staff counts, and circulation data.

UrbanCollegeSalariesInstructionals

Rows: 370,776

Instructional staff salaries by academic rank (professor, associate, assistant, instructor), contract length (9-month, 11-month, 12-month), and gender.

UrbanCollegeSalariesNonInstructionals

Rows: 111,510

Non-instructional staff salaries by occupational category (administrators, support staff, librarians) with staff counts and total outlays.

Peer College Data

We purchased a dataset of peer college comparisons from the Chronicle of Higher Education. This includes both IPEDS-defined peer groups as well as custom peer groups defined by the Chronicle.

ChroniclePeerColleges

Rows: ~145,000

Chronicle of Higher Education peer institution comparisons including IPEDS-defined and custom peer groups with comparative metrics (admissions rates, enrollment, graduation rates).

Classification Systems

These tables represent fields of study (CIP) and occupations (SOC) as tracked by the U.S. government.

CIPFamilies

Rows: ~61

Classification of Instructional Programs (CIP) 2-digit family codes representing broad academic program areas (e.g., 01=Agriculture, 14=Engineering).

CIPSubclasses

Rows: ~604

CIP 4-digit subclass codes providing intermediate-level program classifications within families (e.g., 14.08=Civil Engineering).

CIPCodes

Rows: ~10,649

CIP 6-digit codes defining specific instructional programs with detailed definitions from the National Center for Education Statistics (2020 taxonomy).

SOC Codes

Rows: 1,447

Standard Occupational Classification (SOC) codes from the Bureau of Labor Statistics organizing occupations into a hierarchical structure (major, minor, broad, detailed groups).

SocCipCrosswalks

Rows: 5,723

SOC-to-CIP crosswalk mappings linking occupational classifications to related instructional programs for career pathway analysis.

SOCExamples

Rows: 2,426

Specific occupation examples for each SOC code illustrating the types of jobs classified under each occupational category.

ONetOccupations

Rows: ~9,293

ONET occupation data providing comprehensive job information including titles, descriptions, and ONET-SOC codes.

ONetSocCrosswalks

Rows: ~4,574

ONET to SOC crosswalk mappings linking detailed ONET occupation codes to standard SOC classifications.

ONetAlternateTitles

Rows: ~34,445

Alternative job titles for O*NET occupations capturing the diverse ways employers refer to similar positions.

ONetSkills

Rows: ~67,807

Skills data for occupations including importance ratings, level scores, confidence intervals, and measurement scales from O*NET surveys.

ONetRelatedOccupations

Rows: ~9,230

Related occupation linkages showing career progression pathways and alternative occupations organized by relatedness tiers.

System Tables

PersistentTasks

Rows: ~5 Task queue management system tracking background jobs (data imports, web crawling, AI processing) with status, completion timestamps, and error messages.

This is for internal processing by Peter. You will not need this table.

Data Format Notes

CSV Specifications

- **Encoding:** UTF-8
- **Delimiter:** Comma (,)
- **Quoting:** Fields containing commas, quotes, or line breaks are quoted
- **NULL Values:** Empty fields (no value between delimiters)
- **Date Format:** ISO 8601 (YYYY-MM-DDTHH:MM:SS.FFFZ)
- **Binary Data:** Base64 encoded
- **Geography Columns:** Not included in this export (use `--include-geography` flag to export as WKT)

Special Considerations

Large Files:

- `UrbanCollegeAwardsCip6s.csv` (1.02 GB) - Over 9 million award records (TRUNCATED to 100 rows)
- `UrbanCollegeAwardsCip2s.csv` (544 MB) - Over 4 million award records (TRUNCATED to 100 rows)
- Consider using specialized tools (Python pandas, R data.table, or database imports) for efficient processing

Relational Integrity:

- Foreign key relationships are preserved through ID columns
- Primary keys use Snowflake ID format (64-bit identifiers as strings)
- Join tables using matching column names (e.g., `UnitId` in UrbanColleges joins to `UnitId` in detail tables)

Data Quality:

- NULL values indicate missing or not applicable data
 - -2 values typically indicate "Not applicable"
 - 99 values in categorical fields typically indicate "Total" or aggregate records
-

Data Sources

- **IPEDS (Integrated Postsecondary Education Data System):** U.S. Department of Education, National Center for Education Statistics
- **Urban Institute Education Data API:** College-level data aggregation
- **NCES Common Core of Data (CCD):** Public K-12 schools
- **Private School Survey (PSS):** Private K-12 schools
- **Chronicle of Higher Education:** Peer institution comparisons
- **Bureau of Labor Statistics:** SOC codes and CIP-SOC crosswalks
- **O*NET (Occupational Information Network):** U.S. Department of Labor occupation data