

E-Migration Assist

Funnel + Admin Portal v2 — Design Document

Author: Michael Brits, Founder — Eride Technologies

Date: 23 June 2026 · Status: v2 design, ready to build · Supersedes funnel_three_segments_v1

Prepared by Perplexity Computer

0. Executive summary

This document is the v2 design for two coupled surfaces: the public-facing lead funnel and the internal admin / sales console. It supersedes the v1 funnel design after Tebatso's reviewed feedback (9 inline comments) and after observing the live portal in two screen recordings.

The intent is unchanged: separate Individuals, Overstays and Businesses into routed paths with different urgency, different field sets, and different SLAs. The change in v2 is two-fold:

- Shorter public funnels — Overstay trimmed from 6 steps to 4 (~3 min); Business trimmed from 10 steps to 6 (~4 min). Research-only fields removed from the public funnel and reserved for the post-conversion discovery call.
- Re-built admin portal — 4-segment toggle, KPI strip, score rings, SLA traffic-light, ÆK palette, critical-overstay alert banner, segment-aware drawer, and a Telegram acknowledgement read-back.

Owners: Tebatso Motswai leads workstreams A–D (front-end funnel work, can start now). Joshua Ratau leads workstreams E–I (admin schema + portal rebuild), starting after the Step 2 + Step 3 deadline (Fri 10 July 2026 EOB) unless the founder authorises parallel work.

1. What changed since v1

Tebatso reviewed the v1 design and returned 9 inline comments on the DOCX. Each comment, the original v1 position, and the v2 decision is captured below.

Ref	Tebatso's comment (verbatim, paraphrased where long)	v1 position	v2 decision
C0	Overstay 6 steps cannot finish in 4 min — 29 questions; the questions force the user to dig into documents.	6-step Overstay flow with departure-date and document-citation steps.	Trim to 4 steps · ~3 min · drop the document-citation step; collect documents post-conversion.
C1	After contact details, add request for city, province/state, and country of residence.	Individual Step 4 collects Name/Email/WhatsApp/Preferred-Contact only.	Accept — extend Step 4 with City, Province/State, Country (validated).
C2	Business 10 steps with 44 questions will exhaust the visitor — focus on the pains.	10-step Business flow including Tools, Compliance and Revenue research blocks.	Trim to 6 steps · ~4 min · the 5 verbatim pain questions become the core.
C3	Multi-jurisdictional question must read 'beyond South Africa'.	'Do you operate in multiple jurisdictions?'	Copy edit — 'Do you operate in multiple jurisdictions beyond South Africa?'
C4	Omit the Website field.	Optional 'Company website' field on Business Step 1.	Removed.
C5	Decision-maker phrasing must specify 'for technology and/or systems purchases'.	'Are you the decision-maker?'	Copy edit — 'Are you the decision-maker for technology and/or systems purchases?'
C6	Tools / current systems block is research-only and doesn't appetize.	Step 5 — Tools currently used (multi-select).	Cut from public funnel · move to post-conversion discovery.
C7	Compliance block is research-based and doesn't serve the sales funnel bottom line.	Step 6 — Compliance posture (POPIA, audit, retention).	Cut from public funnel · move to post-conversion discovery.
C8	Revenue band is invasive — SMBs won't answer honestly. Reserve for future research.	Step 7 — Annual revenue band.	Cut from public funnel · ask only during qualified demo intake.

Effect on time-to-completion

- Individual: 8 steps → 8 steps (no change) · ~4 min. Step 4 expanded to include City/Province/Country (still one screen).
- Overstay: 6 → 4 steps · ~3 min. Document-citation deferred to post-conversion intake.
- Business: 10 → 6 steps · ~4 min. The 5 verbatim pain questions become the centre of gravity.

2. Funnel — Landing chooser (Step 0)

The landing screen is unchanged in shape but its three cards must be the first thing a visitor sees. Each card sets segment, route, and SLA. Below each card we now show a single-line time hint.

Card	Headline	Sub-headline	Time hint	Route on click
1 · Individual	I'm planning my own move	Visa pathway, eligibility, or relocation guidance.	About 4 minutes	/apply/individual
2 · Overstay	I've overstayed and need help	Overstay, ban, appeal or condonation. Urgent triage.	About 3 minutes	/apply/overstay
3 · Business	We're a firm / business	Immigration consulting firms, employers and corporate clients.	About 4 minutes	/apply/business

All three cards write segment=individual|overstay|business onto the lead row at creation time, so downstream routing is deterministic from the very first click.

3. Funnel — Individual track

The Individual track is the closest to today's live single-flow funnel. Only Step 4 changes — the rest matches what we observed live (name → eligibility → documents → contact → OTP → success).

3.1 Step-by-step

#	Step	Fields	Notes / change vs live
1	Country of origin	Country (typeahead, required)	Unchanged.
2	Destination country	Country (typeahead, required)	Unchanged.
3	Visa scenario	Single-select: Work / Study / Family / Skilled / Other	Drives downstream eligibility questions.
4	Contact	Full name · Email · WhatsApp (with country code) · Preferred contact channel · City · Province/State · Country of residence	NEW (C1): City, Province/State, Country added. Form widens to a 2-col grid on desktop.
5	OTP verify	WhatsApp OTP (6 digit)	Unchanged. Delivery layer is currently failing — out of scope here, tracked under DevOps.
6	Eligibility	Conditional questions per scenario (age, marital, qualifications, work offer, family ties)	Unchanged.
7	Documents	Yes/No — do you have documents ready? If yes: 13 categories with drag-drop.	Unchanged.
8	Success	Reference number (e.g. EMA-XXXXXXXX-LP01) · 'Good standing' note · CMS subscription CTA	Unchanged.

3.2 Behind-the-scenes lead row

Lead:
segment: "individual"
scenario: "Work" | "Study" | "Family" | "Skilled" | "Other"
source_country: "ZA"
destination_country: "DE"

```
contact:
  name: "Markus Smith"
  email: "markus@gmail.com"
  whatsapp: "+27 82 555 0101"
  preferred_channel: "whatsapp"
  city: "Pretoria"
  province_state: "Gauteng"
  country_of_residence: "ZA"
documents_ready: true
score: 0..100          # filled by classifier on submit
tier: "hot" | "warm" | "cool"
sla_minutes: 240       # Hot=240, Warm=1440, Cool=4320
```


4. Funnel — Overstay track

Overstay is the highest revenue-per-lead segment and must complete fast. Tebatso's C0 comment is the design driver: the document-citation step is removed from the public funnel. Documents are collected during the intake call, not before it.

4.1 Step-by-step (4 steps · ~3 min)

#	Step	Fields	Notes / change vs v1
1	Status & timing	Are you currently in South Africa? (Yes/No) · Days overstayed (number) · Visa type that expired (single-select)	Compact — 3 fields on one screen.
2	Outcome they need	Single-select: Reduce ban · Appeal refusal · Lodge condonation · Legalise stay · Not sure yet	Drives partner triage.
3	Time pressure	Scheduled departure date (optional) · Has lodged appeal before? (Yes/No)	Drives SLA — within 7 days of departure flips the lead to Critical.
4	Contact	Full name · Email · WhatsApp (with country code) · Preferred channel · City · Province/State · Country of residence	CHANGE: documents are no longer asked here; the rep collects them on the intake call.

4.2 Severity classifier (server-side)

- Critical — scheduled departure within 7 days OR days overstayed ≥ 90 OR ban already applied. Triggers Telegram alert + partner on-call.
- Urgent — days overstayed 30–89 with no scheduled departure. Standard intake within 4 h.
- Routine — days overstayed < 30 and no departure scheduled. Intake within 24 h.

4.3 Behind-the-scenes lead row

```

lead:
  segment: "overstay"
  severity: "critical" | "urgent" | "routine"
  in_country: true | false
  days_overstayed: 112
  expired_visa_type: "visitor"
  outcome_needed: "reduce_ban"
  scheduled_departure: "2026-06-28" # nullable

```

```
has_appealed_before: false
contact: { ... same shape as Individual ... }
sla_minutes: 60          # critical=60, urgent=240, routine=1440
partner_on_call: "Adv. PO Mosiane" # when severity=critical
```

5. Funnel — Business track

The Business track now has 6 steps (was 10), built around Tebatso's 5 verbatim pain questions. Tools, Compliance and Revenue were research-only and have been moved out of the public funnel into the post-conversion discovery call (Section 8).

5.1 Step-by-step (6 steps · ~4 min)

#	Step	Fields	Notes / change vs v1
1	Firm profile	Firm name · Country HQ · Headcount band (1–5 / 6–20 / 21–50 / 51+) · Years operating	C4: Website field removed.
2	Coverage	Practice areas (multi-select) · Do you operate in multiple jurisdictions beyond South Africa? (Yes/No · which)	C3: phrasing fixed.
3	Decision-maker	Are you the decision-maker for technology and/or systems purchases? (Yes/No · if No: role of decision-maker)	C5: phrasing fixed.
4	Pain questions (verbatim — Tebatso's 5)	See list below. All 5 free-text + tag selectors.	New centre of gravity — drives the score.
5	Volume	Cases handled in last 12 months (band) · % cross-border · Typical case duration band	Replaces the cut Tools/Compliance/Revenue research blocks.
6	Contact	Same shape as Individual + City / Province / Country of residence.	Standard contact block.

5.2 The 5 pain questions (verbatim — used as Step 4)

- Q1 — Backlog & bottlenecks: Where in your current immigration workflow are matters most often stuck or delayed, and what causes the bottleneck?
- Q2 — Document chaos: How do you currently collect, track and share client documents across matters, and where does this break down?
- Q3 — Compliance fear: What is the compliance or regulatory risk that worries you most when handling client matters today?
- Q4 — Team coordination: How does your team coordinate on a single client matter — who does what, and where are hand-offs failing?
- Q5 — Client experience: What do your clients complain about most often during an active matter, and what would they like changed?

5.3 Pain-question scoring

- Each answer is tagged by the rep (in the drawer) with one or more of: backlog, documents, compliance, team, client-experience, ai-readiness.
- Tag frequency feeds the score ring on the drawer. ≥ 3 tags marked 'pain-confirmed' flips the score border from gold to red (= hot pain).
- Tags also feed the post-conversion discovery script (Section 8) — the rep knows which research questions to ask on the call.

5.4 Behind-the-scenes lead row

```

lead:
  segment: "business"
  firm:
    name: "Pillar Legal"
    country_hq: "ZA"
    headcount_band: "21-50"
    years_operating: 12
  practice_areas: ["work_visas", "permanent_residence", "appeals"]
  multi_juris_beyond_za: true
  jurisdictions: ["NA", "BW", "ZW"]
  decision_maker_tech: true
  pain_answers:
    backlog: "Critical-skill applications stall at DHA..."
    documents: "Shared Drive + email – clients re-send the same..."
    compliance: "POPIA – we hold passports and IDs in email..."
    team: "Hand-off from intake to senior consultant..."
    client_exp: "Status visibility – clients call us weekly..."
  pain_tags: ["backlog", "documents", "compliance", "team", "client-experience"]
  volume:
    cases_12mo_band: "100-249"
    pct_cross_border: 40
    typical_duration_band: "3-6 months"
  contact: { ... same shape as Individual ... }
  score: 0..100
  tier: "strategic" | "hot" | "warm" | "cool"
  sla_minutes: 240 # strategic=240, hot=240, warm=1440, cool=4320

```

6. Admin portal v2 — overview

The admin portal is being rebuilt around the four-segment world. The shape and motion are captured in the HTML mockup deployed at [admin v2 mockup preview](#) and in the companion mockup PDF (admin_mockup_v2.pdf). What follows is the engineering-facing breakdown.

6.1 Surface inventory (10 new / changed surfaces)

#	Surface	Today (live)	Proposed v2
1	Segment toggle	2 pills · Individual / Reference	4 pills · All / Individual / Overstay / Business · live counts · alert pill on Overstay when Critical lead is unowned
2	Lead table	2 stacked tables · no SLA · no score · no scenario	Single table · score ring · tier pill · SLA traffic-light · scenario tag · per-segment colour
3	Top-bar search	None (browser Ctrl-F only)	⌘K palette · search across name, ref, country, scenario, phone
4	KPI strip	2 tiles · leads / reference	4 tiles · Overdue / Hot / New today / In progress · colour-coded
5	Filter bar	Single-row inline filters	Stackable chip system · active state · clear-X · SLA legend inline
6	Lead drawer	Not present — leads open as full pages	Right-edge drawer · segment-aware first section · 5 tabs · sticky footer actions
7	Critical alert banner	None	Top-of-inbox red banner · auto-shows when a Critical Overstay sits unowned · one-click assign & call

#	Surface	Today (live)	Proposed v2
8	Pain-point capture	N/A — no Business flow	Verbatim 5-answer card stack in Business drawer · 'hot' border when ≥ 3 pains are tagged
9	Telegram escalation status	Outbound only · no read-back	Drawer shows 'sent / read / acknowledged' · one-click re-trigger
10	Post-conversion discovery	N/A	Separate drawer section for the rep — Tools, Compliance, Revenue questions reserved for the demo call

7. Admin portal v2 — components in detail

7.1 Top bar

- Logo (left) · ⌘K search palette (centre) · 4 KPI tiles (right).
- ⌘K palette: opens with Ctrl/Cmd+K, fuzzy-matches name, reference number, country, visa scenario, phone, email. Results group by segment.
- KPI tiles: Overdue (red), Hot (amber), New today (navy), In progress (gold). Each tile clicks through to a pre-filtered view.

7.2 Sidebar

- Inbox · By segment (Individual / Overstay / Business) — each shows a live count.
- Saved views · Reference numbers · Settings.
- Critical-overstay count appears as a red pill on the Overstay item when ≥ 1 is unowned.

7.3 Critical alert banner

- Auto-shows when a lead with severity=critical sits in the queue with no owner for more than 5 minutes.
- Copy: '1 Critical overstay is unassigned — Faith Nkomo, 112 days overstayed, departure in 5 days.'
- Two CTAs: 'Assign to me' (claims ownership, opens drawer) · 'Call partner on-call' (opens dial-pad to Adv. PO Mosiane).

7.4 4-segment toggle

- 4 pills: All / Individual / Overstay / Business — each with a live count.
- Per-segment colour band on hover (Individual=navy, Overstay=red, Business=gold).
- Alert pill appears on Overstay when an unowned Critical lead exists; clicking it filters to those leads only.

7.5 Lead table (single)

Column	Width	What it shows
Lead	wide	Name + reference number + 2-letter country flag.
Segment	narrow	Coloured tag — Individual / Overstay / Business.
Scenario	medium	Visa scenario or severity (e.g. 'Work · DE' or 'Critical · overstayed 112d').
Score	narrow	0–100 score ring — colour=tier.
Tier	narrow	Pill — Strategic / Hot / Warm / Cool.
SLA	narrow	Traffic-light · green=on track · amber=≤25 % left · red=overdue.
Owner	narrow	Avatar or 'Unassigned'.
Last update	narrow	Relative time.

7.6 Lead drawer — segment-aware

Drawer slides in from the right at 540 px width. The drawer has 5 tabs (Overview · Activity · Documents · Notes · Discovery) and a sticky footer with primary actions. The Overview tab is segment-aware — first section changes per segment.

Individual drawer — Overview

- Top strip: name + score ring + tier pill + SLA traffic-light.
- Eligibility summary (scenario, age, qualifications, work offer, family ties).
- Document readiness checklist.
- Contact block + preferred-channel button (WhatsApp / phone / email).

Overstay drawer — Overview

- Red urgency strip across the top with the severity tag and the countdown to scheduled departure.
- Left column — 4 triage facts: time pressure, outcome they need, days overstayed, has consulted before.
- Right column — contact block + Telegram escalation status (sent / read / acknowledged) + 'Re-trigger Telegram alert' button.
- Sticky footer actions: 'Call partner on-call (Adv. Mosiane)' · 'Book intake within 60 min' · 'Send critical-overstay intake email' · 'Re-trigger Telegram alert'.

Business drawer — Overview

- Left column — verbatim 5-answer card stack (Q1–Q5) with tag chips (backlog / documents / compliance / team / client-experience / ai-readiness).
- Right column — firm profile (name, HQ, headcount, years, jurisdictions) + score ring + tier pill + next-action buttons.
- Below the pain stack — 'Post-conversion discovery' note with the questions to ask on the demo call (Tools, Compliance, Revenue).
- Sticky footer actions: 'Book demo within 4 h' · 'Send strategic-account intake email' · 'Assign founder as owner'.

7.7 Telegram escalation status

- Visual: pill with three dots — sent · read · acknowledged.
- 'sent' ✓ when the bot posts to #ema-critical.
- 'read' ✓ when read receipts come back via Telegram Bot API (chat_member read_state).
- 'acknowledged' ✓ when an authorised user replies in-thread with /ack <ref> or taps an inline-button.
- If acknowledged is still empty after 10 min, the drawer offers 'Re-trigger Telegram alert' which re-pings with @here.

7.8 SLA traffic-light spec

Tier / Severity	Segment	SLA (minutes)	Channel
Critical	Overstay	60	Telegram + partner on-call + senior intake
Urgent	Overstay	240	Standard intake queue
Routine	Overstay	1440	Standard intake queue
Strategic	Business	240	Founder + senior consultant
Hot	Business	240	Senior consultant
Warm	Business	1440	Standard consultant
Cool	Business	4320	Nurture sequence
Hot	Individual	240	Senior consultant
Warm	Individual	1440	Standard consultant
Cool	Individual	4320	Nurture sequence

8. Post-conversion discovery surfaces

The questions Tebatso cut from the public funnel (Tools, Compliance, Revenue) are too valuable to lose, so they move into a discovery card stack that opens inside the drawer when the rep clicks 'Mark contacted'.

8.1 Where it lives

- 5th tab in the lead drawer — 'Discovery'.
- Empty until 'Mark contacted' is clicked. Then the relevant card stack opens.
- Each card has: question · free-text answer · tag chips · 'Skip' button.

8.2 Business discovery cards

- Tools currently used — multi-select: spreadsheets, Clio, Lawcus, MyCase, in-house, none. Free-text 'other'.
- POPIA & compliance posture — Do you have a POPIA policy? · Are passports / IDs stored encrypted? · Who is the Information Officer? · Free-text 'gaps'.
- Audit & retention — How long are matter files retained? · Last internal audit date? · Free-text 'pain'.
- Annual revenue band — only if rapport is established. Bands: < R1m · R1m–R5m · R5m–R20m · R20m+ · 'prefer not to say'.
- AI readiness — Have you trialled AI tools in your practice? · What worked? · What failed?

8.3 Overstay discovery cards

- Documents — drag-drop intake: passport, expired visa, departure ticket, financial records.
- Dependents — minors / partners affected? · Who else needs an outcome?
- Prior consultations — Have you consulted before? · Which firm? · Why didn't it proceed?

8.4 Individual discovery cards

- Employer or sponsor — Have you secured a sponsor? · At what stage?
- Dependents — Children / partner moving with you? · Ages?
- Funds & ties — Proof of funds available? · Property / business ties to current country?

9. Engineering & rollout

9.1 Schema migrations

- Add column lead.segment {individual, overstay, business} · backfill all existing rows to 'individual'.
- Add column lead.severity (nullable, overstay only).
- Add column lead.score (0–100) and lead.tier (strategic / hot / warm / cool).
- Add JSON column lead.pain_answers (business only) and lead.pain_tags.
- Add JSON column lead.discovery (post-conversion notes per segment).
- Add table telegram_escalations(lead_id, sent_at, read_at, ack_at, channel, partner_on_call).

9.2 Routing rules (server-side)

```
def classify(lead):
    if lead.segment == "overstay":
        if (lead.scheduled_departure and
            (lead.scheduled_departure - today()).days <= 7):
            return Tier(severity="critical", sla=60, channel="partner_on_call")
        if lead.days overstayed >= 90 or lead.ban_applied:
            return Tier(severity="critical", sla=60, channel="partner_on_call")
        if lead.days overstayed >= 30:
            return Tier(severity="urgent", sla=240, channel="standard_intake")
        return Tier(severity="routine", sla=1440, channel="standard_intake")

    if lead.segment == "business":
        if (lead.firm.headcount_band in ("21-50", "51+")
            and lead.multi_juris_beyond_za):
            return Tier(tier="strategic", sla=240, channel="founder")
        if len(lead.pain_tags) >= 3:
            return Tier(tier="hot", sla=240, channel="senior_consultant")
        return Tier(tier="warm", sla=1440, channel="consultant")

    # individual
    score = score_individual(lead)
    if score >= 70: return Tier(tier="hot", sla=240, channel="senior_consultant")
    if score >= 40: return Tier(tier="warm", sla=1440, channel="consultant")
    return Tier(tier="cool", sla=4320, channel="nurture")
```

9.3 Ownership matrix

Workstream	Owner	Earliest start	Notes
A · Landing chooser	Tebatso	Now	Build the three-card chooser; route to /apply/individual overstay business.
B · Individual Step 4 widening	Tebatso	Now	Add City / Province / Country fields + validation.
C · Overstay 4-step flow	Tebatso	Now	Strip document-citation step; collect on intake call.
D · Business 6-step flow	Tebatso	Now	Rebuild around the 5 verbatim pain questions; remove Website.
E · Admin schema migration	Joshua	After 10 Jul	Add segment, severity, score, tier, pain_*, discovery columns.
F · Admin 4-segment toggle + table	Joshua	After 10 Jul	Single table, score ring, tier pill, SLA traffic-light.
G · Admin drawer (segment-aware)	Joshua	After 10 Jul	Right-edge 540 px drawer · 5 tabs · sticky footer.
H · Critical alert banner + Telegram ack	Joshua	After 10 Jul	Auto-banner + Telegram read-back via Bot API.
I · Post-conversion discovery cards	Joshua	After 10 Jul	Card stack inside Discovery tab; opens on 'Mark contacted'.

9.4 Release plan

- Release 1 (front-end): Landing chooser + Individual Step 4 widening + Overstay 4-step + Business 6-step. Tebatso, two-week sprint, no admin changes.
- Release 2 (admin schema): Migration + segment classifier + Telegram escalation table. Joshua, after 10 July.
- Release 3 (admin UI): 4-segment toggle + new lead table + KPI strip + ⌘K palette. Joshua, gated on Release 2.
- Release 4 (admin drawer): Segment-aware drawer + critical alert banner + Telegram ack read-back + discovery cards. Joshua, gated on Release 3.

10. Open questions & risks

- OTP delivery — the live funnel still surfaces 'Could not deliver verification code'. This is a Twilio/Meta delivery issue; not solved by this design but listed because Step 5 cannot succeed until it's fixed.
- Telegram read receipts — Bot API exposes message_id + chat read-state but not per-user reads in groups. We may need to gate 'acknowledged' on an explicit /ack <ref> reply rather than passive reads.
- Partner on-call rota — the design assumes Adv. PO Mosiane is always the on-call partner. A rota table will be needed once a second external counsel is engaged.
- Score weighting — score_individual() and score_business() are referenced but not specified in this document. They are the next deliverable (proposed: a small JSON-driven rule pack so Tebatso can iterate without a code change).
- Backfill — existing leads have no segment value. The migration will set them to 'individual'; any visibly-overstay leads should be re-tagged manually by the team in the first week.

11. Appendix — file index

- admin_mockup_v2.pdf — 5-page rendered mockup of the admin portal v2 (this design's visual reference).
- funnel_three_segments_v1.pdf / .docx — the v1 design with Tebatso's 9 comments.
- funnel_three_segments_v2.pdf / .docx — this document (final v2 design).
- funnel_chatgpt_phases_v1.pdf / .docx — companion ChatGPT instruction document with Replit-ready prompts per phase.
- Live preview of the admin mockup: [admin v2 mockup preview](#).